

PROGRESS

In The Management Of Cystic Fibrosis




creon[®] 
pancreatin

RIGHT ON TARGET – RIGHT FROM THE START

Prescribing Information – Presentation: Brown-yellow capsules containing enteric coated granules of pancreatin equivalent to: 9,000 BP units of amylase, 8,000 BP units of lipase, 210 BP units of protease. Available in packs of 100. Basic NHS price £13.33. **Indication:** Pancreatic exocrine insufficiency. **Dosage and administration:** Adults and children: Initially one or two capsules with meals, then adjust according to response. The capsules can be swallowed whole, or for ease of administration they may be opened and the granules taken with fluid or soft food, but without chewing. If the granules are mixed with food, it is important that they are taken immediately, otherwise dissolution of the enteric coating may result. **Contra-indications,**

Warnings, etc: Contra-indications: Substitution with pancreatic enzymes is contra-indicated in the early stages of acute pancreatitis. **Warnings:** Use in pregnancy: There is inadequate evidence of safety in use during pregnancy. The product is of porcine origin. Rarely cases of hyper-uricosuria and hyper-uricaemia have been reported with high doses of pancreatin. Overdosage could precipitate meconium ileus equivalent. Perianal irritation could occur, and, rarely, inflammation when large doses are used. **Product Licence Number:** 5727/0001. **Name and address of Licence Holder:** Kali Chemie Pharma GmbH, Postfach 220, D-3000, Hannover 1, West Germany.

At last. The salbutamol inhaler for asthma patients of all ages.



It's breath

It's so simple ...

Prescribing Information. Presentation: a breath-actuated pressurised inhalation aerosol delivering Salbutamol Sulphate BP equivalent to salbutamol 100mcg. **Indications:** for the treatment of reversible airways obstruction associated with asthma, bronchitis and emphysema. **Dosage:** Adults of all ages: one or two inhalations as a single dose for acute symptomatic relief. For chronic maintenance/prophylactic therapy, two inhalations three or four times daily. Children: half of adult dose, increasing as necessary to the full adult dose. **Contra-indications:** administer cautiously to patients with thyrotoxicosis. Patients should be

THE NEW

Aerolin

AUTOHALER.

Breath actuated salbutamol

advised to seek medical advice if treatment ceases to be effective. **Side effects:** none reported. **Pharmaceutical precautions:** store in a cool place protected from frost and direct sunlight. As the vial is pressurised no attempt should be made to puncture it or dispose of it by burning. **Basic NHS prices:** £11.50 complete unit. **Product licence number:** PL 68/0117.

Further information is available from the 3M Riker Representative, or the Information Scientist: Telephone Loughborough (0509) 611611.

A major practical advance in asthma therapy

3M Riker

3M Riker, 3M House, Morley Street, Loughborough, Leicestershire LE11 1EP
Aerolin, Autohaler, Riker, 3M; trademarks.

3M

