In Bronchial Asthma
Acute and Chronic Bronchitis
Bronchiectasis and Atelectasis

Tryptar Aerosol

The value of TRYPTAR AEROSOL in these conditions has been emphasised in recent clinical evidence (1, 2), where optimal tracheobronchial cleansing without irritation is required.

Pure Crystalline Trypsin

TRYPTAR AEROSOL is non-antigenic and no sensitization phenomena have been reported in over 250 cases of intermittent and repeated treatments.

Presentation : Carton containing 1 vial 125,000 Armour Units Pure Crystalline Trypsin and 3 ml. ampoule Tryptar diluent. Also available for local and intrapleural use, in vials of 50,000 and 250,000 Armour Units Pure Crystalline Trypsin.

Samples and literature will be supplied on request.

THE ARMOUR LABORATORIES
(Armour & Company Ltd.)
Hampden Park, Eastbourne, England
Telephone: Hampden Park 740
Telegrams: Armolab Eastbourne

References
(1) *Lancet* 1957, ii, 820.
(2) *Lancet* 1957, ii, 1005.

A

These are the advantages of

Calcium B-PAS WANDER

and

B-Pasinah WANDER

in the

Chemotherapy of Tuberculosis

B-PAS (Wander), 4-benzoylamino-2-hydroxybenzoic acid, first introduced by our Research Laboratories in 1948, is the drug of choice in regimens comprising PAS in concurrent therapy.

In the form of its calcium salt, it provides extended bacteriostatic levels, induces only minimal side-effects as compared with sodium PAS, and because of its high acceptability guarantees as far as possible that patients, particularly on domiciliary treatment, do take their medication.

Available in 3.5 g. envelopes and in 1 g. cachets; and as bulk powder.

'**B-PASINAH**' is available in two convenient forms:

Powders each containing 3.5 g. calcium B-PAS (Wander) and 87.5 mg. isoniazid.

Cachets each containing 1 g. calcium B-PAS (Wander) and 25 mg. isoniazid.

Full abstracts from literature, also details of institutional packs and prices from the Medical Department

A. WANDER LIMITED

42 Upper Grosvenor Street, Grosvenor Square, London W.1

M.400

DEAN

vertical cassette stand



. . . model 105

DETAILS—Cassettes of various sizes can be quickly and securely positioned at any inclination from the vertical to an angle of 15 deg. Height adjustment is graduated in inches from 24 in. to 66 in. Transparent scale indicator in the carriage facilitates correct positioning of the X-ray tube with respect to both height and size of cassette. Scales and locks are reversible for either right- or left-hand adjustment. Provision is made for securing the stand to the floor. Carriage of holder slides smoothly on ball-bearing rollers.



Cassette Holder tilted 15 deg.

A. E. DEAN & CO. (X-RAY APPARATUS) LTD.

G. P. DEAN

PROGRESS WAY · CROYDON · ENGLAND

Telephone : CROydon 0188/9 *Telegrams :* Frequency, Croydon

Midland Agents : Watson & Glover, 2 Easy Row, Birmingham. *Scottish Agent :* H. A. West, 41 Watson Crescent, Edinburgh 11

SERVICE FACILITIES AT MANCHESTER, LEEDS, AND BOURNEMOUTH

TO ESTABLISH CONTROL Suppressing dosage varies with the needs of the individual. Initially, however, even in severe intractable conditions, treatment begins at a total daily dosage of 30 mg. **2 x 5 mg. Deltacortril Tablets t.i.d.**

TO MAINTAIN CONTROL When control has been established dosage is reduced, in order to determine the minimum effective maintenance dose. Every two or three days the total daily intake is reduced by one half tablet (2.5 mg.). These reductions continue until the desired level is reached. Maintenance doses average between 10 and 15 mg. daily. **1 or 1½ x 5 mg. Deltacortril Tablets b.d.**

Deltacortril* BRAND OF PREDNISOLONE

THE MOST POTENT AND THE SAFEST CORTICOSTEROID

PFIZER PHARMACEUTICALS
Manufactured at Sandwich and processed at Folkestone, Kent

Pfizer

069/P

**Registered Trade Mark*

[1]Schwartz, E. (1956) *N.Y. St. J. Med.*, **56**, 570

PAS *in its most agreeable form . . .*



Bactylan

ENTERIC COATED GRANULES AND DRAGEES

REDUCE INTOLERANCE TO A MINIMUM

TASTELESS Bactylan enteric coating avoids entirely the unpleasant taste of PAS

NO GASTRITIS Enteric coating completely avoids contact of PAS with the gastric mucosa

EASY TO TAKE

- Granules are specially intended for patients who have difficulty in swallowing
- Dragees are ideal for patients at work

ROUSSEL

LONDON N.W.10
LADbroke 6611

GRANULES containing half their weight of PAS. Tins of 350G.
DRAGEES each containing 0.69G. of PAS. Tins of 250 dragees.

LS/44

Time and again

Whenever radiographs are made on 'Kodak' X-ray Film you can be sure of its uniform response and consistently high radiographic quality—vitally important in serial work.

Kodak X-RAY FILM

Blue Brand, Standard and 'Kodirex'

Kodak Limited, Medical Sales Division, Kodak House, Kingsway, London, W.C.2

'Kodak' is a registered trade-mark

"made to measure"

combined chemotherapy



PYCAMISAN

(*P.A.S. and isoniazid in cachets*)

Almost every accepted combination of P.A.S. and isoniazid is available in the flexible range of PYCAMISAN cachets.



'Specialists in tuberculostatic drugs'

Literature and dosage charts on request to

SMITH & NEPHEW
PHARMACEUTICALS LTD.
WELWYN GARDEN CITY · HERTS.

revolutionizes
Operating Theatre
procedure

REGD. **Davis & Geck**

SURGILAR

HEAT STERILIZED GUT IN PLASTIC ENVELOPES

Gives surgeons improved gut

Loose coil packaging delivers a stronger, more flexible strand

Keeps broken glass out of the theatre

Saves 1/3rd nurses' handling time

Saves 50% storage space

SURGILAR envelopes are packed in wide-necked jars for easy and quick removal. The new SURGILAR Heat Sterilized Pack is now available in a full range of plain and chromic gut.



STANDARD LENGTHS (Sterilized)

Type	Length	Sizes	Package
PLAIN Non-boilable	*5 ft.*	*4-0 to 3*	*Jars of 1 doz. and 3 doz. envelopes*
MEDIUM CHROMIC Non-boilable	*5 ft.*	*4-0 to 3*	*Jars of 1 doz. and 3 doz. envelopes*

Sole Distributors in United Kingdom :

Chas. F. Thackray LTD LEEDS & LONDON

★ ***WRITE FOR FULLY DESCRIPTIVE BOOKLET***

Head Office: **THE OLD MEDICAL SCHOOL, PARK STREET, LEEDS 1**
Tel. 20085 (5 lines). Cables: "Aseptic, Leeds 1."
London Office: 38 Welbeck Street, London W.1. Tel. WELbeck 8152/3.
Also at Johannesburg and Cape Town.

MADE IN UNITED KINGDOM BY CYANAMID OF GREAT BRITAIN LTD.

READY SHORTLY

THE POST-OPERATIVE CHEST
By H. T. LANGSTON *et al.* 244 pages, 378 illustrations. 60s.

ROENTGENOLOGY OF THE CHEST
By C. B. RABIN *et al.* 504 pages, 247 illustrations. £7 7s.

CIRCULATION: Proceedings of the Harvey Tercentenary Congress, 1957
Edited by JOHN McMICHAEL. 380 pages, 224 illustrations. About 45s.

THE TREATMENT OF BRONCHIAL NEOPLASMS
Edited by R. R. SHAW. *In preparation.* Price indefinite

NEW AND STANDARD WORKS

NON-TUBERCULOUS DISEASES OF THE CHEST
Edited by A. L. BANYAI. 1152 pages, 280 illustrations. £6 15s.

LUNG ABSCESS
By SIR RUSSELL BROCK. 200 pages, 60 illustrations. 35s.

SUBPHRENIC ABSCESS
By H. R. S. HARLEY. 224 pages, 76 illustrations. 35s.

TUBERCULOSIS—EVERY PHYSICIAN'S PROBLEM
By J. ARTHUR MYERS. 304 pages, 35 illustrations. 57s. 6d.

THE LUNG AS A MIRROR OF SYSTEMIC DISEASE
By E. H. RUBIN. 312 pages, 207 illustrations. 95s.

THE SURGICAL MANAGEMENT OF PULMONARY TUBERCULOSIS
Edited by J. STEELE. 248 pages, 175 illustrations. 72s.

BLACKWELL SCIENTIFIC PUBLICATIONS • OXFORD

NAPT

Commonwealth Chest Conference

incorporating the Annual Conference of the BRITISH TUBERCULOSIS ASSOCIATION

Royal Festival Hall London

1st to 4th July 1958

Sessions on tuberculosis, lung carcinoma and other chest diseases; and on cardiological problems.

5th to 7th July 1958

Visits to hospitals, clinics and rehabilitation centres

NATIONAL ASSOCIATION FOR THE PREVENTION OF TUBERCULOSIS
and Diseases of the Chest and Heart

TAVISTOCK HOUSE NORTH
TAVISTOCK SQUARE • LONDON • W.C.1

New NAPT handbook for the G.P.

RESPIRATORY DISEASE and the GENERAL PRACTITIONER

by

C. H. C. TOUSSAINT
MRCS, LRCP, DPH
Consultant Chest Physician, Willesden Chest Clinic and Central Middlesex Hospital, London
President, British Tuberculosis Association, 1957–8

A survey of the diagnosis and management of three major respiratory diseases, with detailed descriptions of 32 individual case histories, illustrated by 53 X-ray plates. Early diagnosis of bronchial carcinoma is stressed. A section on bronchitis is included.

28 pages 7s. 6d.

Published by
THE NATIONAL ASSOCIATION FOR THE PREVENTION OF TUBERCULOSIS
and Diseases of the Chest and Heart
TAVISTOCK HOUSE NORTH, TAVISTOCK SQUARE, LONDON, W.C.1

When a new weapon is necessary



A pole-axe, probably Burgundian, of about 1480

add VIOCIN*

Brand of viomycin sulphate

A halberd of the early XVIIth century engraved with the Arms of Saxony

to your medical armoury

The antibiotic that complements streptomycin in the treatment of TUBERCULOSIS

Viocin for intramuscular injection is supplied in vials containing the equivalent of 1 G. of pure viomycin base. (Available for supply direct to hospitals).

WORLD'S LARGEST PRODUCER OF ANTIBIOTICS

PFIZER LTD · FOLKESTONE · KENT

* *Trade Mark of Chas. Pfizer & Co., Inc.*

Printed in Great Britain by Fisher, Knight and Co., Ltd., The Gainsborough Press, St. Albans.