
THORAX DECEMBER, 1961




X-ray photograph of an induction coil for a 'Rotax' cardiac pacemaker insulated by and embedded in 'Fluon' I.C.I. p.t.f.c.

'Fluon' helps to make medical history

This tiny induction coil is part of a 'cardiac pacemaker' used to stimulate a patient's heart to beat normally in cases of the crippling condition known as 'heart block'. This coil is inserted under the skin and connected to the heart. Another induction coil is placed over it and connected to a portable transistor pulse generator, thus allowing the heart to be stimulated to beat from outside the body.

Both coils are embedded in 'Fluon' p.t.f.e., an I.C.I. material whose unusual properties make it ideal for this type of medical equipment. 'Fluon' is a tough, flexible plastic which is immune to virtually all forms of chemical attack, and is chemically inert. It can be subjected to temperatures as high as 250 C or as low as that of liquid nitrogen and is an extremely efficient electrical insulating material. If you would like more information about this equipment, write to the makers, 'Rotax' Ltd., Willesden Junction, London, N.W.10.



The 'Rotax' coil showing its actual size.



'Fluon' is the registered trade mark for the polytetrafluorethylene made by I.C.I.



ETHICON TRUE-GAUGED • SURGICAL GUT

in FOIL much above B.P. and U.S.P. standards Av. Knot Pull lbs. 15·**0** 14.0 ETHICON TRUE GAUGED GUT IN FOIL 13:0 12:0 11:0 10.0 U.S.P. STANDARD $9 \cdot 0$ 8.0 7:0 $6 \cdot 0$ 5.0 4.0

ETHICON LIMITED

3.0

2.0

1.0

ř

TREATMENT OF TUBERCULOSIS

'TRESCATYL'

ethionamide

The use of 'Trescatyl' and a suitable companion drug for previous treatment failures has proved effective in a high percentage of cases.

Available as tablets (scored) of 250 mg. and suppositories of 500 mg.


Detailed information is available on request.

An M&B brand Medical Product



Manufactured by MAY & BAKER LTD

Distributors
PHARMACEUTICAL SPECIALITIES
(MAY & BAKER) LTD · DAGENHAM



Kodak Ltd., Medical Sales Division, Kodak House, Kingsway, London, W.C.2. 'Kodak' is a registered trade-mark.

'ONLY SIX DAILY, DOCTOR ?'

Two new additions to the WANDER range of Pasinah products will provide greater convenience for your patients during their tuberculotherapy and gain their closer collaboration because each will give a full daily regimen in only six cachets • • • • •

PASINAH-6PH WANDER PASINAH-302

for regimens of 10 g. Sodium PAS and 200 mg. Isoniazid.

Each 'Pasinah-6PH' cachet contains:
Sodium Aminosalicylate B.P. ... 1.67 g. Isoniazid B.P. ... 33.3 mg. thus giving in 6 cachets the total daily drug quantities (10 g. Sodium PAS and 200 mg. Isoniazid) which the M.R.C. originally recommended to be given in eight '10PH' cachets.

for regimens of 12 g. Sodium PAS and 300 mg. Isoniazid.
Each 'Pasinah-302' cachet contains:
Sodium Aminosalicylate B.P. ... 2 g.
Isoniazid B.P. ... 50 mg. thus giving in 6 cachets the above daily drug quantities.

Note—For easier swallowing 'Pasinah-6PH' and 'Pasinah-302' cachets are smooth, without sharp edges.

R 'PASINAH-6PH' and 'PASINAH-302', and reduce the known dangers which may result from drug default. Flexibility of single dosage is maintained: 3 cachets twice daily or 2 cachets three times daily, according to your instruction.

Packs: Tins of 180 cachets (30 days' supply) and 540 cachets (90 days' supply) packed in daily units of 6 cachets.

the easiest

TB treatment of all





INAPASADE twice a day

INAPASADE is the easiest and most pleasant way of taking PAS and isoniazid—combined in non-irritant, tasteless granules that are swallowed effortlessly with a drink. Only two doses a day provide 12 G. sodium PAS with 300 mg. isoniazid. By removing the unpleasantness associated with this

treatment and eliminating the inconvenient mid-day dose. Inapasade secures the enthusiastic co-operation of the TB patient at home and helps to obviate lapses in treatment.

Tins of 60 and 120 one-dose packets and bulk granules pack for hospitals

tasteless non-irritant granules

Smith & Nephew *Pharmaceuticals* Limited WELWYN GARDEN CITY · HERTFORDSHIRE





SURGILAR

ATRAUMATIC NEEDLE SUTURES

New! Improved!

IMPROVED ATTACHMENT!

New process gives greater attachment strength between needle and suture eliminates ridge at point of closure ensuring a smoother line of flow reducing tissue trauma.

IMPROVED NEEDLE

Stronger, more evenly tempered to retain its shape during use. Point and cutting edges kept perfectly sharp in protective, plastic envelope.

IMPROVED CATGUT

Minimum diameter variation within and between strands of gut. Tensile strength considerably in excess of required standards. Unkinked—far more flexible.

... now with smoother line of flow

Contained in envelope ready for immediate use. Non-irritant 'Hibitane' chlorhexidine jar solution ensures complete safety.

Full details of range, sizes and prices are available on application to The Sole U.K. Distributors





Head Office .

THE OLD MEDICAL SCHOOL, PARK STREET, LEEDS 1. Tel: 20085 (5 lines) Cables: 'Aseptic, Leeds 1' London Office:

38 Welbeck Street, London W.1. Tel: WELbeck 8152 3. Also at Johannesburg, Cape Town and Durban

CYANAMID *Regd. Trademark *Trademark of Imperia Chemical Industries Ltd.



THE WRIGHT PEAK FLOW METER

FOR THE CONVENIENT

AND EASY MEASUREMENT

OF VENTILATORY CAPACITY



Head Office & Export Sales:

Edinburgh Way, Harlow, Essex

Tel: Harlow 24331

Home Sales:

16 Wigmore Street, London, W.1 Tel: MUSeum 7037

One of the Clement Clarke group



MILLOPHYLINE

(Camphorsulphonate of diethylaminoethyltheophylline)

A powerful cardiac and respiratory stimulant for the treatment of acute and chronic diseases of the heart and lungs

Non irritant

Low toxicity

Available as Tablets, Ampoules and Suppositories

Samples and literature available on request from:

DALES PHARMACEUTICALS LIMITED POWER ROAD CHISWICK LONDON, W.4

GENERAL PROVES BROXIL THE MOST EFFECTIVE ORAL PENICILLIN

AVAILABLE IN TABLET AND SYRUP FORM

Broxil (Regd) is a product of British Research at the Beecham Research Laboratories Ltd., Brentford, England. Tel: ISLeworth 4111





used successfully by a leading Northern Teaching Hospital

EFFICIENCY ECONOMY IN OXYGEN THERAPY

WITH AN ENTIRELY NEW TYPE OF DISPOSABLE MASK


Rate of flow of oxygen 2 litres minute This oxygenates the blood in all cases except where a shunt is present.

EXAMPLES OF SATURATIONS	ARTERIAL	OXYGEN
Patient 1 (Systemic Sclerosis) Patient 2 (Emphysema) Patient 3 (Mitral Stenosis) Patient 4 (Cor Pulmonale)	Before O. 82°	After O., with MC mask 95"
		95°,,
	82°.	100%
	50%	82". (controlled at this level to prevent rise

No accumulation of carbon dioxide Due to its size, shape and position of oxygen Due to its size, shape and position of oxygen inflow pipe, there is an organized movement of gases. Controlled percentage of inspired oxygen. This is of extreme importance in respiratory failure, where CO, narcosis must be avoided. The MC Mask can oxygenate the blood without increasing the level of CO₂. Transparent—lips can be seen. Disposable—no sterilization required. Can be used quickly and effectively by the ambulatory patient.

OXYGEN ECONOMY 2 litres per minute

The MC Mask reduces The MC Mask reduces exygen consumption by at least 66", this means a less expenditure on oxygen cylinder hire and refill, a less porterage in exchanging cylinders and gives ing cylinders and gives 28! hours of controlled, effective oxygen therapy from a 120 cu. ft. cylinder with increased efficiency.





Run at 10 l. min.-41 hrs. Run at 61. min.—92 hrs. Run at 2 l. min.-28 hrs



and preventing formation of dead space. *Fully descriptive literature on request.

(1) Plastic foam ensuring close fit to face.
(2) Oxygen delivered to close proximity of patient's mouth or nose. (3) Swivelling inflow pipe reducing drag from cylinder tubing. (4) Transparent mask giving clear view of lips. (5) Tapered end to fit different bore tubing from cylinder. (6) Mask of small volume and maintaining its shape, producing an organized movement of gases and preparation for facel stage.

Manufactured by DARTON MANUFACTURING CO. LTD. DARTON BARNSLEY YORKS. Tel.: DARTON 688 9, TELEX 54157



extra initial cost. oxygen mask

Cost MC masks are individually packed in polythene bags containing full instructions and are available at quantity discounts or 3 6 singly. The improved efficiency and great economy in oxygen more than repay the slight


Patent applied for

Manufacturers of HOSPITAL POLYTHENE FILM SUPPLIES, INCLUDING MATTRESS COVERS, DRAW SHEETS, PILLOW COVERS, APRONS, THEATRE MACKINTOSHES, TROLLEY COVERS, PATIENTS' OPERATING MACKINTOSHES

DESIGNED ON PHYSIOLOGICAL BASIS ENABLING THE PRACTITIONER TO LEAVE HIS PATIENT CONFIDENT HE WILL INHALE GXYGEN IN AN EFFECTIVE DOSAGE

THE 'DISTAMPIN'

brand



for speed . . . for convenience . . . for safety

When a drug has been therapeutically proved the next step in the service of medicine is to seek the most acceptable and convenient way of presenting it. To this end the 'Distampin' Disposable Injector—a new sterile unit consisting of a single-dose ampoule and hypodermic needle—is now available. The contents of the ampoule are under pressure for automatic injection without a syringe.

Apart from its convenience and time-saving advantages, the risk of contact allergy in those handling drugs (e.g., antibiotics) is eliminated.

The 'Distampin' Injector is sterile—no sterilization is required except the preparation of the patient's skin.

AVAILABLE TO HOSPITALS

'DISTAQUAINE' SUSPENSION (Injection of Procaine Penicillin B.P.) 3 ml. injectors (300.000 units per ml.) 2s. 2d. per injector. Cartons of 25 'STREPTAQUAINE' SOLUTION (Injection of Streptomycin Sulphate B.P.) 0.25 gramme per ml.

4 ml. injectors
1s. 11d. per injector
Cartons of 25
MIXTAMYCIN SOLUTION

(Injection of Streptoduocin)
4 ml. injectors (0.25 gramme per ml.)
1s. 11d. per injector. Cartons of 25

All prices subject to hospital quantity discounts.
Full details will be sent on request.



THE DISTILLERS COMPANY (Biochemicals) LIMITED BROADWAY HOUSE. THE BROADWAY, WIMBLEDON, S.W.19 Telephone: LIBerty 6600 Owners of the trade marks 'Distampin', 'Distaquaine', 'Streptaquaine' and 'Mixtamycin'



Halve the exposure

At all kilovoltages, ILFORD Fast Tungstate intensifying screens can be rated at twice the speed of ILFORD Standard screens, yet any loss of definition entailed by their use is practically negligible.

This enables the radiologist to implement the strong recommendations of the Adrian report, in that dosage to the patient can be halved without sacrifice of diagnostic quality in the resultant radiographs, while radiation hazards to the operator are similarly reduced. Another important advantage offered by the new screens is the possibility of obtaining

improved definition by minimising the effect of subject movement through the use of shorter exposure times. ILFORD Fast Tungstate screens will also be found of particular benefit in conjunction with mobile units of limited output, such as are used in wards and operating theatres.

Fast Tungstate screens cost no more than Standard screens, while their flexibility, durability and other physical characteristics conform to the same high standards of quality as these and other intensifying screens in the ILFORD range.



FAST TUNGSTATE-

a new screen for general radiography

ILFORD LIMITED . ILFORD . ESSEX

THORACIC DISEASES

Emphasizing Cardiopulmonary Relationships

By Eli H. Rubin, M.D., F.A.C.P., F.C.C.P., Professor of Clinical Medicine, Albert Einstein College of Medicine, Yeshiva University, New York City

and Morris Rubin, M.D., F.A.C.S., F.C.C.P., Associate Clinical Professor, Thoracic Surgery, Albert Einstein College of Medicine, Yeshiva University, New York City.

Describes Clinical Diagnosis and Management of Diseases of the Lungs, Pleura,
Mediastinium and Chest Wall

A new, complete and revealing picture of thoracic disorders and diseases—from simple chest muscle strain to metastatic calcification of the lungs—described from aetiology through follow-up care.

Prime attention is devoted to the problems of intrathoracic neoplasms, tuberculosis and the pneumonias. Throughout all discussions, cardiopulmonary relationships and their significance are carefully integrated.

The tremendous amount of information to be drawn from roentgenological diagnosis is described, explained and illustrated. Because patients' symptoms often provide a basis for diagnosis which cannot be supplied by any other means, the authors give careful attention to how to elicit a revealing history.

You'll find up-to-date material on safe and effective use of today's antibiotics, steroid medication, intermittent positive pressure breathing, tracheotomy, exploratory thoracotomy for so-called "coin" lesions, how to make earlier diagnosis of lung cancer through x-ray means, and a number of newly described syndromes.

968 pages, with 461 illustrations. £8 15s.

W. B. SAUNDERS COMPANY

7 GRAPE STREET, LONDON, W.C.2

Cardiac Problems

Papers read at three symposia held by The Chest and Heart Association

Contents: Differential diagnosis of cardiac and respiratory disease; radiology of the heart; assessment of cardio-respiratory function; heart failure in chronic cor pulmonale; pulmonary hypertension; therapeutics in heart disease; treatment of syncope; treatment of hypertension; management of acute heart failure and of chronic heart failure; valvular and septal lesions and their surgical treatment; prevention of acute rheumatism; results of surgical treatment; management of coronary disease; value of the serum transaminase in myocardial infarction; hazards and mischances of cardiac therapy; endocrine aspects of heart failure

144 pages (illustrated) 18s. 6d.

Order through any bookseller or direct from

The Chest and Heart Association
Tavistock House North, Tavistock Sq., London WCI

* Important Publications *

TECHNIQUES OF THORACOTOMY

By B. T. LE ROUX, M.B., Ch.B.(Cape Town), F.R.C.S.(Ed.)

102 pages.

139 illustrations.

55e

"A beautifully illustrated monograph depicting the operative procedures involved in the operations of thoracotomy. Many of the operations are shown in colour and are well reproduced. An outstanding production."—British Journal of Surgery.

CARCINOMA OF THE LUNG

Edited by J. R. BIGNALL, M.A., M.D., M.R.C.P.

0 pages. 69 illustrations.

55 s.

"The book is an unrivalled source of authentic information about lung cancer: anyone interested in the subject should get it."—Lancet.


TUBERCLE


The Journal of the British Tuberculosis Association Edited by J. R. BIGNALL, M.A., M.D., M.R.C.P.

This important journal is now being published quarterly, in March, June, September and December. The annual subscription is £3 3s. 0d.

E. & S. LIVINGSTONE, LTD. Edinburgh, I







Average blood levels of free PAS in serum after Lehmann's method, in patients treated with Dantyl. Acta Tuberc. Scandinav. KL, Fasc. 3, 1961.

DANTYL is available in boxes containing 100 sachets. Each sachet contains: PAS Phenyl ester, 3 g.; PAS, 1 g.; Sucrose, 3 g.

LEO LABORATORIES LTB., 15 18 CLIPSTONE STREET, LONDON W.J.

A34/15