

Subject index

- ¹⁸F-fluorodeoxyglucose**, Metabolic significance of the pattern, intensity and kinetics of ¹⁸F-FDG uptake in malignant pleural mesothelioma, **1077**
- 8-isoprostane**, Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations, **505**
- acid induced lung injury**, VEGF regulates the proliferation of acid-exposed alveolar lining epithelial cells, **328**
- acute chest syndrome**, The pulmonary physician in critical care • 2 Illustrative case 6: Acute chest syndrome of sickle cell anaemia, **726**
- acute lung injury**, Enhancement of acute lung injury related to bacterial endotoxin by components of diesel exhaust particles, **605**
Plasma surfactant protein levels and clinical outcomes in patients with acute lung injury, **983**
The pulmonary physician in critical care • Illustrative case 8: Acute respiratory failure following lung resection, **820**
- acute respiratory distress syndrome**, Plasma surfactant protein levels and clinical outcomes in patients with acute lung injury, **983**
The pulmonary physician in critical care • 13: The pulmonary circulation and right ventricular failure in the ITU, **157**
- acute respiratory failure**, The pulmonary physician in critical care • Illustrative case 8: Acute respiratory failure following lung resection, **820**
- acute severe respiratory disease**, Improving the care for patients with acute severe respiratory disease, **285**
- ADAM 33**, ADAM 33: just another asthma gene or a breakthrough in understanding the origins of bronchial hyperresponsiveness?, **466**
- add-on therapy**, Effect of montelukast added to inhaled budesonide on control of mild to moderate asthma, **204**
Leukotriene receptor antagonists as add-on therapy for adults with asthma, **190**
Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma, **211**
- adult lung function**, Relationship between birth weight and adult lung function: controlling for maternal factors, **1061**
- adult respiratory distress syndrome**, Role of the endothelium and nitric oxide synthases in modulating superoxide formation induced by endotoxin and cytokines in porcine pulmonary arteries, **598**
- adults**, Cough • 1: Chronic cough in adults, **901**
- aetiology**, Chronic obstructive pulmonary disease • 6: The aetiology of exacerbations of chronic obstructive pulmonary disease, **73**
Lymphangiomyomatosis: a case-control study of perinatal and early life events, **979**
- age**, Asthma guidelines, **735**
Lung cancer • 7: Management of lung cancer in elderly patients, **711**
- α_1 -antitrypsin deficiency**, Correlation between annual change in health status and computer tomography derived lung density in subjects with α_1 -antitrypsin deficiency, **1027**
Predictors of mortality in α_1 -antitrypsin deficiency, **1020**
- air pollution**, Air pollution and lung cancer: what more do we need to know?, **1010**
Lung cancer and air pollution: a 27 year follow up of 16 209 Norwegian men, **1071**
- air travel**, Chronic obstructive pulmonary disease • 11: Fitness to fly with COPD, **729**
Guidelines on prevention of venous thromboembolism during long haul flights, **91**
- airway immunopathology**, Comparison of airway immunopathology of eosinophilic bronchitis and asthma, **528**
- airway inflammation**, Cough frequency in children with stable asthma: correlation with lung function, exhaled nitric oxide, and sputum eosinophil count, **974**
- airway remodelling**, Pharmacotherapy and airway remodelling in asthma?, **163**
- Albania**, High incidence of cystic fibrosis in children born in Italy to Albanian immigrants, **93**
- allergen avoidance**, Primary prevention of asthma and atopy during childhood by allergen avoidance in infancy: a randomised controlled study, **489**
- allergen induced exacerbation**, Effect of bradykinin on allergen induced increase in exhaled nitric oxide in asthma, **840**
- allergy**, Short term effects of airborne pollen concentrations on asthma epidemic, **708**
- aminophylline**, Intravenous salbutamol bolus compared with an aminophylline infusion in children with severe asthma: a randomised controlled trial, **306**
- angiogenic squamous dysplasia**, High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer, **989**
- angiography**, Pulmonary vein thrombosis after bilobectomy and development of collateral circulation, **550**
- angiotensin converting enzyme gene**, ACE in COPD: a therapeutic target?, **556**
Effects of captopril administration on pulmonary haemodynamics and tissue oxygenation during exercise in ACE gene subtypes in patients with COPD: a preliminary study, **629**
- Annual report**, Annual report October 2002 to September 2003, **1015**
- antibiotics**, *Burkholderia pseudomallei*: another emerging pathogen in cystic fibrosis, **1087**
Energy intake and weight are increased by antibiotics in children with cystic fibrosis, **949**
Time course of recovery of health status following an infective exacerbation of chronic bronchitis, **589**
- antimicrobial resistance**, Survey of resistance of *Pseudomonas aeruginosa* from UK patients with cystic fibrosis to six commonly prescribed antimicrobial agents, **794**
- apoptosis**, The role of neutrophil apoptosis in the resolution of acute lung injury in newborn infants, **961**
- Aspergillus**, Underlying chronic granulomatous disease in a patient with bronchocentric granulomatosis, **1096**
- asthma**, ADAM 33: just another asthma gene or a breakthrough in understanding the origins of bronchial hyperresponsiveness?, **466**
Allelic association and functional studies of promoter polymorphism in the leukotriene C4 synthase gene (LTC4S) in asthma, **417**
Association of body mass with pulmonary function in the Childhood Asthma Management Program (CAMP), **1036**
Association of CCR5Δ32 with reduced risk of childhood but not adult asthma, **222**
Association of consumption of products containing milk fat with reduced asthma risk in pre-school children: the PIAMA birth cohort study, **567**
Asthma and atopy in overweight children, **1031**
Asthma and obesity: where are we now?, **1008**
Asthma guidelines, **735**
Asthma symptoms in women employed in domestic cleaning: a community based study, **950**
Authors' reply, **280**
Breathing exercises and asthma, **649**
Breathing retraining for dysfunctional breathing in asthma: a randomised controlled trial, **110**
British Guideline on the Management of Asthma, (Suppl 1), **i1-i83**
British Thoracic Society guidelines on respiratory aspects of fitness for diving, **3**
Bronchodilation by an inhaled VPAC₂ receptor agonist in patients with stable asthma, **217**
Can a self-management programme delivered by a community pharmacist improve asthma control? A randomised trial, **851**
Comparison of airway immunopathology of eosinophilic bronchitis and asthma, **528**
Comparison of atopic cough with cough variant asthma: is atopic cough a precursor of asthma?, **14**
Cough frequency in children with stable asthma: correlation with lung function, exhaled nitric oxide, and sputum eosinophil count, **974**
Cough receptor sensitivity to capsaicin does not change after allergen bronchoprovocation in allergic asthma, **19**
Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations, **505**
Difficult asthma, **555**

- Effect of bradykinin on allergen induced increase in exhaled nitric oxide in asthma, **840**
- Effect of montelukast added to inhaled budesonide on control of mild to moderate asthma, **204**
- Effect of two breathing exercises (Buteyko and pranayama) in asthma: a randomised controlled trial, **674**
- Effects of volatile organic compounds, damp, and other environmental exposures in the home on wheezing illness in children, **955**
- Exhaled nitric oxide and asthma: complex interactions between atopy, airway responsiveness, and symptoms in a community population of children, **1048**
- Exhaled nitric oxide rather than lung function distinguishes preschool children with probable asthma, **494**
- Homeopathy in childhood asthma, **826**
- Increased circulating 92 kDa matrix metalloproteinase (MMP-9) activity in exacerbations of asthma, **757**
- Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial, **317**
- Intravenous salbutamol bolus compared with an aminophylline infusion in children with severe asthma: a randomised controlled trial, **306**
- Leukotriene receptor antagonists as add-on therapy for adults with asthma, **190**
- Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up, **968**
- Perception of airway narrowing during reduction of inhaled corticosteroids and asthma exacerbation, **1042**
- Pharmacotherapy and airway remodelling in asthma?, **163**
- Plasma concentrations of fluticasone propionate and budesonide following inhalation from dry powder inhalers by healthy and asthmatic subjects, **258**
- Predictors of therapy resistant asthma: outcome of a systematic evaluation protocol, **561**
- Primary prevention of asthma and atopy during childhood by allergen avoidance in infancy: a randomised controlled study, **489**
- Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma, **211**
- Rapid effect of inhaled steroids on nocturnal worsening of asthma, **632**
- Relationship between induced sputum eosinophils and the clinical pattern of childhood asthma, **116**
- Revision of BTS guidelines for treatment of asthma, **280**
- Risk factors associated with the presence of irreversible airflow limitation and reduced transfer coefficient in patients with asthma after 26 years of follow up, **322**
- Sahaja yoga in asthma, **825**
- Second line treatment for severe acute childhood asthma, **284**
- Self-management of asthma in general practice, **735**
- Self-management of asthma in general practice, asthma control and quality of life: a randomised controlled trial, **30**
- Short term effects of airborne pollen concentrations on asthma epidemic, **708**
- Sputum T lymphocytes in asthma, COPD and healthy subjects have the phenotype of activated intraepithelial T cells (CD69+ CD103+), **23**
- Sustained reduction in bronchial hyperresponsiveness with inhaled fluticasone propionate within three days in mild asthma: time course after onset and cessation of treatment, **500**
- Systemic activity of inhaled corticosteroid treatment in asthmatic children: corticotrophin releasing hormone test, **227**
- T cell cytokine profiles in childhood asthma, **311**
- The new BTS/SIGN asthma guidelines: where evidence leads the way, **98**
- The pulmonary physician in critical care • 12: Acute severe asthma in the intensive care unit, **81**
- Underdiagnosed asthma in South Australia, **846**
- asthma exacerbation**, Increased circulating 92 kDa matrix metalloproteinase (MMP-9) activity in exacerbations of asthma, **757**
- asthma nurses**, Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up, **968**
- atopic cough**, Atopic cough: little evidence to support a new clinical entity, **736**
- Comparison of atopic cough with cough variant asthma: is atopic cough a precursor of asthma?, **14**
- atopy**, Asthma and atopy in overweight children, **1031**
- Exhaled nitric oxide and asthma: complex interactions between atopy, airway responsiveness, and symptoms in a community population of children, **1048**
- atrial septostomy**, Atrial septostomy in the treatment of severe pulmonary arterial hypertension, **797**
- atypical mycobacterial infections**, Atypical mycobacterial infection, starvation and effect of BCG vaccination on tuberculin skin test, **367**
- autoantibodies**, Relationship of anti-GM-CSF antibody concentration, surfactant protein A and B levels, and serum LDH to pulmonary parameters and response to GM-CSF therapy in patients with idiopathic alveolar proteinosis, **252**
- autoimmune disease**, Idiopathic chronic cough: association with organ specific autoimmune disease and bronchoalveolar lymphocytosis, **1066**
- bacterial adherence**, Investigation of mycobacterial colonisation and invasion of the respiratory mucosa, **246**
- bacterial infection**, Resolution of bronchial inflammation is related to bacterial eradication following treatment of exacerbations of chronic bronchitis, **680**
- BALT lymphoma**, Successful treatment of BALT lymphoma with combined chemotherapy, **368**
- basement membrane markers**, Relationship between inflammatory cells and structural changes in the lungs of asymptomatic and never smokers: a biopsy study, **135**
- biomarkers**, High serum concentrations of surfactant protein A in usual interstitial pneumonia compared with non-specific interstitial pneumonia, **52**
- biopsy**, The safety and quality of endobronchial biopsy in children under five years old, **1053**
- birth weight**, Relationship between birth weight and adult lung function: controlling for maternal factors, **1061**
- bleomycin**, Short course dexamethasone treatment following injury inhibits bleomycin induced fibrosis in rats, **765**
- body composition**, Altered tissue distribution in adults with cystic fibrosis, **885**
- body mass**, Association of body mass with pulmonary function in the Childhood Asthma Management Program (CAMP), **1036**
- bradykinin**, Effect of bradykinin on allergen induced increase in exhaled nitric oxide in asthma, **840**
- breathing exercises**, Breathing exercises and asthma, **649**
- breathing retraining**, Breathing retraining for dysfunctional breathing in asthma: a randomised controlled trial, **110**
- breathlessness**, Oxygen supplementation before or after submaximal exercise in patients with chronic obstructive pulmonary disease, **670**
- bronchial angiography**, Catamenial haemoptysis and clomiphene citrate therapy, **89**
- bronchial artery embolisation**, The pulmonary physician in critical care • Illustrative case 7: Assessment and management of massive haemoptysis, **814**
- bronchial biopsies**, Relationship between inflammatory cells and structural changes in the lungs of asymptomatic and never smokers: a biopsy study, **135**
- bronchial hyperreactivity**, Exhaled nitric oxide and asthma: complex interactions between atopy, airway responsiveness, and symptoms in a community population of children, **1048**
- bronchial hyperresponsiveness**, Relationship between exhaled NO, respiratory symptoms, lung function, bronchial hyperresponsiveness, and blood eosinophilia in school children, **242**
- Sustained reduction in bronchial hyperresponsiveness with inhaled fluticasone propionate within three days in mild asthma: time course after onset and cessation of treatment, **500**
- bronchial inflammation**, Resolution of bronchial inflammation is related to bacterial eradication following treatment of exacerbations of chronic bronchitis, **680**
- bronchial provocation tests**, Polymorphisms in the β_2 adrenergic receptor and bronchodilator response, bronchial hyperresponsiveness, and rate of decline in lung function in smokers, **703**
- bronchiectasis**, Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
- bronchoalveolar lavage**, Asymptomatic carriage of *Pneumocystis jirovecii* in subjects undergoing bronchoscopy: a prospective study, **594**
- Idiopathic chronic cough: association with organ specific autoimmune disease and bronchoalveolar lymphocytosis, **1066**

- Impaired recycling of surfactant-like liposomes in type II pneumocytes from injured lungs, **127**
- bronchoalveolar lavage fluid**, Increased concentrations of human β -defensins in plasma and bronchoalveolar lavage fluid of patients with diffuse panbronchiolitis, **425**
- T cell cytokine profiles in childhood asthma, **311**
- bronchocentric granulomatosis**, Underlying chronic granulomatous disease in a patient with bronchocentric granulomatosis, **1096**
- bronchodilator**, Regular inhaled short acting β_2 agonists for the management of stable chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis, **580**
- bronchodilator reversibility**, Bronchodilator reversibility testing in chronic obstructive pulmonary disease, **659**
- bronchodilators**, Inhaled short acting β agonist use in COPD and the risk of acute myocardial infarction, **43**
- Responses to steroids and bronchodilators in COPD in the ISOLDE trial: the fat lady sings on, **647**
- bronchopleural fistula**, Rifampicin induced pneumonitis or bronchogenic spread of tuberculous empyema through a bronchopleural fistula?, **910**
- bronchoscopy**, Bronchoscopy in patients with suspected PCP: supine or sitting?, **736**
- The safety and quality of endobronchial biopsy in children under five years old, **1053**
- Ultrastructural examination of bronchial specimens from children with moderate asthma, **187**
- BTS guidelines**, Asthma guidelines, **735**
- Authors' reply, **280**
- British Thoracic Society guidelines for the management of suspected acute pulmonary embolism, **470**
- British Thoracic Society guidelines on respiratory aspects of fitness for diving, **3**
- BTS guidelines for the insertion of a chest drain, **ii53**
- BTS guidelines for the investigation of a unilateral pleural effusion in adults, **ii8**
- BTS guidelines for the management of malignant pleural effusions, **ii29**
- BTS guidelines for the management of pleural infection, **ii18**
- BTS guidelines for the management of spontaneous pneumothorax, **ii39**
- Guidelines for radiologically guided lung biopsy, **920**
- Introduction to the methods used in the generation of the British Thoracic Society guidelines for the management of pleural diseases, **ii1**
- Pulmonary embolism guidelines: will they work?, **463**
- Revision of BTS guidelines for treatment of asthma, **280**
- The new BTS/SIGN asthma guidelines: where evidence leads the way, **98**
- budesonide**, Effect of montelukast added to inhaled budesonide on control of mild to moderate asthma, **204**
- Plasma concentrations of fluticasone propionate and budesonide following inhalation from dry powder inhalers by healthy and asthmatic subjects, **258**
- Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma, **211**
- bullectomy**, Chronic obstructive pulmonary disease • 10: Bullectomy, lung volume reduction surgery, and transplantation for patients with chronic obstructive pulmonary disease, **634**
- Burkholderia pseudomallei**, *Burkholderia pseudomallei*: another emerging pathogen in cystic fibrosis, **1087**
- Buteyko breathing technique**, Effect of two breathing exercises (Buteyko and pranayama) in asthma: a randomised controlled trial, **674**
- caffeine**, Caffeine and exhaled nitric oxide, **281**
- Caffeine levels following treatment of obstructive sleep apnoea, **801**
- cancer treatment**, Lung cancer • 10: Delivering a lung cancer service in the 21st century, **996**
- capillary blood vessel**, High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer, **989**
- capsaicin**, Cough receptor sensitivity to capsaicin does not change after allergen bronchoprovocation in allergic asthma, **19**
- cardiovascular disease**, Inhaled short acting β agonist use in COPD and the risk of acute myocardial infarction, **43**
- cellular immunity**, Reduced interferon- γ release in patients recovered from Legionnaires' disease, **63**
- chemotherapy**, Lung cancer • 4: Chemotherapy for non-small cell lung cancer: the end of the beginning, **352**
- Lung cancer patterns of care in south western Sydney, Australia, **690**
- Successful treatment of BALT lymphoma with combined chemotherapy, **368**
- cherubism**, Sleep disordered breathing in an adult with cherubism, **552**
- chest drain**, BTS guidelines for the insertion of a chest drain, **ii53**
- chest physiotherapy**, Non-invasive ventilation assists chest physiotherapy in adults with acute exacerbations of cystic fibrosis, **880**
- child**, Safety of endobronchial biopsy in 170 children with chronic respiratory symptoms, **1058**
- children**, Association of body mass with pulmonary function in the Childhood Asthma Management Program (CAMP), **1036**
- Association of CCR5 Δ 32 with reduced risk of childhood but not adult asthma, **222**
- Association of consumption of products containing milk fat with reduced asthma risk in pre-school children: the PIAMA birth cohort study, **567**
- Asthma and atopy in overweight children, **1031**
- Asthma and obesity: where are we now?, **1008**
- Cough frequency in children with stable asthma: correlation with lung function, exhaled nitric oxide, and sputum eosinophil count, **974**
- Cough • 2: Chronic cough in children, **998**
- Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations, **505**
- Dexamethasone for treatment of patients mechanically ventilated for lower respiratory tract infection caused by respiratory syncytial virus, **383**
- Episodic viral wheeze in preschool children: effect of topical nasal corticosteroid prophylaxis, **431**
- Exhaled nitric oxide and asthma: complex interactions between atopy, airway responsiveness, and symptoms in a community population of children, **1048**
- Functional analysis of cilia and ciliated epithelial ultrastructure in healthy children and young adults, **333**
- Homeopathy in childhood asthma, **826**
- Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial, **317**
- Intravenous salbutamol bolus compared with an aminophylline infusion in children with severe asthma: a randomised controlled trial, **306**
- Lung function in preschool children, **461**
- Measurement of lung function in preschool children using the interrupter technique, **742**
- Nutrition and respiratory health in children in six Central and Eastern European countries, **231**
- Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up, **968**
- Passive smoking and lung function in γ 1-antitrypsin heterozygote schoolchildren, **237**
- Primary prevention of asthma and atopy during childhood by allergen avoidance in infancy: a randomised controlled study, **489**
- Relationship between induced sputum eosinophils and the clinical pattern of childhood asthma, **116**
- Second line treatment for severe acute childhood asthma, **284**
- Short and long term variability of the interrupter technique under field and standardised conditions in 3–6 year old children, **761**
- Systemic activity of inhaled corticosteroid treatment in asthmatic children: corticotrophin releasing hormone test, **227**
- T cell cytokine profiles in childhood asthma, **311**
- chronic bronchitis**, Hypothesis: Does COPD have an autoimmune component?, **832**
- Resolution of bronchial inflammation is related to bacterial eradication following treatment of exacerbations of chronic bronchitis, **680**
- Time course of recovery of health status following an infective exacerbation of chronic bronchitis, **589**
- chronic cough**, Development of a symptom specific health status measure for patients with chronic cough: Leicester Cough Questionnaire (LCQ), **339**
- Idiopathic chronic cough: association with organ specific autoimmune disease and bronchoalveolar lymphocytosis, **1066**
- chronic granulomatous disease**, Underlying chronic granulomatous disease in a patient with bronchocentric granulomatosis, **1096**

- chronic lung disease of prematurity**, The role of neutrophil apoptosis in the resolution of acute lung injury in newborn infants, **961**
- chronic obstructive pulmonary disease**, ACE in COPD: a therapeutic target?, **556**
- Association of *CYP2A6* deletion polymorphism with smoking habit and development of pulmonary emphysema, **623**
- Bronchodilator reversibility testing in chronic obstructive pulmonary disease, **659**
- Chronic obstructive pulmonary disease • 9: Management of ventilatory failure in COPD, **537**
- Chronic obstructive pulmonary disease • 11: Fitness to fly with COPD, **729**
- Chronic obstructive pulmonary disease • 6: The aetiology of exacerbations of chronic obstructive pulmonary disease, **73**
- Chronic obstructive pulmonary disease • 7: Management of COPD, **261**
- Chronic obstructive pulmonary disease • 10: Bullectomy, lung volume reduction surgery, and transplantation for patients with chronic obstructive pulmonary disease, **634**
- Chronic obstructive pulmonary disease • 12: New treatments for COPD, **803**
- Chronic obstructive pulmonary disease • 8: Non-pharmacological management of COPD, **453**
- Closing the NETT on lung volume reduction surgery, **651**
- Controlled prospective randomised trial on the effects on pulmonary haemodynamics of the ambulatory long term use of nitric oxide and oxygen in patients with severe COPD, **289**
- Correlation between change in pulmonary function and suppression of reactive nitrogen species production following steroid treatment in COPD, **299**
- Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?, **835**
- Domiciliary non-invasive ventilation for recurrent acidotic exacerbations of COPD: an economic analysis, **867**
- Dysfunctional breathing in COPD, **460**
- Eat well to get well, **739**
- Effect of cilomilast (Arimflo) on TNF- γ , IL-8, and GM-CSF release by airway cells of patients with COPD, **573**
- Effect of tiotropium bromide on circadian variation in airflow limitation in chronic obstructive pulmonary disease, **855**
- Effects of captopril administration on pulmonary haemodynamics and tissue oxygenation during exercise in ACE gene subtypes in patients with COPD: a preliminary study, **629**
- Ethics and decision making in end stage lung disease, **272**
- Evidence for a link between mortality in acute COPD and hospital type and resources, **947**
- Exhaled leukotrienes and prostaglandins in COPD, **585**
- Health outcomes following treatment for six months with once daily tiotropium compared with twice daily salmeterol in patients with COPD, **399**
- Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation, **515**
- Hypothesis: Does COPD have an autoimmune component?, **832**
- Imbalance between levels of nitrogen oxides and peroxynitrite inhibitory activity in chronic obstructive pulmonary disease, **106**
- Increased leukotriene B4 and 8-isoprostane in exhaled breath condensate of patients with exacerbations of COPD, **294**
- Influence of lung volume reduction surgery (LVRS) on health related quality of life in patients with chronic obstructive pulmonary disease, **405**
- Inhaled corticosteroids reduce the progression of airflow limitation in chronic obstructive pulmonary disease: a meta-analysis, **937**
- Inhaled short acting β agonist use in COPD and the risk of acute myocardial infarction, **43**
- Inhibition by red wine extract, resveratrol, of cytokine release by alveolar macrophages in COPD, **942**
- Inpatient management of acute COPD: a cause for concern?, **914**
- Lack of association of group specific component haplotypes with lung function in smokers, **790**
- Management of COPD, **1006**
- Muscle force during an acute exacerbation in hospitalised patients with COPD and its relationship with CXCL8 and IGF-I, **752**
- Non-volitional assessment of skeletal muscle strength in patients with chronic obstructive pulmonary disease, **665**
- Nuclear localisation of p65 in sputum macrophages but not in sputum neutrophils during COPD exacerbations, **348**
- Nutritional enhancement of exercise performance in chronic obstructive pulmonary disease: a randomised controlled trial, **745**
- Outcome measures in chronic obstructive pulmonary disease (COPD), **1007**
- Oxygen supplementation before or after submaximal exercise in patients with chronic obstructive pulmonary disease, **670**
- Patients with COPD: do we fail them from beginning to end?, **373**
- Peripheral muscle weakness in COPD: where does it come from?, **741**
- Polymorphisms in the β_2 adrenergic receptor and bronchodilator response, bronchial hyperresponsiveness, and rate of decline in lung function in smokers, **703**
- Prednisolone response in patients with chronic obstructive pulmonary disease: results from the ISOLDE study, **654**
- Preventing hospital admissions for COPD: role of physical activity, **95**
- Pulmonary hypertension in patients with COPD: NO treatment?, **283**
- Regular inhaled short acting β_2 agonists for the management of stable chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis, **580**
- Respiratory viruses in exacerbations of chronic obstructive pulmonary disease requiring hospitalisation: a case-control study, **37**
- Responses to steroids and bronchodilators in COPD in the ISOLDE trial: the fat lady sings on, **647**
- Risk factors of readmission to hospital for a COPD exacerbation: a prospective study, **100**
- Selection of patients for lung volume reduction surgery using a power law analysis of the computed tomography, **510**
- Self-management education for patients with chronic obstructive pulmonary disease: a systematic review, **394**
- So inhaled steroids slow the rate of decline of FEV₁ in patients with COPD after all?, **911**
- Sputum T lymphocytes in asthma, COPD and healthy subjects have the phenotype of activated intraepithelial T cells (CD69+ CD103+), **23**
- Usefulness of GOLD classification of COPD severity, **825**
- Validity of spirometric testing in a general practice population of patients with chronic obstructive pulmonary disease (COPD), **861**
- Chronic Respiratory Questionnaire**, Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation, **515**
- ciliary beat frequency**, Functional analysis of cilia and ciliated epithelial ultrastructure in healthy children and young adults, **333**
- cilomilast**, Effect of cilomilast (Arimflo) on TNF- γ , IL-8, and GM-CSF release by airway cells of patients with COPD, **573**
- circadian rhythm**, Effect of tiotropium bromide on circadian variation in airflow limitation in chronic obstructive pulmonary disease, **855**
- Rapid effect of inhaled steroids on nocturnal worsening of asthma, **632**
- clinical evaluation**, Predictors of therapy resistant asthma: outcome of a systematic evaluation protocol, **561**
- clinical governance**, Improving the care for patients with acute severe respiratory disease, **285**
- clomiphene citrate**, Catamenial haemoptysis and clomiphene citrate therapy, **89**
- clustering**, Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
- cocaine**, Intratracheal cocaine induced myocardial infarction: an unusual complication of fiberoptic bronchoscopy, **733**
- collagen**, TGF- β_1 causes airway fibrosis and increased collagen I and III mRNA in mice, **772**
- collateral circulation**, Pulmonary vein thrombosis after bilobectomy and development of collateral circulation, **550**
- colomycin**, Lung deposition of colomycin depends on the nebuliser used, **982**
- community acquired pneumonia**, Assessment of illness severity in community acquired pneumonia: a useful new prediction tool?, **371**
- Association of IL-10 polymorphism with severity of illness in community acquired pneumonia, **154**
- Defining community acquired pneumonia severity on presentation to hospital: an international derivation and validation study, **377**
- community pharmacist**, Can a self-management programme delivered by a community pharmacist improve asthma control? A randomised trial, **851**
- complementary medicine**, Breathing exercises and asthma, **649**
- Effect of two breathing exercises (Buteyko and pranayama) in asthma: a randomised controlled trial, **674**

- computed tomographic pulmonary angiography**, Pulmonary embolism guidelines: will they work?, **463**
- computed tomography**, Correlation between annual change in health status and computer tomography derived lung density in subjects with α_1 -antitrypsin deficiency, **1027**
- Outcome measures in chronic obstructive pulmonary disease (COPD), **1007**
- Predictors of mortality in α_1 -antitrypsin deficiency, **1020**
- Selection of patients for lung volume reduction surgery using a power law analysis of the computed tomography, **510**
- corticosteroid dose**, Perception of airway narrowing during reduction of inhaled corticosteroids and asthma exacerbation, **1042**
- corticosteroids**, Asymptomatic carriage of *Pneumocystis jiroveci* in subjects undergoing bronchoscopy: a prospective study, **594**
- Correlation between change in pulmonary function and suppression of reactive nitrogen species production following steroid treatment in COPD, **299**
- Responses to steroids and bronchodilators in COPD in the ISOLDE trial: the fat lady sings on, **647**
- Short course dexamethasone treatment following injury inhibits bleomycin induced fibrosis in rats, **765**
- corticotrophin releasing hormone test**, Systemic activity of inhaled corticosteroid treatment in asthmatic children: corticotrophin releasing hormone test, **227**
- cough**, Abnormal oesophageal motility in patients with chronic cough, **699**
- Chronic cough—not such a heartsink, **829**
- Cough frequency in children with stable asthma: correlation with lung function, exhaled nitric oxide, and sputum eosinophil count, **974**
- Cough · 1: Chronic cough in adults, **901**
- Cough · 2: Chronic cough in children, **998**
- Cough · 3: Chronic cough and gastro-oesophageal reflux, **1092**
- Respiratory symptoms in patients with treated hypothyroidism and inflammatory bowel disease, **533**
- cough receptor sensitivity**, Cough receptor sensitivity to capsaicin does not change after allergen bronchoprovocation in allergic asthma, **19**
- cough reflex**, Impaired cough reflex in patients with recurrent pneumonia, **152**
- Impaired cough reflex in patients with recurrent pneumonia, **645**
- cough variant asthma**, Comparison of atopic cough with cough variant asthma: is atopic cough a precursor of asthma?, **14**
- critical care**, Improving the care for patients with acute severe respiratory disease, **285**
- The pulmonary physician in critical care · 13: The pulmonary circulation and right ventricular failure in the ITU, **157**
- The pulmonary physician in critical care · Illustrative case 6: Acute chest syndrome of sickle cell anaemia, **726**
- The pulmonary physician in critical care · Illustrative case 7: Assessment and management of massive haemoptysis, **814**
- The pulmonary physician in critical care · Illustrative case 8: Acute respiratory failure following lung resection, **820**
- The pulmonary physician in critical care · Illustrative case 1: Cystic fibrosis, **357**
- The pulmonary physician in critical care · Illustrative case 2: Interstitial lung disease, **361**
- The pulmonary physician in critical care · Illustrative case 3: Pulmonary vasculitis, **543**
- The pulmonary physician in critical care · Illustrative case 4: Neuromusculoskeletal disorders, **547**
- The pulmonary physician in critical care · Illustrative case 5: HIV associated pneumonia, **721**
- Crohn's disease**, Respiratory symptoms in patients with treated hypothyroidism and inflammatory bowel disease, **533**
- cross infection**, Identification of airborne dissemination of epidemic multiresistant strains of *Pseudomonas aeruginosa* at a CF centre during a cross infection outbreak, **525**
- cyclophosphamide**, Erdheim-Chester disease: pulmonary infiltration responding to cyclophosphamide and prednisolone, **1004**
- CYP2A6**, Association of CYP2A6 deletion polymorphism with smoking habit and development of pulmonary emphysema, **623**
- cysteinyl leukotrienes**, Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations, **505**
- cystic fibrosis**, Altered tissue distribution in adults with cystic fibrosis, **885**
- Burkholderia pseudomallei*: another emerging pathogen in cystic fibrosis, **1087**
- Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
- Energy intake and weight are increased by antibiotics in children with cystic fibrosis, **949**
- Expression of S100A12 (EN-RAGE) in cystic fibrosis, **613**
- High incidence of cystic fibrosis in children born in Italy to Albanian immigrants, **93**
- Identification of airborne dissemination of epidemic multiresistant strains of *Pseudomonas aeruginosa* at a CF centre during a cross infection outbreak, **525**
- Non-invasive ventilation assists chest physiotherapy in adults with acute exacerbations of cystic fibrosis, **880**
- Preliminary findings of quorum signal molecules in clinically stable lung allograft recipients, **444**
- Salt depletion and hypoalbuminaemia in cystic fibrosis may add to hypercapnia in acute respiratory failure, **973**
- Survey of resistance of *Pseudomonas aeruginosa* from UK patients with cystic fibrosis to six commonly prescribed antimicrobial agents, **794**
- The pulmonary physician in critical care · Illustrative case 1: Cystic fibrosis, **357**
- cytokines**, Effect of cilomilast (Ariflo) on TNF- γ , IL-8, and GM-CSF release by airway cells of patients with COPD, **573**
- Role of the endothelium and nitric oxide synthases in modulating superoxide formation induced by endotoxin and cytokines in porcine pulmonary arteries, **598**
- T cell cytokine profiles in childhood asthma, **311**
- cytoprotection**, VEGF regulates the proliferation of acid-exposed alveolar lining epithelial cells, **328**
- death**, Lung function and mortality in the United States: data from the First National Health and Nutrition Examination Survey follow up study, **388**
- Obstructive sleep apnoea can directly cause death, **369**
- decision making**, Ethics and decision making in end stage lung disease, **272**
- deoxyribonuclease**, Successful treatment of empyema thoracis with human recombinant deoxyribonuclease, **365**
- dexamethasone**, Dexamethasone for treatment of patients mechanically ventilated for lower respiratory tract infection caused by respiratory syncytial virus, **383**
- Short course dexamethasone treatment following injury inhibits bleomycin induced fibrosis in rats, **765**
- diagnosis**, Lung cancer · 8: Management of malignant mesothelioma, **809**
- Occupational asthma evaluation, **461**
- Preliminary experience with a new method of endoscopic transbronchial real time ultrasound guided biopsy for diagnosis of mediastinal and hilar lesions, **1083**
- Progressive encephalomyelitis with rigidity as refractory asthma, **645**
- Spotting latent infection: the path to better tuberculosis control, **916**
- Underdiagnosed asthma in South Australia, **846**
- diagnostic methods**, Prospective use of serial questionnaires to evaluate the therapeutic efficacy of ^{18}F -fluorodeoxyglucose (FDG) positron emission tomography (PET) in suspected lung cancer, **47**
- diaphragm plication**, Diaphragm plication following phrenic nerve injury, **460**
- diesel exhaust particles**, Enhancement of acute lung injury related to bacterial endotoxin by components of diesel exhaust particles, **605**
- diet**, Nutrition and respiratory health in children in six Central and Eastern European countries, **231**
- difficult asthma**, Difficult asthma, **555**
- Predictors of therapy resistant asthma: outcome of a systematic evaluation protocol, **561**
- diffuse panbronchiolitis**, Increased concentrations of human β -defensins in plasma and bronchoalveolar lavage fluid of patients with diffuse panbronchiolitis, **425**
- directly observed therapy**, DOT for all patients with smear-positive pulmonary TB in London?, **91**
- diving**, British Thoracic Society guidelines on respiratory aspects of fitness for diving, **3**
- DNA polymorphism**, Association of CCR5 Δ 32 with reduced risk of childhood but not adult asthma, **222**
- DNAH5**, Genotype-phenotype correlations in PCD patients carrying DNAH5 mutations, **552**

- Dnahc5**, Genotype-phenotype correlations in PCD patients carrying *DNAH5* mutations, **552**
- domestic cleaner**, Asthma symptoms in women employed in domestic cleaning: a community based study, **950**
- domiciliary oxygen**, Oxygen supplementation before or after submaximal exercise in patients with chronic obstructive pulmonary disease, **670**
- DQB1 alleles**, Analysis of DQB1 allele frequencies in pulmonary tuberculosis: preliminary report, **890**
- drug induced pneumonitis**, Circulating KL-6 levels in patients with drug induced pneumonitis, **872**
- dual energy x ray absorptiometry**, Altered tissue distribution in adults with cystic fibrosis, **885**
- duplicate publication**, Publication of complex dataset, **368**
- dysfunctional breathing**, Breathing retraining for dysfunctional breathing in asthma: a randomised controlled trial, **110**
Dysfunctional breathing in COPD, **460**
- economics**, Domiciliary non-invasive ventilation for recurrent acidotic exacerbations of COPD: an economic analysis, **867**
- editorship**, New year: new editors, **1**
- ELISPOT**, Spotting latent infection: the path to better tuberculosis control, **916**
- emphysema**, Correlation between annual change in health status and computer tomography derived lung density in subjects with α_1 -antitrypsin deficiency, **1027**
Hypothesis: Does COPD have an autoimmune component?, **832**
Predictors of mortality in α_1 -antitrypsin deficiency, **1020**
Selection of patients for lung volume reduction surgery using a power law analysis of the computed tomography, **510**
- empyema thoracis**, Successful treatment of empyema thoracis with human recombinant deoxyribonuclease, **365**
- end stage lung disease**, Ethics and decision making in end stage lung disease, **272**
- endobronchial biopsy**, Safety of endobronchial biopsy in 170 children with chronic respiratory symptoms, **1058**
- endoscopic transbronchial ultrasound guided biopsy**, Preliminary experience with a new method of endoscopic transbronchial real time ultrasound guided biopsy for diagnosis of mediastinal and hilar lesions, **1083**
- endotoxin**, Endotoxin: does it have a role in prevention of lung cancer, **92**
Role of the endothelium and nitric oxide synthases in modulating superoxide formation induced by endotoxin and cytokines in porcine pulmonary arteries, **598**
- eosinophil**, Relationship between induced sputum eosinophils and the clinical pattern of childhood asthma, **116**
- eosinophil protein X**, Eosinophil activation and preschool viral wheeze, **876**
- eosinophilic bronchitis**, Comparison of airway immunopathology of eosinophilic bronchitis and asthma, **528**
- eosinophils**, Cough receptor sensitivity to capsaicin does not change after allergen bronchoprovocation in allergic asthma, **19**
Eosinophil activation and preschool viral wheeze, **876**
Relationship between exhaled NO, respiratory symptoms, lung function, bronchial hyperresponsiveness, and blood eosinophilia in school children, **242**
- epidemiological linkage**, Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
- epidemiology**, Asthma symptoms in women employed in domestic cleaning: a community based study, **950**
Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
Health effects associated with smokeless tobacco: a systematic review, **435**
Impaired lung function and serum leptin in men and women with normal body weight: a population based study, **695**
Lung cancer and air pollution: a 27 year follow up of 16 209 Norwegian men, **1071**
- Erdheim-Chester disease**, Erdheim-Chester disease: pulmonary infiltration responding to cyclophosphamide and prednisolone, **1004**
- ethics**, Ethics and decision making in end stage lung disease, **272**
- exacerbation**, Increased leukotriene B4 and 8-isoprostane in exhaled breath condensate of patients with exacerbations of COPD, **294**
- exacerbations**, Chronic obstructive pulmonary disease • 6: The aetiology of exacerbations of chronic obstructive pulmonary disease, **73**
Time course of recovery of health status following an infective exacerbation of chronic bronchitis, **589**
- exercise performance**, Nutritional enhancement of exercise performance in chronic obstructive pulmonary disease: a randomised controlled trial, **745**
- exhaled breath condensate**, Cysteinyl leukotrienes and 8-isoprostane in exhaled breath condensate of children with asthma exacerbations, **505**
Exhaled leukotrienes and prostaglandins in COPD, **585**
- exhaled carbon monoxide**, Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
- exhaled nitric oxide**, Caffeine and exhaled nitric oxide, **281**
Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
Effect of bradykinin on allergen induced increase in exhaled nitric oxide in asthma, **840**
Exhaled nitric oxide and asthma: complex interactions between atopy, airway responsiveness, and symptoms in a community population of children, **1048**
Relationship between exhaled NO, respiratory symptoms, lung function, bronchial hyperresponsiveness, and blood eosinophilia in school children, **242**
- family practice**, Self-management of asthma in general practice, asthma control and quality of life: a randomised controlled trial, **30**
- fat free mass**, Altered tissue distribution in adults with cystic fibrosis, **885**
- fibreoptic bronchoscopy**, Intratracheal cocaine induced myocardial infarction: an unusual complication of fibreoptic bronchoscopy, **733**
Safety of endobronchial biopsy in 170 children with chronic respiratory symptoms, **1058**
- fibrosis**, Short course dexamethasone treatment following injury inhibits bleomycin induced fibrosis in rats, **765**
TGF- β 1 causes airway fibrosis and increased collagen I and III mRNA in mice, **772**
- fine needle aspiration**, Preliminary experience with a new method of endoscopic transbronchial real time ultrasound guided biopsy for diagnosis of mediastinal and hilar lesions, **1083**
- flow cytometry**, Sputum T lymphocytes in asthma, COPD and healthy subjects have the phenotype of activated intraepithelial T cells (CD69+ CD103+), **23**
T cell cytokine profiles in childhood asthma, **311**
- fluorescence bronchoscopy**, Lung cancer • 3: Fluorescence bronchoscopy: clinical dilemmas and research opportunities, **266**
- fluticasone nasal spray**, Episodic viral wheeze in preschool children: effect of topical nasal corticosteroid prophylaxis, **431**
- fluticasone propionate**, Plasma concentrations of fluticasone propionate and budesonide following inhalation from dry powder inhalers by healthy and asthmatic subjects, **258**
- formaldehyde**, Effects of volatile organic compounds, damp, and other environmental exposures in the home on wheezing illness in children, **955**
- γ 1-antitrypsin**, Passive smoking and lung function in γ 1-antitrypsin heterozygote schoolchildren, **237**
- gastro-oesophageal reflux**, Abnormal oesophageal motility in patients with chronic cough, **699**
- gastro-oesophageal reflux**, Cough • 3: Chronic cough and gastro-oesophageal reflux, **1092**
- β 2 adrenergic receptors**, Polymorphisms in the β 2 adrenergic receptor and bronchodilator response, bronchial hyperresponsiveness, and rate of decline in lung function in smokers, **703**
- general practice**, Validity of spirometric testing in a general practice population of patients with chronic obstructive pulmonary disease (COPD), **861**
- genetic polymorphism**, Association of CYP2A6 deletion polymorphism with smoking habit and development of pulmonary emphysema, **623**
- genetics**, ADAM 33: just another asthma gene or a breakthrough in understanding the origins of bronchial hyperresponsiveness?, **466**
Polymorphisms in the β 2 adrenergic receptor and bronchodilator response, bronchial hyperresponsiveness, and rate of decline in lung function in smokers, **703**

- genotype**, Association of CCR5Δ32 with reduced risk of childhood but not adult asthma, **222**
- geriatrics**, Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?, **835**
- Lung cancer • 7: Management of lung cancer in elderly patients, **711**
- GOLD classification**, Usefulness of GOLD classification of COPD severity, **825**
- Gran Canaria**, Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
- granulocyte-macrophage colony stimulating factor**, GM-CSF and proteinosis, **645**
- Relationship of anti-GM-CSF antibody concentration, surfactant protein A and B levels, and serum LDH to pulmonary parameters and response to GM-CSF therapy in patients with idiopathic alveolar proteinosis, **252**
- group specific component (vitamin D binding protein)**, Lack of association of group specific component haplotypes with lung function in smokers, **790**
- growth factors**, Regulation of matrix metalloprotease activity in malignant mesothelioma cell lines by growth factors, **198**
- guidelines**, British Guideline on the Management of Asthma, (Suppl 1), **i1-i83**
- haemangioma**, Mediastinal cavernous haemangioma in a patient with Klippel-Trenaunay syndrome, **183**
- haemoptysis, lymphangioleiomyomatosis, tuberous sclerosis**, Exertional haemoptysis: LAM and TSC, **460**
- haplotype**, Lack of association of group specific component haplotypes with lung function in smokers, **790**
- health related quality of life**, Development of a symptom specific health status measure for patients with chronic cough: Leicester Cough Questionnaire (LCQ), **339**
- health status measurement**, Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation, **515**
- heavy smokers**, High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer, **989**
- high magnification bronchovideoscopy**, High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer, **989**
- high resolution computed tomography**, Circulating KL-6 levels in patients with drug induced pneumonitis, **872**
- home care**, NIV at home: resource implications, **644**
- homeopathy**, Homeopathy in childhood asthma, **826**
- Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial, **317**
- hospital admission**, Preventing hospital admissions for COPD: role of physical activity, **95**
- Risk factors of readmission to hospital for a COPD exacerbation: a prospective study, **100**
- hospital inpatients**, Clinical trial comparing nicotine replacement therapy (NRT) plus brief counselling, brief counselling alone, and minimal intervention on smoking cessation in hospital inpatients, **484**
- Nicotine replacement therapy in smoking cessation, **464**
- HRCT scanning**, Nodule size on HRCT scanning may predict infectious agent aetiology in immunocompromised patients with suspected pulmonary infection, **1003**
- human β-defensin-1,2**, Increased concentrations of human β-defensins in plasma and bronchoalveolar lavage fluid of patients with diffuse panbronchiolitis, **425**
- human immunodeficiency virus**, *Pneumocystis carinii* pneumonia with pleurisy, platypnoea and orthodeoxia, **185**
- human immunodeficiency virus (HIV)**, The pulmonary physician in critical care • Illustrative case 5: HIV associated pneumonia, **721**
- hypersomnolence**, Morbid obesity and hypersomnolence in several members of an ancient royal family, **281**
- hyperventilation syndrome**, Breathing retraining for dysfunctional breathing in asthma: a randomised controlled trial, **110**
- hypothyroidism**, Respiratory symptoms in patients with treated hypothyroidism and inflammatory bowel disease, **533**
- hypoventilation**, Chronic respiratory failure, **281**
- idiopathic pulmonary fibrosis**, Radiological versus histological diagnosis in UIP and NSIP: survival implications, **143**
- IGF-I**, Muscle force during an acute exacerbation in hospitalised patients with COPD and its relationship with CXCL8 and IGF-I, **752**
- IL-10 polymorphism**, Association of IL-10 polymorphism with severity of illness in community acquired pneumonia, **154**
- IL-8**, Imbalance between levels of nitrogen oxides and peroxynitrite inhibitory activity in chronic obstructive pulmonary disease, **106**
- images in Thorax**, Images in *Thorax*, **915**
- immunosuppression**, Asymptomatic carriage of *Pneumocystis jiroveci* in subjects undergoing bronchoscopy: a prospective study, **594**
- incidence**, High incidence of cystic fibrosis in children born in Italy to Albanian immigrants, **93**
- indications**, Lung biopsy guidelines—for the obedience of fools and guidance of wise men, **913**
- indoor air pollution**, Effects of volatile organic compounds, damp, and other environmental exposures in the home on wheezing illness in children, **955**
- induced sputum**, Imbalance between levels of nitrogen oxides and peroxynitrite inhibitory activity in chronic obstructive pulmonary disease, **106**
- Relationship between induced sputum eosinophils and the clinical pattern of childhood asthma, **116**
- inducible nitric oxide synthase**, Correlation between change in pulmonary function and suppression of reactive nitrogen species production following steroid treatment in COPD, **299**
- infectious exacerbations**, Expression of S100A12 (EN-RAGE) in cystic fibrosis, **613**
- inflammation**, Increased leukotriene B4 and 8-isoprostane in exhaled breath condensate of patients with exacerbations of COPD, **294**
- inflammatory cells**, Relationship between inflammatory cells and structural changes in the lungs of asymptomatic and never smokers: a biopsy study, **135**
- influenza vaccination, asthma**, Does influenza vaccination increase consultations, corticosteroid prescriptions, or exacerbations in subjects with asthma or chronic obstructive pulmonary disease?, **835**
- inhalational anaesthetics**, The pulmonary physician in critical care • 12: Acute severe asthma in the intensive care unit, **81**
- inhaled corticosteroids**, Inhaled corticosteroids reduce the progression of airflow limitation in chronic obstructive pulmonary disease: a meta-analysis, **937**
- Plasma concentrations of fluticasone propionate and budesonide following inhalation from dry powder inhalers by healthy and asthmatic subjects, **258**
- Rapid effect of inhaled steroids on nocturnal worsening of asthma, **632**
- Sustained reduction in bronchial hyperresponsiveness with inhaled fluticasone propionate within three days in mild asthma: time course after onset and cessation of treatment, **500**
- Systemic activity of inhaled corticosteroid treatment in asthmatic children: corticotrophin releasing hormone test, **227**
- inhaled steroids**, So inhaled steroids slow the rate of decline of FEV₁ in patients with COPD after all?, **911**
- inpatient management**, Evidence for a link between mortality in acute COPD and hospital type and resources, **947**
- Inpatient management of acute COPD: a cause for concern?, **914**
- intensive care**, The pulmonary physician in critical care • 12: Acute severe asthma in the intensive care unit, **81**
- intensive care medicine**, Pulmonary physicians, intensive care medicine and *Thorax*: an evolving relationship, **829**
- interferon-γ**, Reduced interferon-γ release in patients recovered from Legionnaires' disease, **63**
- interleukin 8**, Inhibition by red wine extract, resveratrol, of cytokine release by alveolar macrophages in COPD, **942**
- interleukin-13**, Increased interleukin-13 expression in patients with sarcoidosis, **519**
- interleukins**, Eosinophilic "empyema" associated with crack cocaine use, **823**
- Muscle force during an acute exacerbation in hospitalised patients with COPD and its relationship with CXCL8 and IGF-I, **752**
- interrupter resistance**, Measurement of lung function in preschool children using the interrupter technique, **742**
- Short and long term variability of the interrupter technique under field and standardised conditions in 3–6 year old children, **761**
- interrupter technique**, Measurement of lung function in preschool children using the interrupter technique, **742**

- Repeatability of airway resistance measurements made using the interrupter technique, **344**
- Short and long term variability of the interrupter technique under field and standardised conditions in 3–6 year old children, **761**
- interstitial lung disease**, Erdheim-Chester disease: pulmonary infiltration responding to cyclophosphamide and prednisolone, **1004**
- The pulmonary physician in critical care • Illustrative case 2: Interstitial lung disease, **361**
- interstitial lung disease**, High serum concentrations of surfactant protein A in usual interstitial pneumonia compared with non-specific interstitial pneumonia, **52**
- intraepithelial lymphocytes**, Sputum T lymphocytes in asthma, COPD and healthy subjects have the phenotype of activated intraepithelial T cells (CD69+ CD103+), **23**
- irreversible airway obstruction**, Risk factors associated with the presence of irreversible airflow limitation and reduced transfer coefficient in patients with asthma after 26 years of follow up, **322**
- KL-6**, Circulating KL-6 levels in patients with drug induced pneumonitis, **872**
- Klippel-Trenaunay syndrome**, Mediastinal cavernous haemangioma in a patient with Klippel-Trenaunay syndrome, **183**
- Legionella pneumophila**, Reduced interferon- γ release in patients recovered from Legionnaires' disease, **63**
- leptin**, Impaired lung function and serum leptin in men and women with normal body weight: a population based study, **695**
- leukotriene C4 synthase gene (LTC4S)**, Allelic association and functional studies of promoter polymorphism in the leukotriene C4 synthase gene (LTC4S) in asthma, **417**
- leukotriene receptor antagonists**, Effect of montelukast added to inhaled budesonide on control of mild to moderate asthma, **204**
- Leukotriene receptor antagonists as add-on therapy for adults with asthma, **190**
- Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma, **211**
- leukotrienes**, Exhaled leukotrienes and prostaglandins in COPD, **585**
- Lung alerts**, Call for Lung Alerts, **193**
- lung biopsy**, Guidelines for radiologically guided lung biopsy, **920**
- Lung biopsy guidelines—for the obedience of fools and guidance of wise men, **913**
- lung cancer**, Air pollution and lung cancer: what more do we need to know?, **1010**
- Concerns of poor quality of life should not deprive patients of the opportunity of curative surgery, **189**
- Endotoxin: does it have a role in prevention of lung cancer, **92**
- Improving surgical resection rates in lung cancer without a two stop service, **368**
- Increased collagenase activity in macrophages from bronchial lavage as a diagnostic marker of non-small cell lung cancer, **122**
- Lung cancer and air pollution: a 27 year follow up of 16 209 Norwegian men, **1071**
- Lung cancer • 3: Fluorescence bronchoscopy: clinical dilemmas and research opportunities, **266**
- Lung cancer • 7: Management of lung cancer in elderly patients, **711**
- Lung cancer • 5: State of the art radiotherapy for lung cancer, **447**
- Lung cancer • 6: The case for limited surgical resection in non-small cell lung cancer, **639**
- Lung cancer • 10: Delivering a lung cancer service in the 21st century, **996**
- Lung cancer • 9: Molecular biology of lung cancer: clinical implications, **892**
- Lung cancer patterns of care in south western Sydney, Australia, **690**
- Pancoast's syndrome as a result of metastatic renal cell carcinoma, **370**
- Preliminary experience with a new method of endoscopic transbronchial real time ultrasound guided biopsy for diagnosis of mediastinal and hilar lesions, **1083**
- Prospective use of serial questionnaires to evaluate the therapeutic efficacy of ^{18}F -fluorodeoxyglucose (FDG) positron emission tomography (PET) in suspected lung cancer, **47**
- Quality of life following lung cancer surgery, **194**
- Screening for lung cancer: a systematic review and meta-analysis of controlled trials, **784**
- lung cancer staging**, Transoesophageal echocardiography and lung cancer staging, **735**
- lung densitometry**, Correlation between annual change in health status and computer tomography derived lung density in subjects with α_1 -antitrypsin deficiency, **1027**
- Outcome measures in chronic obstructive pulmonary disease (COPD), **1007**
- Predictors of mortality in α_1 -antitrypsin deficiency, **1020**
- lung function**, Altered tissue distribution in adults with cystic fibrosis, **885**
- Association of body mass with pulmonary function in the Childhood Asthma Management Program (CAMP), **1036**
- Cough frequency in children with stable asthma: correlation with lung function, exhaled nitric oxide, and sputum eosinophil count, **974**
- Impaired lung function and serum leptin in men and women with normal body weight: a population based study, **695**
- Inadequate peak expiratory flow meter characteristics detected by a computerised explosive decompression device, **411**
- Lack of association of group specific component haplotypes with lung function in smokers, **790**
- Lung function in preschool children, **461**
- Passive smoking and lung function in γ_1 -antitrypsin heterozygote schoolchildren, **237**
- Relationship between exhaled NO, respiratory symptoms, lung function, bronchial hyperresponsiveness, and blood eosinophilia in school children, **242**
- lung function, chronic obstructive lung disease**, Lung function and mortality in the United States: data from the First National Health and Nutrition Examination Survey follow up study, **388**
- lung function test**, Repeatability of airway resistance measurements made using the interrupter technique, **344**
- lung function tests**, Exhaled nitric oxide rather than lung function distinguishes preschool children with probable asthma, **494**
- lung resection**, The pulmonary physician in critical care • Illustrative case 8: Acute respiratory failure following lung resection, **820**
- lung transplantation**, Preliminary findings of quorum signal molecules in clinically stable lung allograft recipients, **444**
- lung volume measurements**, Polymorphisms in the β_2 adrenergic receptor and bronchodilator response, bronchial hyperresponsiveness, and rate of decline in lung function in smokers, **703**
- lung volume reduction surgery**, Chronic obstructive pulmonary disease • 10: Bullectomy, lung volume reduction surgery, and transplantation for patients with chronic obstructive pulmonary disease, **634**
- Closing the NETT on lung volume reduction surgery, **651**
- Influence of lung volume reduction surgery (LVRS) on health related quality of life in patients with chronic obstructive pulmonary disease, **405**
- Selection of patients for lung volume reduction surgery using a power law analysis of the computed tomography, **510**
- lymphangioliomyomatosis**, Lymphangioliomyomatosis: a case-control study of perinatal and early life events, **979**
- macrophage**, Increased collagenase activity in macrophages from bronchial lavage as a diagnostic marker of non-small cell lung cancer, **122**
- malignant mesothelioma**, Lung cancer • 8: Management of malignant mesothelioma, **809**
- Regulation of matrix metalloprotease activity in malignant mesothelioma cell lines by growth factors, **198**
- malignant pleural effusions**, BTS guidelines for the management of malignant pleural effusions, **ii29**
- management**, Chronic obstructive pulmonary disease • 7: Management of COPD, **261**
- massive haemoptysis**, The pulmonary physician in critical care • Illustrative case 7: Assessment and management of massive haemoptysis, **814**
- maternal factors**, Relationship between birth weight and adult lung function: controlling for maternal factors, **1061**
- matrix metalloproteases**, Regulation of matrix metalloprotease activity in malignant mesothelioma cell lines by growth factors, **198**
- matrix metalloproteinase**, Increased collagenase activity in macrophages from bronchial lavage as a diagnostic marker of non-small cell lung cancer, **122**
- matrix metalloproteinase (MMP)-9**, Inhibition of MMP-9 expression by PPAR γ activators in human bronchial epithelial cells, **778**
- matrix metalloproteinases**, Increased circulating 92 kDa matrix metalloproteinase (MMP-9) activity in exacerbations of asthma, **757**

- mechanical ventilation**, Dexamethasone for treatment of patients mechanically ventilated for lower respiratory tract infection caused by respiratory syncytial virus, **383**
- Ethics and decision making in end stage lung disease, **272**
- The pulmonary physician in critical care • 12: Acute severe asthma in the intensive care unit, **81**
- mediastinum**, Mediastinal cavernous haemangioma in a patient with Klippel-Trenaunay syndrome, **183**
- medroxyprogesterone acetate**, Chronic respiratory failure, **281**
- mesothelioma**, Metabolic significance of the pattern, intensity and kinetics of ^{18}F -FDG uptake in malignant pleural mesothelioma, **1077**
- The new front line treatment for malignant pleural mesothelioma?, **96**
- meta-analysis**, Regular inhaled short acting β_2 agonists for the management of stable chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis, **580**
- Screening for lung cancer: a systematic review and meta-analysis of controlled trials, **784**
- meta-analysis**, So inhaled steroids slow the rate of decline of FEV₁ in patients with COPD after all?, **911**
- milk fat**, Association of consumption of products containing milk fat with reduced asthma risk in pre-school children: the PIAMA birth cohort study, **567**
- molecular biology**, Lung cancer • 9: Molecular biology of lung cancer: clinical implications, **892**
- montelukast**, Effect of montelukast added to inhaled budesonide on control of mild to moderate asthma, **204**
- Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma, **211**
- morbidity**, Lung biopsy guidelines—for the obedience of fools and guidance of wise men, **913**
- Morquio's disease**, Upper airways abnormalities and tracheal problems in Morquio's disease, **458**
- mortality**, Evidence for a link between mortality in acute COPD and hospital type and resources, **947**
- Inhaled short acting β agonist use in COPD and the risk of acute myocardial infarction, **43**
- Inpatient management of acute COPD: a cause for concern?, **914**
- Short term outcome and risk factors for adverse clinical outcomes in adults with severe acute respiratory syndrome (SARS), **686**
- mucociliary clearance**, Impaired cough reflex in patients with recurrent pneumonia, **152**
- muscular dystrophy**, Oesophagopleural fistula as a novel cause of failed non-invasive ventilation, **642**
- Mycobacterium**, Investigation of mycobacterial colonisation and invasion of the respiratory mucosa, **246**
- myocardial infarction**, Intratracheal cocaine induced myocardial infarction: an unusual complication of fiberoptic bronchoscopy, **733**
- narrow band imaging**, High magnification bronchovideoscopy combined with narrow band imaging could detect capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer, **989**
- nasal corticosteroids**, Episodic viral wheeze in preschool children: effect of topical nasal corticosteroid prophylaxis, **431**
- nasal nitric oxide**, Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
- nebuliser**, Lung deposition of colomycin depends on the nebuliser used, **982**
- neonatal screening**, High incidence of cystic fibrosis in children born in Italy to Albanian immigrants, **93**
- neuromuscular disease**, Ethics and decision making in end stage lung disease, **272**
- neuromusculoskeletal disorders**, The pulmonary physician in critical care • Illustrative case 4: Neuromusculoskeletal disorders, **547**
- neutrophils**, The role of neutrophil apoptosis in the resolution of acute lung injury in newborn infants, **961**
- nicotine replacement therapy**, Clinical trial comparing nicotine replacement therapy (NRT) plus brief counselling, brief counselling alone, and minimal intervention on smoking cessation in hospital inpatients, **484**
- Nicotine replacement therapy in smoking cessation, **464**
- nitric oxide**, Controlled prospective randomised trial on the effects on pulmonary haemodynamics of the ambulatory long term use of nitric oxide and oxygen in patients with severe COPD, **289**
- Exhaled nitric oxide rather than lung function distinguishes preschool children with probable asthma, **494**
- Multiple roles of nitric oxide in the airways, **175**
- Pulmonary hypertension in patients with COPD: NO treatment?, **283**
- Role of the endothelium and nitric oxide synthases in modulating superoxide formation induced by endotoxin and cytokines in porcine pulmonary arteries, **598**
- nitrogen dioxide**, Hypothesis: Ill health associated with low concentrations of nitrogen dioxide—an effect of ultrafine particles?, **1012**
- Impaired recycling of surfactant-like liposomes in type II pneumocytes from injured lungs, **127**
- nitrogen oxide**, Imbalance between levels of nitrogen oxides and peroxynitrite inhibitory activity in chronic obstructive pulmonary disease, **106**
- nitrotyrosine**, Correlation between change in pulmonary function and suppression of reactive nitrogen species production following steroid treatment in COPD, **299**
- non-invasive ventilation**, Domiciliary non-invasive ventilation for recurrent acidotic exacerbations of COPD: an economic analysis, **867**
- non-invasive ventilation**, Improving the care for patients with acute severe respiratory disease, **285**
- NIV at home: resource implications, **644**
- non-invasive ventilation**, Non-invasive ventilation assists chest physiotherapy in adults with acute exacerbations of cystic fibrosis, **880**
- non-invasive ventilation**, Oesophagopleural fistula as a novel cause of failed non-invasive ventilation, **642**
- non-pharmacological management**, Chronic obstructive pulmonary disease • 8: Non-pharmacological management of COPD, **453**
- non-small cell lung cancer**, Lung cancer • 4: Chemotherapy for non-small cell lung cancer: the end of the beginning, **352**
- Lung cancer • 6: The case for limited surgical resection in non-small cell lung cancer, **639**
- non-specific interstitial pneumonia**, High serum concentrations of surfactant protein A in usual interstitial pneumonia compared with non-specific interstitial pneumonia, **52**
- Radiological versus histological diagnosis in UIP and NSIP: survival implications, **143**
- normal values**, Functional analysis of cilia and ciliated epithelial ultrastructure in healthy children and young adults, **333**
- Norway**, Lung cancer and air pollution: a 27 year follow up of 16 209 Norwegian men, **1071**
- nuclear medicine**, Prospective use of serial questionnaires to evaluate the therapeutic efficacy of ^{18}F -fluorodeoxyglucose (FDG) positron emission tomography (PET) in suspected lung cancer, **47**
- nutrition**, Association of consumption of products containing milk fat with reduced asthma risk in pre-school children: the PIAMA birth cohort study, **567**
- Eat well to get well, **739**
- Nutritional enhancement of exercise performance in chronic obstructive pulmonary disease: a randomised controlled trial, **745**
- OASYS**, Occupational asthma evaluation, **461**
- obesity**, Association of body mass with pulmonary function in the Childhood Asthma Management Program (CAMP), **1036**
- Asthma and atopy in overweight children, **1031**
- Asthma and obesity: where are we now?, **1008**
- Morbid obesity and hypersomnolence in several members of an ancient royal family, **281**
- obstructive sleep apnoea**, Caffeine levels following treatment of obstructive sleep apnoea, **801**
- Obstructive sleep apnoea can directly cause death, **369**
- Sleep disordered breathing in an adult with cherubism, **552**
- occupational asthma**, Occupational asthma evaluation, **461**
- oesophageal motility disorders**, Abnormal oesophageal motility in patients with chronic cough, **699**
- oesophageal perforation**, Oesophagopleural fistula as a novel cause of failed non-invasive ventilation, **642**
- oncogenes**, Lung cancer • 9: Molecular biology of lung cancer: clinical implications, **892**
- orthodeoxia**, *Pneumocystis carinii* pneumonia with pleurisy, platypnoea and orthodeoxia, **185**
- outcome**, Comparison of atopic cough with cough variant asthma: is atopic cough a precursor of asthma?, **14**

outcome measures, Correlation between annual change in health status and computer tomography derived lung density in subjects with α_1 -antitrypsin deficiency, **1027**
Outcome measures in chronic obstructive pulmonary disease (COPD), **1007**
Predictors of mortality in α_1 -antitrypsin deficiency, **1020**
outpatient management, Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up, **968**
oxidative stress, Increased leukotriene B4 and 8-isoprostane in exhaled breath condensate of patients with exacerbations of COPD, **294**
oxygen, Controlled prospective randomised trial on the effects on pulmonary haemodynamics of the ambulatory long term use of nitric oxide and oxygen in patients with severe COPD, **289**
oxygen tension, Effects of captopril administration on pulmonary haemodynamics and tissue oxygenation during exercise in ACE gene subtypes in patients with COPD: a preliminary study, **629**
p65, Nuclear localisation of p65 in sputum macrophages but not in sputum neutrophils during COPD exacerbations, **348**
paediatric asthma, Ultrastructural examination of bronchial specimens from children with moderate asthma, **187**
paediatricians, Outpatient management of childhood asthma by paediatrician or asthma nurse: randomised controlled study with one year follow up, **968**
Pancoast's syndrome, Pancoast's syndrome as a result of metastatic renal cell carcinoma, **370**
pathogenesis, Hypothesis: Does COPD have an autoimmune component?, **832**
patterns of care, Lung cancer patterns of care in south western Sydney, Australia, **690**
"crack" cocaine, Eosinophilic "empyema" associated with crack cocaine use, **823**
peak expiratory flow, Inadequate peak expiratory flow meter characteristics detected by a computerised explosive decompression device, **411**
 Usefulness of peak expiratory flow measurements: is it just a matter of instrument accuracy?, **375**
peak flow meters, Inadequate peak expiratory flow meter characteristics detected by a computerised explosive decompression device, **411**
 Usefulness of peak expiratory flow measurements: is it just a matter of instrument accuracy?, **375**
perception of airway narrowing, Perception of airway narrowing during reduction of inhaled corticosteroids and asthma exacerbation, **1042**
peripheral muscle force, Muscle force during an acute exacerbation in hospitalised patients with COPD and its relationship with CXCL8 and IGF-I, **752**
 Peripheral muscle weakness in COPD: where does it come from?, **741**
peroxisome proliferator activated receptor (PPAR) γ , Inhibition of MMP-9 expression by PPAR γ activators in human bronchial epithelial cells, **778**
peroxynitrite, Imbalance between levels of nitrogen oxides and peroxynitrite inhibitory activity in chronic obstructive pulmonary disease, **106**
pharmacotherapy, Pharmacotherapy and airway remodelling in asthma?, **163**
phenotype, Association of CCR5 Δ 32 with reduced risk of childhood but not adult asthma, **222**
phrenic nerve injury, Diaphragm plication following phrenic nerve injury, **460**
phrenic nerve stimulation, Can diaphragmatic contractility be assessed by airway twitch pressure in mechanically ventilated patients?, **58**
physical activity, Preventing hospital admissions for COPD: role of physical activity, **95**
pigtail drainage, Pigtail drainage in the treatment of tuberculous pleural effusions: a randomised study, **149**
pituitary adenylate cyclase-activating peptide (PACAP), Bronchodilation by an inhaled VPAC $_2$ receptor agonist in patients with stable asthma, **217**
plasma levels, Plasma concentrations of fluticasone propionate and budesonide following inhalation from dry powder inhalers by healthy and asthmatic subjects, **258**
plasma surfactant associated proteins, Plasma surfactant protein levels and clinical outcomes in patients with acute lung injury, **983**
platypnoea, *Pneumocystis carinii* pneumonia with pleurisy, platypnoea and orthodeoxia, **185**

pleural disease, Eosinophilic "empyema" associated with crack cocaine use, **823**
pleural diseases, Introduction to the methods used in the generation of the British Thoracic Society guidelines for the management of pleural diseases, **ii1**
pleural infection, BTS guidelines for the management of pleural infection, **ii18**
pleural lymphoma, Primary pleural lymphomas, **908**
***Pneumocystis carinii* pneumonia**, *Pneumocystis carinii* pneumonia with pleurisy, platypnoea and orthodeoxia, **185**
Pneumocystis jiroveci, Asymptomatic carriage of *Pneumocystis jiroveci* in subjects undergoing bronchoscopy: a prospective study, **594**
pneumocystis pneumonia, Bronchoscopy in patients with suspected PCP: supine or sitting?, **736**
pneumonia, Impaired cough reflex in patients with recurrent pneumonia, **645**
 The pulmonary physician in critical care • Illustrative case 5: HIV associated pneumonia, **721**
pollen, Short term effects of airborne pollen concentrations on asthma epidemic, **708**
pollution, Hypothesis: Ill health associated with low concentrations of nitrogen dioxide—an effect of ultrafine particles?, **1012**
polymorphism, Allelic association and functional studies of promoter polymorphism in the leukotriene C4 synthase gene (LTC4S) in asthma, **417**
 Lack of association of group specific component haplotypes with lung function in smokers, **790**
postoperative pain, Concerns of poor quality of life should not deprive patients of the opportunity of curative surgery, **189**
 Quality of life following lung cancer surgery, **194**
prediction rule, Defining community acquired pneumonia severity on presentation to hospital: an international derivation and validation study, **377**
prednisolone, Prednisolone response in patients with chronic obstructive pulmonary disease: results from the ISOLDE study, **654**
preschool child, The safety and quality of endobronchial biopsy in children under five years old, **1053**
preschool children, Exhaled nitric oxide rather than lung function distinguishes preschool children with probable asthma, **494**
primary care, Breathing retraining for dysfunctional breathing in asthma: a randomised controlled trial, **110**
primary ciliary dyskinesia, Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia, **68**
 Genotype-phenotype correlations in PCD patients carrying *DNAH5* mutations, **552**
prognosis, Lung cancer • 8: Management of malignant mesothelioma, **809**
progressive encephalomyelitis with rigidity, Progressive encephalomyelitis with rigidity as refractory asthma, **645**
proinflammatory molecules, Enhancement of acute lung injury related to bacterial endotoxin by components of diesel exhaust particles, **605**
prostaglandins, Exhaled leukotrienes and prostaglandins in COPD, **585**
Pseudomonas aeruginosa, Identification of airborne dissemination of epidemic multiresistant strains of *Pseudomonas aeruginosa* at a CF centre during a cross infection outbreak, **525**
 Survey of resistance of *Pseudomonas aeruginosa* from UK patients with cystic fibrosis to six commonly prescribed antimicrobial agents, **794**
Ptolemy's, Morbid obesity and hypersomnolence in several members of an ancient royal family, **281**
pulmonary alveolar proteinosis, GM-CSF and proteinosis, **645**
 Relationship of anti-GM-CSF antibody concentration, surfactant protein A and B levels, and serum LDH to pulmonary parameters and response to GM-CSF therapy in patients with idiopathic alveolar proteinosis, **252**
pulmonary arterial hypertension, Atrial septostomy in the treatment of severe pulmonary arterial hypertension, **797**
pulmonary embolism, British Thoracic Society guidelines for the management of suspected acute pulmonary embolism, **470**
 Pulmonary embolism guidelines: will they work?, **463**
 The pulmonary physician in critical care • 13: The pulmonary circulation and right ventricular failure in the ITU, **157**
pulmonary granulomas, Pulmonary granulomas after tumour necrosis factor alpha antagonist therapy, **278**

- pulmonary hypertension**, Controlled prospective randomised trial on the effects on pulmonary haemodynamics of the ambulatory long term use of nitric oxide and oxygen in patients with severe COPD, **289**
Effects of captopril administration on pulmonary haemodynamics and tissue oxygenation during exercise in ACE gene subtypes in patients with COPD: a preliminary study, **629**
Pulmonary hypertension in patients with COPD: NO treatment?, **283**
The pulmonary physician in critical care • 13: The pulmonary circulation and right ventricular failure in the ITU, **157**
- pulmonary infection**, Nodule size on HRCT scanning may predict infectious agent aetiology in immunocompromised patients with suspected pulmonary infection, **1003**
- pulmonary rehabilitation**, Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation, **515**
- pulmonary tuberculosis**, Analysis of DQB1 allele frequencies in pulmonary tuberculosis: preliminary report, **890**
- pulmonary vasculitis**, The pulmonary physician in critical care • Illustrative case 3: Pulmonary vasculitis, **543**
- pulmonary vein thrombosis**, Pulmonary vein thrombosis after bilobectomy and development of collateral circulation, **550**
- pyothorax**, Primary pleural lymphomas, **908**
- quality of life**, Concerns of poor quality of life should not deprive patients of the opportunity of curative surgery, **189**
Health outcomes following treatment for six months with once daily tiotropium compared with twice daily salmeterol in patients with COPD, **399**
Health status measurement: sensitivity of the self-reported Chronic Respiratory Questionnaire (CRQ-SR) in pulmonary rehabilitation, **515**
Influence of lung volume reduction surgery (LVRS) on health related quality of life in patients with chronic obstructive pulmonary disease, **405**
Quality of life following lung cancer surgery, **194**
Self-management of asthma in general practice, asthma control and quality of life: a randomised controlled trial, **30**
Time course of recovery of health status following an infective exacerbation of chronic bronchitis, **589**
- questionnaire**, Development of a symptom specific health status measure for patients with chronic cough: Leicester Cough Questionnaire (LCQ), **339**
- questionnaire survey**, Lymphangioleiomyomatosis: a case-control study of perinatal and early life events, **979**
- quorum signal molecules**, Preliminary findings of quorum signal molecules in clinically stable lung allograft recipients, **444**
- radiologically guided lung biopsy**, Guidelines for radiologically guided lung biopsy, **920**
- radiotherapy**, Lung cancer • 5: State of the art radiotherapy for lung cancer, **447**
Lung cancer patterns of care in south western Sydney, Australia, **690**
- recurrent pneumonia**, Impaired cough reflex in patients with recurrent pneumonia, **152**
- red wine extract**, Inhibition by red wine extract, resveratrol, of cytokine release by alveolar macrophages in COPD, **942**
- refractory asthma**, Progressive encephalomyelitis with rigidity as refractory asthma, **645**
- rehabilitation**, Chronic obstructive pulmonary disease • 8: Non-pharmacological management of COPD, **453**
- renal cell carcinoma**, Pancoast's syndrome as a result of metastatic renal cell carcinoma, **370**
- repeatability**, Repeatability of airway resistance measurements made using the interrupter technique, **344**
- reschool children**, Eosinophil activation and preschool viral wheeze, **876**
- residual pleural thickening**, Pigtail drainage in the treatment of tuberculous pleural effusions: a randomised study, **149**
- resources**, Evidence for a link between mortality in acute COPD and hospital type and resources, **947**
Inpatient management of acute COPD: a cause for concern?, **914**
NIV at home: resource implications, **644**
- respiratory disease**, British Thoracic Society guidelines on respiratory aspects of fitness for diving, **3**
Nutrition and respiratory health in children in six Central and Eastern European countries, **231**
- respiratory distress syndrome**, The role of neutrophil apoptosis in the resolution of acute lung injury in newborn infants, **961**
- respiratory failure**, Chronic respiratory failure, **281**
- respiratory insufficiency**, Can diaphragmatic contractility be assessed by airway twitch pressure in mechanically ventilated patients?, **58**
- respiratory mucosa**, Investigation of mycobacterial colonisation and invasion of the respiratory mucosa, **246**
- respiratory muscles**, Can diaphragmatic contractility be assessed by airway twitch pressure in mechanically ventilated patients?, **58**
Non-invasive ventilation assists chest physiotherapy in adults with acute exacerbations of cystic fibrosis, **880**
- respiratory symptoms**, Relationship between exhaled NO, respiratory symptoms, lung function, bronchial hyperresponsiveness, and blood eosinophilia in school children, **242**
Respiratory symptoms in patients with treated hypothyroidism and inflammatory bowel disease, **533**
- respiratory syncytial virus**, Dexamethasone for treatment of patients mechanically ventilated for lower respiratory tract infection caused by respiratory syncytial virus, **383**
- respiratory virus**, Respiratory viruses in exacerbations of chronic obstructive pulmonary disease requiring hospitalisation: a case-control study, **37**
- restrictive lung disease**, Lung function and mortality in the United States: data from the First National Health and Nutrition Examination Survey follow up study, **388**
- resveratrol**, Inhibition by red wine extract, resveratrol, of cytokine release by alveolar macrophages in COPD, **942**
- review**, Regular inhaled short acting β_2 agonists for the management of stable chronic obstructive pulmonary disease: Cochrane systematic review and meta-analysis, **580**
- RFLP-IS6110 analysis**, Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
- rifampicin**, Rifampicin induced pneumonitis or bronchogenic spread of tuberculous empyema through a bronchopleural fistula?, **910**
- right ventricular failure**, The pulmonary physician in critical care • 13: The pulmonary circulation and right ventricular failure in the ITU, **157**
- risk factors**, Risk factors of readmission to hospital for a COPD exacerbation: a prospective study, **100**
Short term outcome and risk factors for adverse clinical outcomes in adults with severe acute respiratory syndrome (SARS), **686**
- Ro 25-1553**, Bronchodilation by an inhaled VPAC₂ receptor agonist in patients with stable asthma, **217**
- S100A12 (EN-RAGE)**, Expression of S100A12 (EN-RAGE) in cystic fibrosis, **613**
- Sahaja yoga**, Sahaja yoga in asthma, **825**
- salbutamol**, Intravenous salbutamol bolus compared with an aminophylline infusion in children with severe asthma: a randomised controlled trial, **306**
- salmeterol**, Health outcomes following treatment for six months with once daily tiotropium compared with twice daily salmeterol in patients with COPD, **399**
- salt depletion**, Salt depletion and hypoalbuminaemia in cystic fibrosis may add to hypercapnia in acute respiratory failure, **973**
- sarcoidosis**, Increased interleukin-13 expression in patients with sarcoidosis, **519**
Sarcoidosis presenting as upper extremity venous thrombosis, **552**
- screening**, Screening for lung cancer: a systematic review and meta-analysis of controlled trials, **784**
- second line treatment**, Second line treatment for severe acute childhood asthma, **284**
- self-management**, Can a self-management programme delivered by a community pharmacist improve asthma control? A randomised trial, **851**
- self-management**, Self-management education for patients with chronic obstructive pulmonary disease: a systematic review, **394**
Self-management of asthma in general practice, **735**
Self-management of asthma in general practice, asthma control and quality of life: a randomised controlled trial, **30**
- severe acute respiratory syndrome (SARS)**, Severe acute respiratory syndrome (SARS), **919**
Severe acute respiratory syndrome (SARS): epidemiology, diagnosis and management, **558**
Short term outcome and risk factors for adverse clinical outcomes in adults with severe acute respiratory syndrome (SARS), **686**

- Where is SARS now?, **650**
- severity assessment**, Assessment of illness severity in community acquired pneumonia: a useful new prediction tool?, **371**
- Defining community acquired pneumonia severity on presentation to hospital: an international derivation and validation study, **377**
- sickle cell anaemia**, The pulmonary physician in critical care • Illustrative case 6: Acute chest syndrome of sickle cell anaemia, **726**
- skeletal muscle strength**, Non-volitional assessment of skeletal muscle strength in patients with chronic obstructive pulmonary disease, **665**
- smokeless tobacco**, Health effects associated with smokeless tobacco: a systematic review, **435**
- smoking**, Association of CYP2A6 deletion polymorphism with smoking habit and development of pulmonary emphysema, **623**
- Lack of association of group specific component haplotypes with lung function in smokers, **790**
- Passive smoking and lung function in γ_1 -antitrypsin heterozygote schoolchildren, **237**
- Relationship between inflammatory cells and structural changes in the lungs of asymptomatic and never smokers: a biopsy study, **135**
- smoking cessation**, Chronic obstructive pulmonary disease • 8: Non-pharmacological management of COPD, **453**
- Clinical trial comparing nicotine replacement therapy (NRT) plus brief counselling, brief counselling alone, and minimal intervention on smoking cessation in hospital inpatients, **484**
- Nicotine replacement therapy in smoking cessation, **464**
- spirometric testing**, Validity of spirometric testing in a general practice population of patients with chronic obstructive pulmonary disease (COPD), **861**
- spontaneous pneumothorax**, BTS guidelines for the management of spontaneous pneumothorax, **ii39**
- sputum**, Sputum T lymphocytes in asthma, COPD and healthy subjects have the phenotype of activated intraepithelial T cells (CD69+ CD103+), **23**
- sputum macrophages**, Nuclear localisation of p65 in sputum macrophages but not in sputum neutrophils during COPD exacerbations, **348**
- sputum neutrophils**, Nuclear localisation of p65 in sputum macrophages but not in sputum neutrophils during COPD exacerbations, **348**
- starvation**, Atypical mycobacterial infection, starvation and effect of BCG vaccination on tuberculin skin test, **367**
- streptokinase**, Successful treatment of empyema thoracis with human recombinant deoxyribonuclease, **365**
- superoxide**, Role of the endothelium and nitric oxide synthases in modulating superoxide formation induced by endotoxin and cytokines in porcine pulmonary arteries, **598**
- surfactant protein A**, Relationship of anti-GM-CSF antibody concentration, surfactant protein A and B levels, and serum LDH to pulmonary parameters and response to GM-CSF therapy in patients with idiopathic alveolar proteinosis, **252**
- surfactant protein B**, Relationship of anti-GM-CSF antibody concentration, surfactant protein A and B levels, and serum LDH to pulmonary parameters and response to GM-CSF therapy in patients with idiopathic alveolar proteinosis, **252**
- surfactant system**, Impaired recycling of surfactant-like liposomes in type II pneumocytes from injured lungs, **127**
- surfactant-like liposomes**, Impaired recycling of surfactant-like liposomes in type II pneumocytes from injured lungs, **127**
- surgery**, Lung cancer patterns of care in south western Sydney, Australia, **690**
- surgical resection**, Lung cancer • 6: The case for limited surgical resection in non-small cell lung cancer, **639**
- surgical resection rate**, Improving surgical resection rates in lung cancer without a two stop service, **368**
- survival**, Lung cancer patterns of care in south western Sydney, Australia, **690**
- systematic review**, Health effects associated with smokeless tobacco: a systematic review, **435**
- systemic inflammatory response syndrome**, Association of IL-10 polymorphism with severity of illness in community acquired pneumonia, **154**
- systemic lupus erythematosus**, Unusual lung consolidation in SLE, **367**
- thoracic endometriosis**, Catamenial haemoptysis and clomiphene citrate therapy, **89**
- Thorax**, Pulmonary physicians, intensive care medicine and *Thorax*: an evolving relationship, **829**
- time series regression**, Short term effects of airborne pollen concentrations on asthma epidemic, **708**
- tiotropium**, Effect of tiotropium bromide on circadian variation in airflow limitation in chronic obstructive pulmonary disease, **855**
- Health outcomes following treatment for six months with once daily tiotropium compared with twice daily salmeterol in patients with COPD, **399**
- training**, Pulmonary physicians, intensive care medicine and *Thorax*: an evolving relationship, **829**
- transcutaneous nerve stimulation**, Non-volitional assessment of skeletal muscle strength in patients with chronic obstructive pulmonary disease, **665**
- transfer coefficient**, Risk factors associated with the presence of irreversible airflow limitation and reduced transfer coefficient in patients with asthma after 26 years of follow up, **322**
- transforming growth factor β_1** , TGF- β_1 causes airway fibrosis and increased collagen I and III mRNA in mice, **772**
- transoesophageal echocardiography**, Transoesophageal echocardiography and lung cancer staging, **735**
- transplantation**, Chronic obstructive pulmonary disease • 10: Bullectomy, lung volume reduction surgery, and transplantation for patients with chronic obstructive pulmonary disease, **634**
- treatment**, Chronic obstructive pulmonary disease • 12: New treatments for COPD, **803**
- Lung cancer • 8: Management of malignant mesothelioma, **809**
- The new front line treatment for malignant pleural mesothelioma?, **96**
- tuberculin test**, Atypical mycobacterial infection, starvation and effect of BCG vaccination on tuberculin skin test, **367**
- tuberculosis**, DOT for all patients with smear- positive pulmonary TB in London?, **91**
- Epidemiology of tuberculosis on Gran Canaria: a 4 year population study using traditional and molecular approaches, **618**
- Investigation of mycobacterial colonisation and invasion of the respiratory mucosa, **246**
- Spotting latent infection: the path to better tuberculosis control, **916**
- tuberculous empyema**, Rifampicin induced pneumonitis or bronchogenic spread of tuberculous empyema through a bronchopleural fistula?, **910**
- tuberculous pleurisy**, Pigtail drainage in the treatment of tuberculous pleural effusions: a randomised study, **149**
- tumour necrosis factor γ** , Increased interleukin-13 expression in patients with sarcoidosis, **519**
- tumour necrosis factor γ antagonist**, Pulmonary granulomas after tumour necrosis factor alpha antagonist therapy, **278**
- tumour suppressor genes**, Lung cancer • 9: Molecular biology of lung cancer: clinical implications, **892**
- twitch transdiaphragmatic pressure**, Can diaphragmatic contractility be assessed by airway twitch pressure in mechanically ventilated patients?, **58**
- type II pneumocytes**, Impaired recycling of surfactant-like liposomes in type II pneumocytes from injured lungs, **127**
- ulcerative colitis**, Respiratory symptoms in patients with treated hypothyroidism and inflammatory bowel disease, **533**
- ultrafine particle**, Hypothesis: Ill health associated with low concentrations of nitrogen dioxide—an effect of ultrafine particles?, **1012**
- ultrastructure**, Functional analysis of cilia and ciliated epithelial ultrastructure in healthy children and young adults, **333**
- unilateral pleural effusion**, BTS guidelines for the investigation of a unilateral pleural effusion in adults, **ii8**
- usual interstitial pneumonia**, High serum concentrations of surfactant protein A in usual interstitial pneumonia compared with non-specific interstitial pneumonia, **52**
- Radiological versus histological diagnosis in UIP and NSIP: survival implications, **143**
- variability**, Measurement of lung function in preschool children using the interrupter technique, **742**
- Short and long term variability of the interrupter technique under field and standardised conditions in 3–6 year old children, **761**
- vascular endothelial growth factor**, Eosinophilic “empyema” associated with crack cocaine use, **823**
- vasoactive intestinal peptide**, Bronchodilation by an inhaled VPAC₂ receptor agonist in patients with stable asthma, **217**
- VEGF**, VEGF regulates the proliferation of acid-exposed alveolar lining epithelial cells, **328**

venous thromboembolism, Guidelines on prevention of venous thromboembolism during long haul flights, **91**

venous thrombosis, Sarcoidosis presenting as upper extremity venous thrombosis, **552**

ventilatory failure, Chronic obstructive pulmonary disease • 9: Management of ventilatory failure in COPD, **537**

viral wheeze, Eosinophil activation and preschool viral wheeze, **876**

weight, Energy intake and weight are increased by antibiotics in children with cystic fibrosis, **949**

wheeze, Episodic viral wheeze in preschool children: effect of topical nasal corticosteroid prophylaxis, **431**

yoga, Effect of two breathing exercises (Buteyko and pranayama) in asthma: a randomised controlled trial, **674**