

IMAGES IN THORAX

Rose Gardener's disease

Rogerio Rufino, Bruna Liete Marques, Claudia Henrique Costa

Correspondence to

Dr Rogério Rufino, Rua Mario Pederneiras, 10/121. Humaitá, Rio de Janeiro CEP22.261-020, Brazil; rrufino.uerj@gmail.com

Received 6 October 2012 Accepted 28 November 2012 Published Online First 20 December 2012 A 32-year-old man worked as a subsistence farmer raising pigs and tending his small garden; he also kept cats and dogs. He reported fever, night sweats, weight loss of 10 kg over 3 months, haemoptysis and skin ulcers (figure 1). Radiography and chest CT scan (figure 2) showed extensive bilateral cavities. An HIV test was negative. Bronchoalveolar lavage and biopsy of the skin lesions displayed Sporothrix schenckii. He was treated with amphotericin B and his lesions slowly healed.

Sporotrichosis is a chronic pyogranulomatous infection caused by a dimorphic fungus that contaminates skin or subcutaneous tissue after trauma with plant materials such as thorns or splinters, or through cat scratches or bites.^{1–3} The term 'Rose



Figure 1 Cutaneous ulcers in the left thigh with clean edges. This figure is only reproduced in colour in the online version.




Figure 2 Chest CT scan. Diffuse cavities at anterior and posterior locations in the lungs.

Gardener's disease' has been coined following the observation of the disease in gardeners, farmers, forestry and nursery workers, veterinary workers and outdoor labourers. Primary pulmonary disease is extremely rare, and other diagnosis such as tuberculosis and cryptococcosis should be considered. We believe that this patient's pulmonary cavities are reflective of disease dissemination.

Competing interests None.

Ethics approval Ethics committee from State University of Rio de Janeiro 2011

Provenance and peer review Not commissioned; internally peer reviewed.

REFERENCES

- 1 Pappas PG. Sporotrichosis. In: Kauffman CA, Pappas PG, Sobel JD. Essentials of clinical mycology. New York: Springer, 2011:387–97.
- 2 Pappas PG, Tellez I, Deep AE, et al. Sporotrichosis in Peru: description of an area of hyperendemicity. Clin Infect Dis 2000;30:65–70.
- 3 Silva MB, Costa MMM, Torres CCS, et al. Urban sporotrichosis: a neglected epidemic in Rio de Janeiro, Brazil. Cad Saude Publica 2012;28:1867–80.
- 4 Singhai M, Rawat V, Verma P, et al. Primary pulmonary sporotrichosis in a sub-Himalayan patient. J Lab Physicians 2012;4:48–9.

To cite: Rufino R, Marques BL, Costa CH. *Thorax* 2013;**68**:602.