

*Of outstanding importance in*

# TUBERCULOSIS



**T**HE WIDE USE of streptomycin in the treatment of tuberculosis demands that its effectiveness should be matched by flexibility of administration.

For this reason DC(B)L offer streptomycin in a number of forms to meet every individual need.

**'Streptaquaine' Solution**  
(stabilised injection of streptomycin)

**Streptomycin sulphate**

**Dihydrostreptomycin sulphate**

**'Mixtamycin'**  
(streptomycin and dihydrostreptomycin)

**'Mixtamycin' Solution**

**Streptomycin sulphate (stabilised)**

*All products are in 1 and 5 m.u. vials (equivalent to 1 and 5 grammes of base)*



## THE DISTILLERS COMPANY


*(Biochemicals) Limited*

SPEKE, LIVERPOOL 19. Telephone: HUNTS CROSS 1271

Export Enquiries: DEVONSHIRE HOUSE, PICCADILLY, LONDON W.1. Telephone: MAYFAIR 8867

*Owners of the trade marks 'Streptaquaine' and 'Mixtamycin'*

PPH 10/56



In thoracic surgery . . .

## THE MATBURN MODEL DS 16

### COMBINED ELECTRO-SURGICAL & SUCTION APPARATUS

. . . provides an ideally graduated output for the most delicate or extensive diathermy cutting and coagulation. A circuit for cautery is provided and two separate light circuits facilitate the use of head-lamps and endoscopic illumination at the same time. Twin jar suction is controllable from gentlest to highest vacuum with absolutely noiseless performance.

*please write for detailed specification*

**Matburn**  
LTD

MATBURN LIMITED 25 Red Lion St London WC1



*Concerning  
a further advance  
in the treatment of  
bucco-pharyngeal  
INFECTIONS*

Dequadin Lozenges containing a new bactericidal and fungicidal substance are rapidly effective against all the common oral pathogens including those resistant to penicillin. They do not contain any antibiotic or anaesthetic substance.

Dequadin Lozenges are indicated in the treatment of Vincent's angina, tonsillitis, sore throat, stomatitis, pyorrhœa, pharyngitis, aphthous ulcers, thrush and glossitis.

They can be used prophylactically in patients exposed to infection especially after tonsillectomy and dental extractions.

By suppressing monilial growths, Dequadin Lozenges prevent the appearance of black tongue and oral thrush. They are also rapidly effective in the treatment of oral thrush including that due to prolonged antibiotic therapy.


# DEQUADIN

## LOZENGES

In tubes of 20 lozenges each containing  
0.25 mg. decamethylene-bis (4-aminoquinaldinium chloride).

C55/677

ALLEN & HANBURYS LTD · LONDON · E · 2  
TELEPHONE BISHOPSGATE 3201 (20 LINES) TELEGRAMS GREENBURYS BETH LONDON




# 7 FILMS AT ONCE


## WITH THE SIEMENS MULTISECTION CASSETTE

Simultaneous 7 Layer Multisection Radiography is now possible with this cassette which incorporates 7 pairs of specially matched intensifying screens arranged to give even contrast and sharpness for all layers.

Its use enables a complete tomographic examination to be made with one exposure.



*Full information and quotations to modify your existing equipment wherever possible, supplied on request.*



**SIEREX LTD.**

241 TOTTENHAM COURT ROAD—LONDON W.1

Telephone: LAngham 2464. Telegrams: Sierex London.





## INTRAVENOUS TUBERCULOTHERAPY

Intravenous sodium PAS infusion for miliary, meningitic and severe forms of tuberculosis is an established technique: some sanatoria now favour I.V. PAS as *first choice* even in moderate cases because of its very high tolerability.

I.V. infusions demand the use of crystalline sodium PAS of first-grade quality, for which purpose 'AMINACYL' (Wander) brand of specially purified crystalline PAS is supplied to sanatoria in bottles of 250 grammes.

The Wander range of tuberculostatics also includes the following oral forms:

### **B-PAS** WANDER

Calcium B-PAS (Wander), first introduced by our Research Laboratories in 1948, provides the advantages of high bacteriostatic levels, and excellent acceptability because it is practically tasteless.

PACKS:—Powder: Tins of 150 and 500 x 3.5 g. envelopes  
Cachets: „ „ 80 and 400 x 1.0 g.

### **'B-PASINAH'** WANDER

For concurrent therapy, 'B-PASINAH' provides 1 g. B-PAS and 25 mg. INAH in convenient Cachet form, packed in tins of 100 and 500.

Full literature, also details of institutional quantities and prices sent on request.

*All Wander tuberculostatic products may be obtained from usual pharmacists or direct from*

**A. WANDER LTD., 42 Upper Grosvenor St., London W.1**

CANADA: A. Wander Ltd., Peterborough, Ontario. AUSTRALIA: A. Wander Ltd., Devonport, Tasmania. NEW ZEALAND: A. Wander Ltd., Christchurch. INDIA: Messrs. Khatau Valabhdas & Co., Indian Globe Chambers, Fort Street, Fort, Bombay, 1. PAKISTAN: Grahams Trading Co. (Pakistan) Ltd., P.O. Box 30, Karachi. CEYLON: A. Baur & Co. Ltd., Colombo.



M397.



**Strength, lightness and resistance to water  
combine to make this new type of plaster of Paris  
bandage much more economical in use.**

Very hard, water resistant casts result when plaster of Paris is polymer reinforced. That is why Gypsona 'Extra' has, in addition to all Gypsona's well known qualities, these extra advantages :


**Durability** Gypsona 'Extra' casts outlast all other plaster casts and are more resistant to damage and the effects of water.

**Lightness** Casts are thin, comfortable to wear, and therefore allow better functional treatment.

**X-rays** Thinner casts permit greater clarity in X-ray photographs.

**Cleanliness** Negligible plaster loss means less mess and a saving of time.


**Economy** When the recommended method of application is followed, two Gypsona 'Extra' bandages will do the work of every three plaster bandages now used, and a more durable cast results.



*(Gypsona standard bandages remain available for those cases where the special qualities of Gypsona 'Extra' are not required)*

an  product


Details from : SMITH & NEPHEW LTD · WELWYN GARDEN CITY · HERTS



# THE "HUNDRED NINETY"

## MOBILE WARD UNIT

DESIGNED to energize a twin-focus rotating anode tube, the "Hundred-Ninety" enables short exposure tele-radiographic chest films to be taken on patients unfit to be moved to the X-ray Department. The results are capable of comparison with radiographs taken on high-powered fixed units.



WRITE  
FOR  
PUBLI-  
CATION  
No. 97  
M.U.R.

**A. E. DEAN & CO.** (X-RAY APPARATUS) **A.E.D. LTD.**  
G. P. DEAN


PROGRESS WAY · CROYDON · ENGLAND

Telephone: CROYdon 0188 9  
Midland Agents: Watson & Glover, 2 Easy Row, Birmingham.

Telegrams: Frequency, Croydon  
Scottish Agent: H. A. West, 41 Watson Crescent, Edinburgh.

SERVICE FACILITIES AT LEEDS

When  
a new  
weapon is  
necessary...



*XVIIIth century flint-  
lock holster pistol,  
English military type.*

**the antibiotic that complements  
streptomycin in tuberculosis**

Because certain tuberculosis patients become resistant or sensitive to streptomycin or isoniazid, and because there is no evidence of cross resistance when it is used with either streptomycin or isoniazid, VIOCIN is of great value as an adjunctive treatment in tubercular chemotherapy. Particularly effective against strains of *Mycobacterium tuberculosis* which have become resistant to streptomycin, VIOCIN when administered intramuscularly is readily absorbed, and a small portion of the total dose is diffused into the spinal fluid and the pleural and peritoneal cavities. It is a relatively safe drug when administered intermittently in recommended dosage, and toxic manifestations have been shown to be predominantly minor, transient, and reversible after termination of therapy.

Used in pulmonary tuberculosis in combination with streptomycin, isoniazid or PAS, VIOCIN has proved capable of exerting a favourable effect on the clinical course of the disease.

Today, VIOCIN commends itself strongly as a powerful new antibiotic weapon necessary in every doctor's medical armoury, for cases resistant to routine measures.

*(Careful laboratory control is necessary when Viocin is used in combination with streptomycin or when it is administered in high dosage over long periods.)*

...add

**VIOCIN\***

BRAND OF VIOMYCIN SULPHATE

to your  
medical armoury

VIOCIN for intramuscular injection is supplied in sterile powder form as a sulphate, in vials containing the equivalent of 1 G. of pure Viomycin base (Available for supply direct to hospitals)




**WORLD'S LARGEST PRODUCER OF ANTIBIOTICS**  
PFIZER LTD · FOLKESTONE · KENT

\* Trade Mark of Chas. Pfizer & Co., Inc.



for symptomatic relief of

**ASTHMA**



**BENAZMA** is a pleasantly aromatic linctus for the symptomatic relief of asthma. It contains pseudo-ephedrine, which relaxes bronchial muscle in the same way as ephedrine but with a minimum of vasopressor activity; stramonium to help maintain normal cardiac function, and codeine to depress the cough centre.

*Benazma is recommended for the relief of nocturnal cough in asthmatics, and for those patients undergoing specific desensitisation for asthma.*

**EACH DOSE OF 2 FLUID DRACHMS REPRESENTS :**

Pseudo-ephedrine hydrochloride	..	..	1 grain
Ext. Stramon. Liq., B.P.	..	..	1½ minims
Syr. Pruni Serot., B.P.	..	..	1 fluid drachm
Syr. Codeinae Phosph., B.P.C.	..	..	1 fluid drachm

*Bottles of 8, 20 and 80 fluid ounces*



**Benazma**

(Linctus anti-asthmatic, Bencard)

**G. L. BENCARD LTD., PARK ROYAL, LONDON, N.W.10**



**THERAPAS** is a modified form of P.A.S. that is more than an alternative.

P.A.S. was originally combined with isoniazid or streptomycin in order to delay the emergence of resistant strains of *M. tuberculosis*. **Therapas does this, too.** It is as effective as P.A.S. for this purpose. Similar in structure to P.A.S., it is converted to it in the body (1). P.A.S. combined with isoniazid or strepto-

mycin is effective against *M. tuberculosis*. **Therapas is more so.** It is not merely an adjunct, but has a therapeutic activity *per se* (2). In combined therapy it is highly effective (3). P.A.S., unfortunately, is poorly tolerated. **Therapas is not so,** and provides a welcome alternative. It has a slightly sweet, not unpleasant taste. Patients who dislike P.A.S. should be tried on Therapas.

1 *J. Pharm. Pharmacol.*, 1953, 5, 849

2 *Schweiz. med. Wschr.*, 1955, 85, 222

3 *Tubercle*, 1955, 36, 209

#### dosage

**Therapas** may be administered in daily doses of 14 G.

#### availability

Individual packets of 3.5 G. in boxes of 100 packets.

1.0 G. cachets in containers of 100 and 500.

Bulk Powder in containers of 100 G. and 500 G.



Members of the Medical Profession are invited to write for details to: SMITH & NEPHEW LTD · WELWYN GARDEN CITY · HERTS



**IT'S WHAT'S IN HERE**  
*that counts*

If your processing solutions are always made up from 'Kodak' X-ray Liquid Chemicals, you've nothing to worry about. Fresh, pure, meticulously prepared, they ensure uniform processing of the requisite quality for first-class diagnostic radiographs. They require no weighing or measuring and they simplify ordering of chemical supplies. Insist on 'Kodak' X-ray Liquid Chemicals.

**'Kodak' DX.80 Developer**

Dilutes 1 + 4. Accurately compounded to ensure constant development activity throughout the normal life of the solution.

**'Kodak' DX.80R Replenisher**

Prolongs the life of the developing solution until a volume of replenisher equal to the original contents of the tank has been added.

**'Kodak' FX.40 Fixer**

The most concentrated liquid fixer on the British market. Dilutes 1 + 4 to make 5 gallons of solution. A special hardening solution (FX.40H) is available to add to the fixer.

# Kodak X-RAY LIQUID CHEMICALS



Kodak Limited, Medical Sales Division, Kodak House, Kingsway, London, W.C.2

*'Kodak' is a registered trade-mark*



Care begins here

When you consider all the care and attention that goes into the positioning, exposure and processing of a radiograph, it's surely worthwhile taking just as much trouble in choosing the film. By using Ilford X-ray films you can be assured of standards of quality and performance that fully accord with the most stringent diagnostic requirements.




**STANDARD**—the ideal general-purpose film.  
**RED SEAL**—the extra fast, screen-type film.  
**ILFEX**—the fine grain, non-screen film for maximum resolution.

# ILFORD

## X-Ray Films

Standard · Red Seal · Ilfex



# NISOGEN

for optimum Isoniazid - PAS therapy  
without gastric intolerance

---

**NISOGEN**—remarkably well tolerated and well absorbed provides, for the first time, a pleasant enteric preparation which enables combined isoniazid-pas therapy to be achieved without the digestive upsets so frequently encountered with ordinary dosage regimens.

**NISOGEN**—pleasant to take, convenient to patient, doctor and ward staff, costs no more than treatment with individual drug preparations.

## Technical Data.

Each Nisogen tablet contains 0.75 gm Sodium Aminosalicylate combined with 10 mgm Isoniazid, enclosed in a thin sheath of Aminosalicyclic acid which, although resistant to gastric acid, is rapidly soluble in the alkaline environment of the upper intestinal tract.

NISOGEN is available in packs of 250 and 1,000 tablets and in bulk packs of 14,000 tablets for hospital use.

Clinical trial samples will gladly be provided upon request.

**ANTIGEN LABORATORIES LIMITED**  
**96/100 NEW CAVENDISH STREET**  
**LONDON, W.1**

★ AVAILABLE TO HOSPITALS ONLY

# Tryptar

PURIFIED CRYSTALLINE TRYPSIN

*For Physiologic  
Debridement of Necrotic Tissue,  
Intrapleural Use*

# Tryptar AEROSOL

*For Bronchial Asthma  
Acute and Chronic Bronchitis,  
Bronchiectasis and Atelectasis*



Write for literature to :


**THE ARMOUR LABORATORIES**

(Armour & Company Ltd.)

**HAMPDEN PARK, EASTBOURNE, SUSSEX**

Telephone:  
Hampden Park  
740

Telegrams:  
Armolab  
Eastbourne



AN ENTIRELY NEW  
'TWO-PHASE' ASTHMA THERAPY  
is provided by the double action of

## ISO-BRONCHISAN

... a treatment of outstanding efficiency and  
convenience for your asthmatic patients.

**FORMULA**

Each tablet contains  
Isopropyl-Nor-Adrenaline  
(Isoprenaline) sulphate  
gr.  $\frac{1}{2}$  (0.015 Gm.)  
Ephedrine hydrochlor.  
gr.  $\frac{2}{5}$  (0.025 Gm.)  
Theophylline gr. 2 (0.13 Gm.)

**PACKING**

Tube of 20 tablets  
Bottle of 100 tablets

**DOSAGE**

1 or 2 tablets, two or three  
times daily, according to  
individual needs.

IMMEDIATE asthma control plus prolonged relief from symptoms . . . such is the unique double action of ISO-BRONCHISAN. In this two-layer tablet, a coating of the quick-acting bronchodilator Isopropyl-Nor-Adrenaline is superimposed on a nucleus of slowly absorbed components—Ephedrine and Theophylline. At the onset of an asthma attack, a single ISO-BRONCHISAN is placed under the tongue and left there for one minute. By the sub-lingual route the coating of Isopropyl-Nor-Adrenaline is swiftly absorbed and thus brings prompt control of symptoms. The rest of the tablet is then swallowed, and the Ephedrine and Theophylline take over to maintain and prolong the antispasmodic action on the bronchial smooth muscle.



SILTEN LIMITED · SILTEN HOUSE · HATFIELD · HERTS · ENGLAND

*Mr. Peter Lawrie and Mr. S. Krol will shortly begin work on research into the absorption properties of suture material and other related matters.*

*This work will be carried out in the new research unit at the Buckston Browne Research Farm at Downe by arrangement with the Royal College of Surgeons of England. Investigations in this field are expected to yield much information of value in the development of modern surgical techniques and papers will be published from time to time.*

*Ethicon Suture Laboratories Ltd.,  
Edinburgh.*

## ***Ready Shortly***

*A book with an Entirely New and Logical Approach*

# **PRINCIPLES of CHEST X-RAY DIAGNOSIS**

By GEORGE SIMON, M.D., F.F.R.

*Assistant Director, X-ray Department, Brompton Hospital, London  
Radiologist, St. Bartholomew's Hospital, London*

This work follows an unusual approach which, although the most logical and practical, has never been employed before. The material has been arranged under headings descriptive of the x-ray shadows, rather than the clinical disease labels, each type of shadow being in turn described factually and then discussed from the point of view of interpretation, and this obvious approach will give the maximum and most practical assistance in diagnosing chest diseases from radiographs. All kinds of abnormalities are studied, and the work gives instruction on x-ray techniques, including dark-room technique, tomography and simultaneous multisection tomography.

Price 50s. net, by post 1s. 8d. extra  
Pp. x + 162 + Index. 172 illustrations

**BUTTERWORTHS • 88 KINGSWAY • LONDON W.C.2**

Showroom: 11-12 Bell Yard, Temple Bar, W.C.2

A New BookJust Published

# **Diseases of the Chest**

By H. Corwin Hinshaw, *Clinical Professor of Medicine*;  
and L. Henry Garland, *Clinical Professor of Radiology at Stanford University*.

786 pages, 634 illustrations.

**105s.**

More clinically illuminating than any other book on the subject in print to-day. *Practical clinical applications*, instead of theoretical aspects of chest diseases, are presented concisely and understandably.

The authors discuss, under each disease: background; incidence; statistical distribution; diagnosis; symptoms; pathology and classification; radiological appearance; treatment; and prognosis. Important sections are included on bronchography and bronchoscopy.

There is a list at the end of each chapter of important points stressed in that chapter. From this summary, the reader can get an extremely useful outline of a given topic.

The illustrative material—mainly roentgenograms of the chest—is outstanding for its excellence and instructive value. The 634 illustrations on 288 figures amplify the text in a way that leaves nothing in doubt.

*This outstanding book is unsurpassed for vividness of illustrations, completeness of coverage and real usefulness.*

**W. B. SAUNDERS COMPANY LIMITED**

7 Grape Street, LONDON, W.C.2.

## N A P T

No-one, nowadays, has time to  
keep up with all the Literature

A Board of experts is constantly  
reading, listing, abstracting, to  
produce

**The Tuberculosis Index  
and Abstracts of  
Current Literature**

Published quarterly, each issue contains abstracts of the more important articles in world medical literature on Tuberculosis and associated conditions.

Twenty-five shillings a year, from

**N A P T**

Tavistock Square, London, W.C.1

## LA BOURBOULE SPA FRANCE

★

*Special treatment given for***ASTHMA****Respiratory & Allergic Diseases****Ear, Throat & Nose Complaints****Open MAY 20th to SEPTEMBER 30th**

★

Full information from  
London Representative, 4 Vernon Place W.C.1  
Chancery 5688



# ADVANCES IN TUBERCULOSIS RESEARCH

VOLUME VII

Edited by

Dr. HANS BIRKHAUSER and Dr. HUBERT BLOCH

## CONTENTS

J. H. HANKS and C. T. GRAY: The Metabolic Properties of Mycobacteria and the Pathogenesis of Mycobacterial Disease.

S. V. BOYDEN and E. SORKIN: Antigens of Mycobacterium Tuberculosis.

G. MEISSNER: Isoniazid-resistente Tuberkelbakterien.

A. B. PATERSON: The Incidence and Causes of Tuberculin Reactions in Non-Tuberculous Cattle.

J. FREUND: The Mode of Action of Immunologic Adjuvants.

H. NOLL: The Chemistry of Cord Factor, a Toxic Glycolipid of M. Tuberculosis.

E. NASSAU and W. PAGEL: Heilungsvorgänge bei der Lungentuberkulose gestern und heute.

W. BRÄUTIGAM: Beitrag zur Psychosomatik der Lungentuberkulösen.

1956

6½ × 9½

259 pages

22 illus.

60/-

S. KARGER, A.G. — BASEL — SWITZERLAND

Agents for the U.K.:

INTERSCIENCE PUBLISHERS LTD., 88-90 Chancery Lane, London, W.C.2.

## CLINICAL PATHOLOGY IN GENERAL PRACTICE

321 pages. Price 21s. (by post—inland 22s. 3d., overseas 21s. 9d.)

This handbook on clinical pathology meets the needs of the general practitioner, the houseman, and the senior student. It contains thirty-nine articles comprising a series specially written for the *British Medical Journal*. Each article has been revised and brought up to date by its author. The book gives authoritative information on

- available laboratory facilities
- reliable tests and which to use
- techniques for collecting and preserving specimens
- interpretation of results and significance of abnormal findings

Obtainable from booksellers or by post from Publishing Manager


**BRITISH MEDICAL ASSOCIATION**

B.M.A. House, Tavistock Square, London, W.C.1

# **A NEW ORAL CHEMOTHERAPEUTIC FOR TUBERCULOSIS**

A new chemical compound formed  
by the combination of INH and  
PAS in molecular proportions.

*DIPASIC IS AVAILABLE FOR INVESTIGATION*



LITERATURE  
ON THERAPY  
AND DOSAGE  
ON REQUEST

## **DIPASIC**

TABLETS OF 100 mg. OF ISONICOTINIC ACID  
HYDRAZIDE-P-AMINOSALICYLATE



**BENGUE & Co. Ltd.,** MANUFACTURING CHEMISTS  
MOUNT PLEASANT - ALPERTON - WEMBLEY - MIDDLESEX

BENGUE & CO. LTD. MAKE "DIPASIC" AVAILABLE IN THE UNITED KINGDOM BY ARRANGEMENT WITH ED. GEISTLICH  
SONS LTD., WOLHUSEN (SWITZERLAND).