

pfinder preparations for the treatment of tuberculosis

1

DELTACORTIL *

brand of prednisolone

"Clinical improvement was more rapid, especially in those acutely ill . . ."
Brit. med. J. (1957), ii, 1131.

2

VIOCIN *

brand of viomycin

"... may prevent deterioration in patients with otherwise hopeless disease and perhaps permit of major surgery."
Brit. J. Tuberc. & Dis. Chest (1956), 50, 85.

3

TERRAMYCIN *

brand of oxytetracycline

The administration of Terramycin concomitantly with one standard antitubercular agent has been found to be as effective as a combination of two of these agents, but with fewer troublesome side effects.

New England J. Med. (1955), 252, 135.



SCIENCE FOR THE WORLD'S WELL-BEING

Pfizer Limited • Folkestone • Kent

*Trade Mark

3385



EXPERIENCE, modern equipment, faultless radiography . . . yet accurate diagnosis still depends so much on the correct viewing light.

Radiographs should be examined against a uniform light-field of ample . . . preferably controllable . . . intensity, without excessive heat. Ideal conditions are provided by 'Kodak' Illuminators. There is an extensive range of models of various designs, for wall, recess or desk mounting. See them at your nearest Kodak Wholesale Branch.


Kodak*illuminators*

Kodak Ltd., Medical Sales Division, Kodak House, Kingsway, London, W.C.2

'Kodak' is a registered trade-mark

ANNOUNCING

THE
'DISTAMPIN'
trade mark brand
Disposable Injector



*The new method of
 injection without hypodermic syringe*
for speed . . . for convenience . . . for safety

When a drug has been therapeutically proved the next step in the service of medicine is to seek the most acceptable and convenient way of presenting it. To this end the 'Distampin' Disposable Injector—a new sterile unit consisting of a single-dose ampoule and hypodermic needle—is now available. The contents of the ampoule are under pressure for automatic injection without a syringe.

The 'Distampin' Injector is sterile—no sterilisation is required except the preparation of the patient's skin.

Apart from its convenience and time-saving advantages, the risk of contact allergy in those handling drugs (e.g., antibiotics) is eliminated.

—AVAILABLE TO HOSPITALS—

'STREPTAQUAINE' SOLUTION
 (Injection of Streptomycin)
 2 ml. injectors (0.5 gm.) | 4 ml. injectors (1.0 gm.)
 1s. 9d. per injector | 1s. 11d. per injector
 Box of 25 | Box of 25

'MIXTAMYCIN' SOLUTION
 (Injection of Streptoducin)
 4 ml. injectors (1.0 gramme)
 1s. 11d. per injector. Box of 25


*All prices subject to hospital quantity discounts.
 Full details gladly sent upon request.*

DCBL

THE DISTILLERS COMPANY
(Biochemicals) LIMITED

BROADWAY HOUSE, THE BROADWAY, WIMBLEDON, S.W.19
 TEL.: LIBERTY 6600

owners of the trade marks 'Distampin' and 'Streptaquine'
 FPH 14,566



C I B A

ORISULF^{Reg. T.M.}

NEW, for trial in long-term prophylaxis in

CHRONIC BRONCHITIS

Orisulf has been developed for preventing the upper respiratory tract infections which precede relapses in patients with chronic bronchitis. It has a prompt, potent action and is exceptionally well tolerated.

Clinical trials in this country* have shown that Orisulf is safe. It has been given to children daily for over 2½ years without causing side effects.

PROPHYLACTIC DOSE:

One or two tablets daily.

Costs as little as 2d. a day at basic N.H.S. prices.

ORISULF IN ACUTE INFECTIONS

including

bronchitis	urinary tract infections
tonsillitis	otitis media
pneumonia	intestinal infections
sinusitis	febrile illnesses

Extremely well tolerated

"One of the authors himself took 25g. . . daily for five days and experienced no ill effects—a bold demonstration of lack of toxicity."

Brit. med. J. 1959, 2, 483.

Convenient 12-hourly dosage

1 G. twice daily for 2 days then 0.5 G. twice daily for 3 days.

Available as 0.5 G. tablets in 25's, 100's and 500's, and 10% suspension in 50 c.cm. bottles.

ORISULF is Sulpha-phenazole.

Basic N.H.S. Cost of a 5-day course of treatment is approximately 2s. 4d.

* Unpublished report on work at the Walker Gate Hospital, Newcastle.

HIGHEST TOLERATION

PRACTICAL
DOSAGE COMBINATIONS

SATISFACTORY
CLINICAL RESPONSE

These are the advantages of
Calcium B-PAS WANDER
and
B-Pasinah WANDER
(calcium B-PAS Wander plus isoniazid)
in the
Chemotherapy of Tuberculosis

B-PAS (Wander), benzamidosalicylic acid, first introduced by our Research Laboratories in 1948, is the drug of choice in regimens comprising PAS in concurrent therapy.

In the form of its calcium salt, it provides extended bacteriostatic levels, induces only minimal side-effects as compared with sodium PAS, and because of its high acceptability guarantees as far as possible that patients, particularly on domiciliary treatment, do take their medication.

Available in 3.5 g. envelopes and in 1 g. cachets; and as bulk powder.

'B-PASINAH' is available in two convenient forms:

Powders each containing
3.5 g. calcium B-PAS (Wander)
and 87.5 mg. isoniazid.

Cachets each containing
1 g. calcium B-PAS (Wander)
and 25 mg. isoniazid.

Full abstracts from literature, also details of
institutional packs and prices from the Medical Department

A. WANDER LIMITED

42 Upper Grosvenor Street, Grosvenor Square, London W.1



M. 40C

INTRODUCING

The "GODART PULMONET"


FEATURES

TWO SPEED
KYMOGRAPH

RAPID HELIUM
ANALYSER

HIGH SPEED
BLOWER

ELECTRICAL
OXYGEN FLOW
METER



A compact apparatus for the measurement of total lung capacity, vital capacity, timed vital capacity, inspiratory and expiratory reserve volumes, maximum voluntary ventilation, respiratory rate, basal metabolic rate and residual volume.


Write for full details :—



GODART-MIJNHARDT LTD.

97, MAIDSTONE ROAD, ROCHESTER, KENT

TEL.: CHATHAM 44384



**What does the radiologist
require of x-ray film?**

- 1 — MAXIMUM DIAGNOSTIC QUALITY**
- 2 — SPEED**
- 3 — EXPOSURE LATITUDE**
- 4 — KILOVOLTAGE LATITUDE**
- 5 — DEVELOPMENT LATITUDE**

All these features are combined in

ILFORD


RED SEAL x-ray film

—at the service of radiography

PYCAMISAN B.D.

cachets of sodium PAS 1.5 G. and isoniazid
37.5 mg. in tubes of 8 for twice-daily dosage
(= 12G. PAS + 300mg. INAH daily)

New PAS+INAH
presentation
for
twice-daily
dosage



designed to make
TB treatment easier for
both patient and doctor

- smaller cachets—easier to swallow
- twice-a-day dosage—easier to remember
- wet-seal cachets—no temptation to open them
- each tube marked 'morning' and 'evening' to tell the patient what his dose is and when to take it



Smith & Nephew Pharmaceuticals Limited

WELWYN GARDEN CITY
HERTFORDSHIRE

EMERGENCIES IN GENERAL PRACTICE

This book comprises 57 specially commissioned articles on medical emergencies which appeared originally in the *British Medical Journal*.

Contents include haemorrhage and thrombosis, cardio-respiratory crises, anaesthesia and hazards of therapy, acute abdominal cases, obstetrics, fits and coma, electrocution, burns and gassing, poisoning, acute psychiatric states, and special and minor surgery.

Invaluable to all doctors everywhere.

470 pages, cloth bound with full index. 25s. net (by post 26s. 9d.).

CLINICAL PATHOLOGY IN GENERAL PRACTICE

This handbook on clinical pathology meets the needs of the general practitioner, the houseman, and the senior student. It contains thirty-nine articles comprising a series specially written for the *British Medical Journal*. Each article has been revised and brought up-to-date by its author. The book gives authoritative information on available laboratory facilities; reliable tests and which to use; techniques for collecting and preserving specimens; interpretation of results and significance of abnormal findings.

321 pages. Price 21s. (by post 22s. 3d.).

REFRESHER COURSE FOR GENERAL PRACTITIONERS

Second Collection

*Third Collection—with
Classified Contents List
to volumes 1, 2 and 3*

Each book contains a collection of sixty Refresher Course articles from the *British Medical Journal*. Each article, written by an acknowledged expert, has been revised by its author. The articles cover a wide range. Their object is to refresh the reader's memory of what is old and well-established and to tell him about new developments.

They are invaluable to general practitioners and residents as practical reference books, to specialists as a means of keeping in touch with developments outside their own field, and to final-year students as up-to-date and reliable textbooks.

25s. each (by post 26s. 9d.).

"ANY QUESTIONS?"

Second Series

*Third Series—with
Cumulative Index*

These pocket-size volumes each contain some 200 questions and expert answers from the "Any Questions?" pages of the *British Medical Journal*. Each answer has been chosen for its practical value to doctors in their day-to-day work. Many deal with subjects not covered in the standard textbooks.

The Third volume has a cumulative index to all the answers appearing in the three books in the series.

7s. 6d. each (by post 8s. 3d.).

Obtainable from booksellers or by post from

BRITISH MEDICAL ASSOCIATION

B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, W.C.1

BRITISH HEART JOURNAL

CONTENTS — OCTOBER, 1959

- The Electrocardiogram of Cardiomyopathy.** *William Evans*
- Praecordial Pulsations in Relation to Cardiac Movement and Sounds.**
Patrick Mounsey
- The Atrial Sound and the Atrial Component of the First Heart Sound.**
Priscilla Kincaid-Smith and John Barlow
- The Atrial Sound in Hypertension and Ischaemic Heart Disease.** *Priscilla Kincaid-Smith and John Barlow*
- Properties and Biological Behaviour of Coomassie Blue.** *S. H. Taylor and J. M. Thorp*
- Clinical Applications of Coomassie Blue.** *S. H. Taylor and J. P. Shillingford*
- A Twin Oscilloscopic Vectorcardiograph.** *A. J. V. Cameron, T. D. V. Lawrie, and J. H. Wright*
- Unexplained Heart Failure in the Aged.** *G. A. Rose and R. R. Wilson*
- Rupture of Aortic Aneurysms into the Gut.** *G. A. Gresham and H. R. M. Johnson*
- The Cardiogram of Congenital and Acquired Right Ventricular Hypertrophy.**
J. F. Goodwin and Z. H. Abdin
- The Pathogenesis of Infarction of the Right Ventricle.** *W. G. Wade*
- Congenital Kinking of the Aortic Arch.** *J. N. Pattinson and R. G. Grainger*
- Perforation of the Interventricular Septum in Myocardial Infarction.**
J. M. Swithinbank
- Case Reports:**
- Endocardial Fibro-elastosis in a Young Adult.** *R. Mulcahy and R. P. Towers*
- Dissecting Aneurysm of Aorta Associated with Goldblatt [Kidney.**
G. D. Owen and P. N. Coleman
- John Hay.** *Maurice Campbell and E. Wyn Jones*
- Proceedings of the British Cardiac Society**
- Abstracts of Cardiology**
- Index**

Yearly Subscription (4 Numbers) £3. U.S.A. \$10.00.

Single Numbers 17s. 6d.

From the

**Publishing Manager, B.M.A. House, Tavistock Square,
LONDON, W.C.1**