


MERSUTURES*

ETHICON*



'ONLY SIX DAILY, DOCTOR '?

Two new additions to the WANDER range of Pasinah products will provide greater convenience for your patients during their tuberculotherapy and gain their closer collaboration because each will give a full daily regimen in only six cachets ●●●●●●

PASINAH-6PH

WANDER

PASINAH-302

for regimens of 10 g. Sodium PAS and 200 mg. Isoniazid.

Each 'Pasinah-6PH' cachet contains:

| | |
|---------------------------------|----------|
| Sodium Aminosalicylate B.P. ... | 1.67 g. |
| Isoniazid B.P. | 33.3 mg. |

thus giving in 6 cachets the total daily drug quantities (10 g. Sodium PAS and 200 mg. Isoniazid) which the M.R.C. originally recommended to be given in eight '10PH' cachets.

for regimens of 12 g. Sodium PAS and 300 mg. Isoniazid.

Each 'Pasinah-302' cachet contains:

| | |
|------------------------------------|--------|
| Sodium Aminosalicylate B.P. | 2 g. |
| Isoniazid B.P. | 50 mg. |

thus giving in 6 cachets the above daily drug quantities.

Note—For easier swallowing 'Pasinah-6PH' and 'Pasinah-302' cachets are smooth, without sharp edges.

Rx 'PASINAH-6PH' and 'PASINAH-302', and reduce the known dangers which may result from drug default. Flexibility of single dosage is maintained: 3 cachets twice daily or 2 cachets three times daily, according to your instruction.


Packs: Tins of 180 cachets (30 days' supply) and 540 cachets (90 days' supply) packed in daily units of 6 cachets.

For tuberculo-therapy
without a doubt

DANTYL


the acceptable

PAS



"A valuable drug in the treatment of the not insignificant minority who cannot tolerate PAS because of severe gastro-intestinal upset."

J.I.M.A. XLIII: 288, 1958




Average blood levels of free PAS in serum after Lehmann's method, in patients treated with Dantyl.

Acta Tuberc. Scandinav. KL, Fasc. 3, 1961.

DANTYL is available in boxes containing 100 sachets. Each sachet contains: PAS Phenyl ester, 3 g.; PAS, 1 g.; Sucrose, 3 g.



LEO LABORATORIES LTD., 15 18 CLIPSTONE STREET, LONDON W.J.



FOR RADIOGRAPHS OF SUPERB QUALITY

Kodak BLUE-BRAND X-RAY FILM

**For maximum information with
minimum radiation.**

KODAK LIMITED, MEDICAL SALES DIVISION,
KODAK HOUSE, KINGSWAY, LONDON W.C.2.

'Kodak' is a registered trade-mark

FIRST

AGAINST
ALL
RESISTANT
STAPHYLOCOCCAL
INFECTIONS

CEL BENIN

METHICILLIN Regd.

“When the sensitivity of the strain is unknown, when the infection is dangerous and particularly if it has arisen in hospital, it is wise to begin treatment with Methicillin”.

British Medical Journal 1962, i, 887.



CEL BENIN is a product of British research at
BEECHAM RESEARCH LABORATORIES LIMITED
Brentford, England, *Telephone: ISLeworth 4111*

c.3



.....

Halve the exposure

At all kilovoltages, ILFORD Fast Tungstate intensifying screens can be rated at twice the speed of ILFORD Standard screens, yet any loss of definition entailed by their use is practically negligible.

This enables the radiologist to implement the strong recommendations of the Adrian report, in that *dosage to the patient can be halved* without sacrifice of diagnostic quality in the resultant radiographs, while radiation hazards to the operator are similarly reduced. Another important advantage offered by the new screens is the possibility of obtaining

improved definition by minimising the effect of subject movement through the use of shorter exposure times. ILFORD Fast Tungstate screens will also be found of particular benefit in conjunction with mobile units of limited output, such as are used in wards and operating theatres.


Fast Tungstate screens cost no more than Standard screens, while their flexibility, durability and other physical characteristics conform to the same high standards of quality as these and other intensifying screens in the ILFORD range.

..... **ILFORD**

FAST TUNGSTATE—
a new screen for general radiography

ILFORD LIMITED · ILFORD · ESSEX

The
WANDER
 comprehensive
 range in



TUBERCULOTHERAPY

The House of Wander specializes in providing a wide range of tuberculostatics for hospital and domiciliary requirements throughout the Commonwealth. The Wander range is most comprehensive as regards choice of administrative forms and dosage combinations of PAS, B-PAS and Isoniazid.

| | | | |
|-------------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------|---------------------|
| Sodium Aminosalicilate B.P. | 'AMINACYL' SODIUM | CACHETS TABLETS CRYSTALLINE POWDER for injection solution BULK POWDER | SINGLE DRUGS |
| Calcium Aminosalicilate B.P.C. | 'AMINACYL' CALCIUM | CACHETS POWDERS TABLETS GRANULATE | |
| Calcium Benzamidosalicilate | CALCIUM B-PAS 'WANDER' | CACHETS POWDERS BULK POWDER | |
| Isoniazid B.P. | 'NICETAL' | TABLETS | CONCURRENT REGIMENS |
| Sodium Aminosalicilate B.P. with Isoniazid B.P. | 'PASINAH' | CACHETS '302' " '6 PH' " '10 PH' " '25' " '33' " '50' | |
| Calcium Benzamidosalicilate with Isoniazid B.P. | 'B-PASINAH' | CACHETS POWDERS | |

Details and hospital prices gladly sent on request

A. WANDER LIMITED, 42 UPPER GROSVENOR STREET, LONDON W.1

M.417

The easiest TB treatment of all



INAPASADE twice a day

Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available. Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available. Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available.

Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available. Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available. Only two doses a day provide 1200 mg of isoniazid and 600 mg of rifampin, the most effective TB treatment available.

tasteless non-irritant granules



Smith Kline Beecham Pharmaceuticals Limited, Welwyn Garden City, Herts. SG13 7JF, UK

1-800-368-7272



In pulmonary tuberculosis

'Trescatyl'

trade mark

ETHIONAMIDE

brand

'Trescatyl', used in conjunction with a suitable companion drug, has given good results in many cases of pulmonary tuberculosis which have failed to respond to other treatment.

Available as **sugar-coated** tablets containing 125 mg., as plain tablets containing 250 mg., and as suppositories containing 500 mg.

Detailed information is available on request

AN **M&B** BRAND MEDICAL PRODUCT

MANUFACTURED BY
MAY & BAKER LTD

DISTRIBUTORS
PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

MA9256



in
chronic
bronchitis
Ledermycin*
DEMETHYLCHLORTETRACYCLINE *REGD. TRADEMARK

serves the
physician
best

- strongest, longest activity against H.influenzae
- unique extra-day protection against relapse
- no night-time medication—less risk of missed dose

 Lederle

 CYANAMID

LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD., London WC2



THE WRIGHT PEAK FLOW METER

**FOR THE CONVENIENT
AND EASY MEASUREMENT
OF VENTILATORY CAPACITY**

Head Office & Export Sales: *Home Sales:*
Edinburgh Way, 16 Wigmore Street,
Harlow, Essex, London, W.1
Tel: Harlow 24331 Tel: MUSeum 7037



One of the Clement Clarke group



THE CHEST AND HEART ASSOCIATION

is a voluntary organization entirely dependent for support on its friends and subscribers. It is a centre of ideas and information, and through the many groups of membership is in touch with specialist and professional interests as well as with the patient and public.

All members receive copies of the Chest and Heart Bulletin (six times yearly), the annual report and copies of any leaflets which interest them. Professional members may make use of the comprehensive library of books, journals and reports from all over the world, covering every aspect of chest and heart disease. There is also an information service giving help on subject enquiries, finding and checking references, etc.

For further details write to The Chest and Heart Association, Tavistock House North, Tavistock Square, London WC1

★ **Important Publications** ★

TECHNIQUES OF THORACOTOMY

By B. T. LE ROUX, M.B., Ch.B.(Cape Town),
F.R.C.S.(Ed.)

102 pages. 139 illustrations. 55s.

"A beautifully illustrated monograph depicting the operative procedures involved in the operations of thoracotomy. Many of the operations are shown in colour and are well reproduced. An outstanding production."—*British Journal of Surgery*.

CARCINOMA OF THE LUNG

Edited by J. R. BIGNALL, M.A., M.D., M.R.C.P.

310 pages. 69 illustrations. 55s.

"The book is an unrivalled source of authentic information about lung cancer: anyone interested in the subject should get it."—*Lancet*.

TUBERCLE

The Journal of the British Tuberculosis Association

Edited by J. R. BIGNALL, M.A., M.D., M.R.C.P.


This important journal is now being published quarterly, in March, June, September and December. The annual subscription is £3 3s. 0d.

E. & S. LIVINGSTONE, LTD. Edinburgh, 1

SURGICEL*



ABSORBABLE
HAEMOSTAT



SURGICEL* wrapped round
an aortic graft controls
blood loss from the
interstices of the graft.

A MAJOR ADVANCE IN HAEMOSTASIS

effective control of difficult bleeding

SURGICEL haemostatic gauze completely controls capillary and venous oozing. Its use increases the range and safety of surgical procedures on highly vascular areas.

easily handled

SURGICEL is more easily handled than other agents in this field. It does not fragment, can be sutured in position and adheres closely to the site of bleeding but does not cling to gloves or instruments.

completely absorbed

SURGICEL is made from oxidized regenerated cellulose. It is absorbed with minimum tissue response and may be safely left *in situ*. No case of intolerance or sensitivity has been recorded.

Johnson & Johnson PRODUCTS TO MATCH THE SURGEON'S SKILL
(Gt Britain) Ltd

HOSPITAL DIVISION · SLOUGH · BUCKS

*a trade mark of Johnson & Johnson JJ 10


THOMAS BOOKS

- ☐ **SURGICAL DISEASES OF THE LUNG** by Buford H. Burch, *Patton State Hosp., Patton, Calif.*, and Arthur C. Miller, *College of Medical Evangelists*. Feb. '61, 144 pp., 60 illus., \$8.50.
- ☐ **LUNG STRUCTURE** by Stefan Engel, *The Royal College of Surgeons of England, London*. June '62, 312 pp., 544 illus., 28 tables, \$15.50.
- ☐ **THE AIR WE BREATHE: A Study of Man and His Environment** edited by Seymour M. Farber and Roger H. L. Wilson, *both of Univ. of Calif.* March '61, 432 pp., 82 illus., \$14.00.
- ☐ **DISSEMINATING FUNGUS DISEASES OF THE LUNG** by Alvis E. Greer, *The Greer Clinic, Houston, Texas*. Aug. '62.
- ☐ **POSTOPERATIVE CARE IN THORACIC SURGERY: A Manual of Practical Information for Internes, Residents, and Nurses** by Henry J. Heimlich, *New York Med. Coll.* Jan. '62, 60 pp., 13 illus., \$4.25.
- ☐ **TOBACCO AND HEALTH** edited by George James, *Columbia Univ.*, and Theodore Rosenthal, *New York Univ.* May '62, 432 pp., 132 illus., \$13.75.
- ☐ **PROSTHETIC VALVES FOR CARDIAC SURGERY**. K. Alvin Merendino, *Editor-in-Chief*. Andrew G. Morrow, C. Walton Lillehei, and William H. Muller, Jr., *Associate Editors*. *All of Univ. of Washington*. March '61, 616 pp., 393 illus., \$8.25.
- ☐ **CARDIOMECHANICS** by Spyridon D. Mouloupoulos, *Univ. of Athens, Greece*. Sept. '62.
- ☐ **THE RIGHTS AND REWARDS OF THE MEDICAL WITNESS** and **Medical and Dental Appraiser** by Nils Nordstrom, Jr., *Binghamton, N.Y.* April '62.
- ☐ **SURGERY OF THE ESOPHAGUS** by Raymond W. Postlethwait and Will C. Sealy, *both of Duke Univ.* Feb. '61, 496 pp. (8½ × 11), 201 illus. (2 full colour plates), 141 tables, \$30.00.
- ☐ **HUMAN ECOLOGY AND SUSCEPTIBILITY TO THE CHEMICAL ENVIRONMENT** by Theron G. Randolph, *The Swedish Covenant Hosp., Chicago*. April '62, 160 pp., 1 illus., \$6.50.
- ☐ **THE CHEMISTRY OF TRAUMA** by Jonathan E. Rhoads, *Univ. of Pa. Hosp.*, and John M. Howard, *Hahnemann Medical College*. *With a chapter by Peter J. Jannetta, Univ. of Pa.* Aug. '62.
- ☐ **CHEMOTHERAPY OF TUBERCULOSIS** by William F. Russell, Jr., and Gardner Middlebrook, *both of Univ. of Colorado*. June '61, 144 pp., 9 illus., \$6.50.
- ☐ **ACQUIRED SURGICAL LESIONS OF THE ESOPHAGUS** by Clifford F. Storey, *San Diego, Calif.* *With a chapter on "Carcinoma of the Esophagus" by Eugene G. Laforet, John W. Strieder, and Joseph P. Lynch, all of Boston Univ.* March '62, 388 pp., 240 illus., \$19.00.
- ☐ **THE ROENTGENOLOGICAL ASPECTS OF NONPENETRATING CHEST INJURIES** by John Riley Williams and Frederick J. Bonte, *both of Univ. of Texas Southwestern Med. School*. Dec. '61, 148 pp., 78 illus., \$7.50.

NEW for Bronchospasm...

From the C. H. Boehringer laboratories—which first synthesised isoprenaline—now comes ALUPENT, a further advance in the management of bronchospasm. ALUPENT is as effective as isoprenaline, but has a much longer action and a minimum of side-effects. It gives effective coverage both prophylactically and for treatment of the acute attack. ALUPENT, available in tablets which can be swallowed, inhalant solution, and ampoules, is the first new Boehringer product to be introduced since the founding of the independent British company on May 1st. Both the product and the event symbolise C. H. Boehringer's increasing service to British medicine.

Dosage: 1 to 2 tabs. q.d.s.



ALUPENT*

1-(3,5-dihydroxyphenyl)-2-isopropylamino-ethanol sulphate



WHEN
A FREE
FLOW OF
AIR IS
NEEDED



BOEHRINGER INGELHEIM LTD
ISLEWORTH · MIDDLESEX

12204

*Regd. Trade Mark.