ETHICON* sutures in the package of your choice

Now, Ethicon offers you a new suture packaging choice—a sterile-pack system that delivers foil suture packs to you dry in a sterile overwrap.

This eliminates a storage solution.
Flaps are easy to grasp.

Overwrap peels back easily and evenly every time. Special foldover flaps protect against air-borne contamination.

ETHICON LIMITED

Bankhead Avenue, Edinburgh

ETHICON setting new standards

dry sterile pack

just peel back and open





'Daptazole 100' **TABLETS**

- * are invaluable in cases of respiratory depression and failure
- * deepen breathing without increasing the rate of respiration
- * increase blood oxygen

Dosage:

- lower blood CO.
- produce no electrolytic upset
- * action is confined mainly to the respiratory centre, with minimal other central effects
- are non-toxic even in repeated dosage

Composition: Each tablet contains 100 mg.

amiphenazole.

1-2 tablets 3-4 times daily Usual dosage is 4 tablets daily.

Packs and basic Container of 20 tablets... 9/9d. Container of 100 tablets...46/-N.H.S. cost:


Samples and literature will be sent on request

A Nicholas product

Commonwealth Resources for British Medicine NICHOLAS LABORATORIES LTD. Slough · Bucks · England

'Daptazole' is a registered trade mark

tuberculo-therapy



Dantyl Inah

Phenyl-para-aminosalicylate	3 g
Para-aminosalicylic acid	1 g
Isoniazid B.P.	100 mg


Sucrose (3g) as sweetening agent


In Boxes of 30 and 100 Sachets

Dietary or insulin adjustment may be necessary in the treatment of diabetic patients

Leo Laboratories Ltd. 15/18, Clipstone Street, London.







Chymoral Tablets reduce sputum viscosity, control inflammation and curb oedema. They give the bronchitic protection by keeping air passages free, helping ventilation and drainage, and resisting minor inflammations. In acute exacerbations, the actions of Chymoral Tablets afford gratifying relief and make successful treatment easier.,

Chymoral tablets



thin mucus • control inflammation curb oedema

ARMOUR PHARMACEUTICAL COMPANY LTD. Eastbourne · Sussex · England



In pulmonary tuberculosis

Trescaty / brand

'Trescatyl', used in conjunction with a suitable companion drug, has given good results in many cases of pulmonary tuberculosis which have failed to respond to other treatment. Its use in previously untreated patients is under investigation. Available as sugar-coated tablets containing 125 mg., and as plain tablets containing 250 mg.

Detailed information is available on request

AN M&B BRAND MEDICAL PRODUCT

MAY & BAKER LTD

DISTRIBUTORS
PHARMACEUTICAL SPECIALITIES (MAY 3. BAKER) LTD - DACENHAM

MA9256



ORBENIN (BRL) SODIUM CLOXACILLIA

ORAL PENICILLIN ACTIVE AGAINST RESISTANT STAPHYLOCOCCI

ORBENIN is indicated for immediate use in known or suspected resistant staphylococcal infections, and in mixed Gram-positive infections (e.g. infected burns) where resistant staphylococci may be present.

- Orbenin is stable to staphylococcal penicillinase and highly effective against 'resistant' staphylococci. Its activity is four times that of methicillin.
- Orbenin is also highly effective against other Gram-positive organisms, including streptococci, pneumococci and penicillinsensitive staphylococci.
- Orbenin is bactericidal; it is acid-stable and well absorbed by either the oral or intramuscular routes.


Dosage by mouth is 500 mg. 6 hourly. Dosage by intramuscular injection is 250 mg. four to six hourly.




ORBENIN is a product of British research at BEECHAM RESEARCH LABORATORIES LIMITED

Brentford · England · Telephone ISLeworth 4111

PHILIPS



THE IDEAL COMBINATION FOR CINERADIOGRAPHY WITH MINIMUM DOSAGE AND MAXIMUM INFORMATION



* **FILTY** and PHILIPS IMAGE INTENSIFICATION



'Kodak' is a ragistered trade-mark.

* Process for 6 minutes in 'Kodak' DX-80 developer at 68°F (20°C)

KODAK LIMITED, MEDICAL SALES DIVISION, KODAK HOUSE, KINGSWAY, LONDON WC2

Staphylococcal intections of the respiratory tract

respond to FUCIDIN

Patients who are in hospital for more than seven days tend to become infected with hospital strains of Stach, aureus in their lungs . . . The lung is a common primary site of staphylococcal septicarmia . . Staphylococcal bronchopneumonia, or lung audess is a common accessory and occasionally a primary factor in death after audominal operation, or indeed after admission to hospital at all . . . A major reservoir of hospital staphylococci, and a possible source of skin and wound infection, is the langs of patients.

Fucidin is a highly active antistaphylococcal antibiotic."



oral administration

bactericidal antistaphylococcal action

excellent diffusion throughout body tissues and fluids

1 Lancet II 669 1961 2 Lancet i 935 1962

excellence born of sound research

FUCIDIN is the sodium salt of fusidic acid


Lea Laboratories Limited 15-18 Clipstone Street London W1 MUSeum 6945

1010





comprehensive range in



TUBERCULOTHERAPY

The House of Wander specializes in providing a wide range of tuberculostatics for hospital and domiciliary requirements throughout the Commonwealth. The Wander range is most comprehensive as regards choice of administrative forms and dosage combinations of PAS, B-PAS and Isoniazid.

Sodium Aminosalicylate B.P.	'AMINAGYL' SODIUM	BILLK DOWNED	
Calcium Aminosalicylate B.P.C.	'AMINACYL' CALGIUM	POWDERS	SINGLE DRUGS
Calcium Benzamidosalicylate	CALCIUM B-PAS 'WANDER'	CACHETS POWDERS BULK POWDER	
Isoniazid B.P.	'NICETAL'	TABLETS	
Sodium Aminosalicylate B.P. with Isoniazid B.P.	'PASINAH'	,, '33', ,, '50'	CONCURRENT
Calcium Benzamidosalicylate with Isoniazid B.P.	'B-PASINAH'	CACHETS POWDERS	REGIMENS

Details and hospital prices gladly sent on request

A. WANDER LIMITED, 42 UPPER GROSVENOR STREET, LONDON W.1

clinical research

application of fibrinolysis


thrombolytic therapy

Urokinase, a development of LEO PHARMACEUTICAL PRODUCTS DENMARK, is a potent plasminogen activator of human origin. and has shown marked freedom from antigenic, pyrogenic and other untoward reactions in clinical trials so far carried out.

One of the many important clinical fields in which fibrinolytic activity may possibly be applied with advantage is that of acute thrombotic states, particularly those occurring in the larger blood vessels.

In a recent Leading Article in the British Medical Journal, 1962, vol. i: p. 1399, the role of plasminogen activators in thrombolytic therapy is discussed, and the following comment made:

'The balance of evidence suggests that activator is the best thrombolytic agent. Of the two possible activators urokinase holds more promise . . . '



Urokinase

plasminogen activator of **human** origin Urokinase is now commercially available for clinical research

Enquiries to Medical Research Department Leo Laboratories Ltd 15-18 Clipstone Street London W1

Leo Copenhagen London Dublin

excellence born of sound research



Leo Laboratories Limited 15-18 Clipstone Street London W1 MUS 6945

MILLOPHYLINE

(Camphorsulphonate of diethylaminoethyltheophylline)

A powerful cardiac and respiratory stimulant for the treatment of acute and chronic diseases of the heart and lungs.

Non irritant Low toxicity
Available as Tablets, Ampoules and Suppositories

Samples and literature available on request from:-

DALES PHARMACEUTICALS LTD.

POWER ROAD, CHISWICK, LONDON, W.4. CHISWICK 1441



THE WRIGHT PEAK FLOW METER

FOR THE CONVENIENT

AND EASY MEASUREMENT

OF VENTILATORY CAPACITY



Head Office & Export Sales:
Edinburgh Way,
Harlow, Essex
Tel: Harlow 24331

Home Sales: 16 Wigmore Street, London, W.1 Tel: MUSeum 7037

One of the Clement Clarke group



The easiest TB treatment of all



INAPASADE twice a day

INAPASADE is the easiest and most pleasant way of taking PAS and isoniazid combined in non-irritant, tasteless granules that are swallowed effortlessly with a drink

Only two doses a day provide 12 G. sodium PAS with 300 mg. isoniazid. By removing the unpleasantness associated with this treatment and eliminating the inconvenient mid-day dose, Inapasade secures the enthusiastic co-operation of the TB patient at home and helps to obviate lapses in treatment.

Tins of 60 and 120 one-dose packets and bulk granules pack for hospitals.

tasteless non-irritant granules

STP

P Smith & Nephew Pharmaceuticals Limited welwyn garden city · hertfordshire

Send for our new 1962-63 catalogue which includes

A COMPLETE LIST OF OUR BOOKS ON THE THORAX

Check this List of New Titles

- HOT CLIMATES, MAN AND HIS HEART, by George E. Burch and Nicholas P. DePasquale, both of Tulane Med. School, New Orleans. June '62, 212 pp., 264 illus., \$10.50.
- CARDIOPULMONARY DATA FOR CHILDREN AND YOUNG ADULTS by Donald E. Cassels and Minerva Morse, both of Univ. of Chicago. Jan. '62, 152 pp., 48 illus., 55 tables, \$7.00.
- FUNGI AND FUNGOUS DISEASES. A Symposium of the Section of Microbiology, The New York Academy of Medicine. Edited by Gilbert Dalldorf, Sloan-Kettering Institute for Cancer Research, Rye, N.Y. Jan. '62, 348 pp., 120 illus., \$12.00.
- LUNG STRUCTURE by S. Engel, The Royal College of Surgeons of England, London. June '62, 312 pp., 544 illus., 28 tables, \$15.50.
- POSTOPERATIVE CARE IN THORA-CIC SURGERY; A Manual of Practical Information for Internes, Residents, and Nurses by Henry J. Heimlich, New York Med. Coll. Jan. '62, 60 pp., 13 illus., \$4.25.
- TOBACCO AND HEALTH edited by George James, Columbia Univ., and Theodore Rosenthal, New York Univ. May '62, 432 pp., 132 illus., \$13.75.
- □ TUMORS OF THE CHEST by Thomas J. Kinsella, Minneapolis, Minnesota. Jan. '63.
- A HISTORY OF THORACIC SURGERY by Richard H. Meade, Formerly, Univ. Virginia and Univ. Pennsylvania. Aug. '61, 960 pp., 117 illus., \$27.50.
- INDICATIONS FOR OPEN-HEART SURGERY; Risks and Results by Dryden P. Morse, Albert Einstein Medical Center. Jan. '63.
- CARDIOMECHANICS by Spyridon D. Moulopoulos, Univ. of Athens, Greece. Jan. '63, about 256 pp.




- HUMAN ECOLOGY AND SUSCEP-TIBILITY TO THE CHEMICAL EN-VIRONMENT by Theron G. Randolph, The Swedish Covenant Hosp., Chicago. April '62, 160 pp., 1 illus., \$6.50.
- BRONCHIAL ASTHMA; Its Diagnosis and Treatment by Albert H. Rowe and Albert Rowe, Jr., both of Oakland, Calif. Nov. '62.
- CHEMOTHERAPY OF TUBERCULOSIS by William F. Russell, Jr., and Gardner Middlebrook, both of Univ. of Colorado. June '61, 144 pp., 9 illus., \$6.50.
- FUNGUS DISEASES OF THE LUNGS (2nd Ed.) by David T. Smith, Duke Univ. Dec. '62.
- RHEUMATIC HEART DISEASE; Pathology and Clinical Implications—A Summary of Five Hundred Nine Autopsied Cases by Jacques B. Wallach, Albert Einstein Coll. of Med., and Edgar F. Borgatta, Cornell Univ. In collaboration with Alfred A. Angrist, Albert Einstein Coll. of Med. Jan. '62, 192 pp., 36 illus., 56 tables, \$7.50.
- EVALUATION OF TISSUE AND PROSTHETIC VASCULAR GRAFTS by Sigmund Adam Wesolowski, State Univ. of New York. Jan. '62, 192 pp., 88 illus., \$13.50.
- THE ROENTGENOLOGICAL ASPECT OF NONPENETRATING CHEST INJURIES by John Riley Williams and Frederick J. Bonte, both of Univ. of Texas Southwestern Med. School. Dec. '61, 148 pp., 78 illus., \$7.50.
- E FUNDAMENTAL APPROACH TO SURGICAL PROBLEMS by Lester F. Williams, Jr., and Garnet F. Wynne, Jr., both of Tripler General Hosp., San Francisco. Jan. '62, 232 pp., 15 illus., \$7.75.

the Melrose-NE

In the design of the Melrose-N.E.P. Perfusion Apparatus, simplicity and flexibility are the predominant features. The same unit can be used for

- (a) artificial oxygenation with or without hypothermia
- (b) profound hypothermia
- (c) other extra corporeal perfusion techniques

Although the most compact unit of its kind. all essential facilities are included. To the basic unit consisting of twin blood pumps, tachometers. oxygenator drive, etc. can be added other components as required for particular techniques. Mountings for a blood filter are provided and a chest cavity pump can also be fitted. The reliable DeBakey Roller Pumps, which have low priming volumes. give accurately controlled outputs variable from 0-5.5 litres/minute. All parts are easy to clean: all blood surfaces can be autoclaved. A rotating disc oxygenator of the well-tried Kay-Cross type gives high oxygenation rates with low haemolysis.






Physiological Systems New Electronic Products Ltd


A HONEYWELL AFFILIATE

Makers of scientific, medical and industrial instruments

Head Office and Works: 360 Kennington Road London SE11 Reliance 5161

Perfusion Apparatus






The Perfusion Unit fitted with medium heat exchanger for profound hypothermia of chi'dren. Inset shows large heat exchanger used for adults. There is also a smaller heat exchanger for localised cooling.

As a profound hypothermia machine

The Heat Exchanger Control Trolley provides the cooling/warming fluid for the heat exchangers, accurately controlled to pre-set values of temperature and flow.



WHAT DOES THIS recording




direct to the distribution of the interest of

- High spice contrysis. High signal-to-noise ratio.
- Recommensery greater resolving power than hitherto evaluable of T.O.F. Mass Spectrometers.
- Five antipot channels for continuous monitoring of the Size components of the breathable atm appears also one in reserve.
- There instant techniques for sampling at 2 × 3 H m, 25 ft. instance.

SHOW.

BENDIX[®]


RESPIRATORY MASS SPECTROMETER RESPONDS 60



Bendix Model - 211 Respiratory Analysis Mass Spectrometer Full technical distances and

U. K. Distributors service and installation specialists for Bendix International Division. The Bendix

FieldTech Ltd



Supplied as 5 mg. tablets in containers of 50.

Detailed information is available on request

An M&B brand Medical Product



MANUFACTURED BY

an oral

with

MAY & BAKER LTD

anabolic steroid


virtual absence of

virilizing effects

DISTRIBUTORS

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD . DAGENHAM

MA9769



makes TB dosage more flexible

Whichever school of PAS-isoniazid therapy you favour—b.i.d. or t.i.d.—PYCASIX, the new 6-cachet daily form of Pycamisan, suits either and gives the full daily requirements of both drugs in the minimum number of cachets. Each daily dose is presented in a single packet, an incentive for the patient to take his full dose regularly.


Each daily dose of 6 cachets provides 12 G. sodium aminosalicylate B.P. and 300 mg. isoniazid B.P. Tins of 180 cachets (1 month) and 360 cachets (2 months)

SIX 6-CACHET DAILY PAS-INH THERAPY



WHEN A
FREE FLOW
OF AIR IS
NEEDED

New relief for bronchitic patients. New relief for chronic bronchitis is now available in ALUPENT. ALUPENT is a powerful and long-acting bronchodilator presented as tablets for prophylaxis, as inhalant solution for the asthma attack, and in ampoules for the acute attack. The tablets, which are swallowed, have a duration of action of up to four hours. ALUPENT may be given concurrently with antibiotics, expectorants or mucolytics. In a recently completed two-year trial involving 100 cases, of which a large majority displayed the asthma-chronic bronchitis-emphysema syndrome with marked dyspnoea and wheezing, 92 showed either a "very good" or a "satisfactory" response. The author comments: "This trial shows clearly that the majority of such cases can be more effectively maintained on Alupent than on other oral bronchodilator therapy." Dosage: 2 tabs. q.d.s.





BOEHRINGER INGELHEIM LTD . ISLEWORTH . MIDDLESEX