

# THORAX

The Journal of the British Thoracic Society

A Registered Charity

President: DONALD LANE

Executive Editor: S G Spiro

Associate Editors: N C Barnes, J R Britton, P M A Calverley, R M du Bois, T W Evans, A R Gibbs, N Høiby, D K Kaplan, G J Laurent, M R Miller, M D L Morgan, M F Muers, J O Warner, R J D Winter

Technical Editor: Elizabeth Stockman

Editorial Assistant: Angela Betchley

Advisory Board

P J Barnes

P Goldstraw

D M Mitchell

M Woodhead

P S Burge

C Haslett

A J Peacock

Editor, *British Medical Journal*

D M Geddes

P J Helms

R M Rudd

International Advisory Board

J M Anto Spain

A J Hance France

N A Saunders Australia

A de Troyer Belgium

C N Deivanayagam India

J C Hogg Canada

M J Tobin USA

## Notice to contributors

*Thorax* is the journal of the British Thoracic Society. It is intended primarily for the publication of original work relevant to diseases of the thorax. Contributions may be submitted by workers who are not members of the society. The following notes are for the guidance of contributors. Papers may be returned if presented in an inappropriate form.

**SUBMISSION AND PRESENTATION** The original typescript and three copies of all papers should be sent to the Executive Editor, Dr S G Spiro, *Thorax* Editorial Office, Private Patients' Wing, University College Hospital, 25 Grafton Way, London WC1E 6DB. Editorial and historical articles are normally commissioned but the Editor may accept uncommissioned articles of this type. Manuscripts must be accompanied by a declaration, signed by all authors, that the paper is not under consideration by any other journal at the same time and that it has not been accepted for publication elsewhere. The typescript should bear the name and address of the author who will deal with editorial correspondence, and also a fax number if possible. Authors may be asked to supply copies of similar material they have published previously. If requested, authors shall produce the data upon which the manuscript is based for examination by the editor. Papers are accepted on the understanding that they may undergo editorial revision. In the event of rejection one copy of the text may be retained for future reference. **Authors are asked to supply the name and address of a possible referee for their work.**

Authors should follow the requirements of the International Steering Committee of Medical Editors (*BMJ* 1979;i:532-5). Papers must be typed in double spacing with wide margins for correction and on one side of the paper only. They should include a structured abstract on a separate sheet (see below). Papers should contain adequate reference to previous work on the subject. Descriptions of experimental procedures on patients not essential for the investigation or treatment of their condition must include a written assurance that they were carried out with the informed consent of the subjects concerned and with the agreement of the local ethics committee.

**ABSTRACT** Abstracts, which should be of no more than 250 words, should state clearly why the study was done, how it was carried out (including number and brief details of subjects, drug doses, and experimental design), results, and main conclusions. They should be structured to go under the headings "Background", "Methods", "Results", and "Conclusions".

**KEYWORDS** Authors should include on the manuscript up to three key words or phrases suitable for use in an index.

**STATISTICAL METHODS** The Editor recommends that authors refer to Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. *BMJ* 1983;286:1489-93. Authors should name any statistical methods used and give details of randomisation procedures. For large numbers of observations it is often preferable to give mean values and an estimate of the scatter (usually 95% confidence intervals) with a footnote stating from whom the full data may be obtained. The power of the study to detect a significant difference should be given when appropriate and may be requested by referees. Standard deviation (SD) and standard error (SE) should be given in parenthesis (not preceded by  $\pm$ ) and identified by SD or SE at the first mention.

**SI UNITS** The units in which measurements were made should be cited. If they are not SI units the factors for conversion to SI units should be given as a footnote. This is the responsibility of the author.

**ILLUSTRATIONS** Line drawings, graphs, and diagrams should be prepared to professional standards and submitted as originals or as unmounted glossy photographic prints. Particular care is needed with photomicrographs, where detail is easily lost—it is often more informative to show a small area at a high magnification than a large area. Scale bars should be used to indicate magnification. The size of the symbols and lettering (upper and lower case rather than all capitals) and thickness of lines should take account of the likely reduction of the figure—usually to a width of 65 mm. Three copies of each illustration should be submitted. Each should bear a label on the back marked in pencil with the names of the authors and the number of the figure, and the top should be indicated. Legends should be typed on a separate sheet. Authors must pay for colour illustrations.

**REFERENCES** Responsibility for the accuracy and completeness of references rests entirely with the authors. References will not be checked in detail by the Editor but papers in which errors are detected are unlikely to be accepted. Reference to work published in abstract form is allowed only in exceptional circumstances—for example, to acknowledge priority or indebtedness for ideas. References should be numbered in the order in which they are first mentioned and identified in text, tables, and legends to figures by arabic numerals above the line. References cited only (or first) in tables or legends should be numbered according to where the particular table or figure is first mentioned in the text. The list of references should be typed in double spacing and in numerical order on separate sheets. The information should include reference number, authors' names and initials (all authors unless more than six, in which case the first six names are followed by *et al*), title of article, and in the case of journal articles name of journal (abbreviated according to the style of *Index Medicus*), year of publication, volume, and first and last page numbers. The order and the punctuation are important and should conform to the following examples:

1 Anderson HR. Chronic lung disease in the Papua New Guinea Highlands. *Thorax* 1979;34:647-53.

2 Green AB, Brown CD. *Textbook of pulmonary disease*. 2nd ed. London: Silver Books, 1982:49.

3 Grey EF. Cystic fibrosis. In: Green AB, Brown CD, eds. *Textbook of pulmonary disease*. London: Silver Books, 1982:349-62.

**SHORT PAPERS** Short reports of experimental work, new methods, or a preliminary report can be accepted as two page papers. The maximum length of such an article is 1400 words, inclusive of structured abstract, tables, illustrations and references.

**CASE REPORTS** A single case can be published as a case report. It will be limited to 850 words, one table or illustration, a short unstructured abstract, and 10 references.

**CORRESPONDENCE** The Editor welcomes letters related to articles published in *Thorax*. These should not exceed 300 words or contain more than three references, which should be listed at the end of the letter. Letters should be typed in double spacing with wide margins and must be signed by all authors.

**REPRINTS** Reprints are available at cost if they are ordered when the proof is returned.

**NOTICE TO ADVERTISERS** Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *Thorax*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR.

**NOTICE TO SUBSCRIBERS** *Thorax* is published monthly. The annual subscription rate is £171.00 (\$309.00) worldwide. Orders should be sent to the Subscription Manager, *Thorax*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders may also be placed with any leading subscription agent or bookseller. Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their order the credit or charge card preferred together with the appropriate personal account number and the expiry date of the card. For the convenience of readers in the USA subscription orders with or without payment may also be sent to *British Medical Journal*, Box 560B, Kennebunkport, Maine 04046. All inquiries, however, must be addressed to the publisher in London. All inquiries about air mail rates and single copies already published should also be addressed to the publisher in London. Second class postage paid, at Rahway New Jersey. Postmaster: send address changes to *Thorax* c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

**COPYRIGHT** © 1994 THORAX This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any relaxations permitted under national copyright laws, no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is not, however, required for copying abstracts of papers or of articles on condition that a full reference to the source is shown. Multiple copying of the contents of the publication without permission is always illegal.

ISSN 0040-6376

- 3 Welsh CH, Wagner PD, Reeves JT, Lynch D, Cink TM, Armstrong J, *et al.* Spirometric and radiographic changes in acclimatized humans at simulated high altitudes. *Am Rev Respir Dis* 1993;147:1239-44.
- 4 Sutton JR, Reeves JT, Wagner PD, Groves BM, Cymerman A, Malconian MK, *et al.* Operation Everest II: oxygen transport during exercise at extreme simulated altitude. *J Appl Physiol* 1988;64:1309-21.
- 5 Malconian MK, Rock PB, Reeves JT, Cymerman A, Houston CS. Operation Everest II: gas tensions in expired air and arterial blood at extreme altitude. *Aviat Space Environ Med* 1993;64:37-42.
- 6 West JB, Hackett PH, Maret KH, Milledge JS, Peters RM, Pizzo CJ, *et al.* Pulmonary gas exchange on the summit of Mount Everest. *J Appl Physiol* 1983;55:678-87.
- 7 Schoene RB, Roach RC, Hackett PH, Sutton JR, Cymerman A, Houston CH. Operation Everest II: ventilatory adaptation during gradual decompression to extreme altitude. *Med Sci Sports Exerc* 1990;22:804-10.
- 8 Cymerman A, Reeves JT, Sutton JR, Rock PB, Groves BM, Malconian MK, *et al.* Operation Everest II: maximal oxygen uptake at extreme altitude. *J Appl Physiol* 1989;66:2446-53.
- 9 Roy SB, Guleria JS, Khanna PK, *et al.* Hemodynamic studies in high altitude pulmonary edema. *Br Heart J* 1969;31:52-8.
- 10 Wagner PD, Sutton JR, Reeves JT, Cymerman A, Groves BM, Malconian MK. Operation Everest II: pulmonary gas exchange during a simulated ascent of Mt. Everest. *J Appl Physiol* 1987;63:2348-59.
- 11 Groves BM, Reeves JT, Sutton JR, Wagner PD, Cymerman A, Malconian MK, *et al.* Operation Everest II: elevated high-altitude pulmonary resistance unresponsive to oxygen. *J Appl Physiol* 1987;63:521-30.
- 12 Reeves JT, Groves BM, Sutton JR, Wagner PD, Cymerman A, Malconian MK, *et al.* Operation Everest II: preservation of cardiac function at extreme altitude. *J Appl Physiol* 1987;63:531-9.
- 13 Suarez J, Alexander JK, Houston CS. Enhanced left ventricular systolic performance at high altitude during Operation Everest II. *Am J Cardiol* 1987;60:137-42.
- 14 Wagner PD. Algebraic analysis of determinants of  $\dot{V}O_2$  max. *Respir Physiol* 1993;93:221-37.
- 15 Grover RF, Reeves JT, Maher JT, McCullough RE, Cruz JC, Denniston JE, *et al.* Maintained stroke volume but impaired arterial oxygenation in man at high altitude with supplemental  $CO_2$ . *Circ Res* 1976;38:391-6.
- 16 Filley GF, Beckwith HJ, Reeves JT, Mitchell RS. Chronic obstructive pulmonary disease II. Oxygen transport in two clinical types. *Am J Med* 1968;44:26-38.

## Indexing *Thorax*

The method of indexing papers in *Thorax* is to be changed. Papers will now be indexed by a keyword system and authors are asked to help with this by supplying up to three keywords when submitting their manuscripts. Some modification of them may be necessary by the Editor or Technical Editor.

The index will be published, as usual, at the end of the December issue, but the format will be different with the full title of the paper appearing after each keyword. The author index will no longer include the titles of the papers and will become a list of authors and page numbers only.

A keyword is a word (or phrase) that identifies the subject matter of the paper. Choosing keywords would not appear to be difficult, but there are problems with synonyms (for example, pulmonary and lung), phrasal headings (for example, lung cancer and cancer, lung), proprietary and pharmaceutical names of drugs, Latin words, and assorted

lay terms. In *Thorax* it has been decided that "lung" should be used in preference to "pulmonary" and that "lung cancer" is preferable to "cancer, lung". In general it is better not to split accepted compound terms such as "chronic obstructive lung disease". As the subject of the journal is the thorax, the words "thorax" and "thoracic" should not be used except, perhaps, in "thoracic unit" or "thoracic surgery". Some shortened forms such as DNA, AIDS, HIV and cAMP are acceptable. Greek letters are not generally used in alphabetisation except in a few instances such as alpha-fetoprotein and beta-adrenoceptor. General terms such as "clinical", "complications", "adverse effects", and "patients" are best avoided.

This cannot be more than an attempt to guide authors, but it is important for authors to remember that, if they wish to have their work found easily in the index, they should consider their choice of keywords carefully.

an addiction, as learned behaviour, as a volitional act, and as a social phenomenon.

The role of occupation is regrettably often neglected and the reviewer was glad to see almost a third of the book devoted to nine chapters covering occupational cancers, asthma, non-specific lung disease, epidemiological topics, and the measurement of occupational exposures. The succinct and clear account of occupational asthma covers the issues relevant to prevention, but it would have been good to see a separate chapter focusing on primary preventive strategies by controlling exposure in the workplace. It is possible that occupational asthma and rhinitis are more common than occupational respiratory cancer, although the balance in this section does not reflect this with five of the nine chapters being on cancer.

Samet and Spengler review the prevention of diseases due to indoor and outdoor air pollution in a readable overview which is a good introduction to the section on environmental sources of respiratory disease. Other chapters cover indoor radon, the air conditioned building, indoor allergens, and the problem of concurrent exposure to multiple pollutants. The section on biological markers has an introduction to the subject of genetic markers in complex diseases and also covers topics related to emphysema.

Infection is the major omission. The book would have benefitted from tighter editing, with less overlap and a more consistent structure for the chapters. It lacked a general introduction to the concepts of primary prevention (control of harmful exposures), secondary prevention (early detection of disease), and tertiary prevention (action to minimise complications and disability). This is a book that all but the smallest libraries should buy, and that many individuals will wish to purchase for themselves. —KV.

**The Pulmonary Artery Catheter – Methodology and Clinical Applications.** 2nd Edition. Charles L Sprung. (Pp 295). USA: Critical Care Research Associates, 1993. 0 9637315 0 5.

I was doing "rounds" on a Los Angeles Intensive Care Unit with an old friend who had trained in Britain but had emigrated to California. The resident was presenting the cases of those patients who had been admitted overnight. The first case he described as follows: "A 49 year old Caucasian male was admitted as an emergency last night with a wedge pressure of 32 mm Hg." My friend and I looked at each other aghast. Has clinical medicine taken such a second place to technology that we were not to be treated to the history and examination before the pulmonary artery catheter had been inserted?

This story illustrates the movement in medicine towards high technology, particularly in the USA. Nowhere is this movement more apparent than in the vast increase in monitoring systems for the critically ill and

not so ill. It is estimated that in the USA critical care consumes about 15% of the total health budget. Important in these costs is the increasing use of pulmonary artery catheters. It is estimated that approximately one million pulmonary artery catheters are used every year in the US at a cost of two billion dollars. Their use is clearly increasing. In 1975 7.2% of patients with acute myocardial infarction had catheters inserted and in 1984 this had risen to almost 20%.

Clearly these figures are nothing like as high in the UK and Europe, but even here there is increasing reliance on the numbers produced by catheter rather than careful clinical observation. It now appears that the pulmonary artery catheter is so well entrenched in US coronary care units and ICUs that it is impossible to do a proper trial of its use. Indeed, no proper trial has ever been done into the effectiveness of these catheters despite their widespread use. Since the pulmonary artery flotation catheter is here to stay and is unlikely to be replaced in the short term by non-invasive instrumentation, it is very important that the catheter is only used where the information gained will make a significant change to the management of the patient, and is only placed by competent personnel trained in its insertion and in the interpretation of its findings.

This is the second edition of Charles Sprung's book which aims to ensure that these objectives are achieved. Indeed the illustration on the frontispiece is of a simple balance with a stethoscope on one side and a flotation catheter on the other. The balance must always be between clinical judgement and invasive measurement. The authors take great pains to point out that the catheter should only be used in the proper circumstances. Indeed, the authors take on an almost paranoid air in defending the use of the catheter from its significant critics, especially Professor Eugene Robin who has claimed that not only is the pulmonary artery catheter useless but in many cases it is actually positively dangerous. Dr Sprung, an anaesthetist and critical care physician, has amassed an international group of authors who come mostly from the USA, but also from Israel, France, and Belgium.

The book is divided into three sections. The first section is methodological where the indications for pulmonary artery catheterisation, techniques of insertion, and complications are discussed in detail. This for me was the most useful section of the book because it described in a clear, easy to read fashion many of the rules of right heart catheterisation that should be followed by all those involved. I was surprised, however, at the list of indications which included myocardial infarction where there is hypotension, pulmonary oedema, mitral regurgitation, tamponade, or ventricular septal defect. It also included pulmonary thromboembolism, congestive cardiac failure, shock, respiratory failure in the face of myocardial disease, and many states which could be described as problems of intravascular volume such as renal disease, cirrhosis, and burns. I think

many physicians would take exception to using a pulmonary artery catheter for these indications where a central venous pressure line would suffice and would probably be less dangerous. The main indication for right heart catheterisation is for measurement of the two variables that cannot be obtained clinically – left atrial pressure and pulmonary artery pressure – that would make a significant difference to the management of the patient. This is particularly true, for example, in right ventricular infarction where inexperienced physicians might treat a high IVP with diuretics only to reduce left ventricular preload to unacceptable levels. It may also be true in a patient with respiratory failure where there is widespread lung shadowing and the question is raised whether or not this is due to myocardial dysfunction or to a so called low pressure pulmonary oedema. In many other conditions such as burns, renal disease, and pulmonary thromboembolism there is very little added benefit of a pulmonary artery catheter over a right atrial line.

The second section of the book is on clinical applications, particularly the measurements and calculations derived from them. The third section covers new techniques such as extravascular lung water measurement, right ventricular ejection fraction, and comparison of non-invasive echocardiography with direct measurements from a pulmonary artery catheter. The final chapter consists of 13 clinical studies where the use of a catheter made a significant difference to the management of individual patients. These examples are very useful and make clear much of the more theoretical material encountered earlier in the book.

This book is really for use in the USA where huge numbers of pulmonary artery catheters are placed. In the UK it would be welcome in intensive care units and, perhaps, coronary care units where junior doctors involved in right heart catheterisation need easy access to a description of the best of clinical practice.—AJP

---

## NOTICE

---

### 19th International Conference on Lung Sounds

The 19th International Conference on Lung Sounds will be held at the Rappaport Institute, Technion, Haifa, Israel on 28–30 September 1994. For further information please contact Raymond L H Murphy, Attn: Barbara Keith, Faulkner Hospital, Pulmonary Department, 1153 Centre St, Boston, Massachusetts 02130, USA. Telephone: (617) 522 5800, ext 1968 or Fax: (617) 524 8663.

# New Perspectives in Lung Cancer

**Edited by N Thatcher and S Spiro**, brings the reader up to date with the latest advances in understanding and treatment of the most common cause of death from cancer in the western world.

## Contents:

Neuroendocrine differentiation on lung tumours

**M N Sheppard**

Growth factors and lung cancer

**P J Woll**

The antigens of lung cancer

**R L Souhami**

Haematopoietic growth factors and lung cancer treatment

**N Thatcher, H Anderson**

New drugs in lung cancer

**D C Talbot, I E Smith**

Genetic changes in lung cancer

**A Bench, P Rabbitts**

Patient benefit in clinical trials

**M L Slevin, J Mossman**

Recent clinical trials in advanced lung cancer

**D J Girling, N Thatcher**

Quality of life

**P Hopwood, A Cull**

How much investigation?

**M Muers**

Tobacco and lung cancer

**A Charlton**

*Thorax*

**BMJ**

## Also available from the BMJ:

**Current Issues in Cancer** Edited by G M Mead ISBN 0727907751  
147 pages 1992 **UK £9.95**; Overseas £12.00 (BMA members £8.95; £11.00)

**Childhood Cancer and Nuclear Installations** Edited by Valerie Beral, Eve Roman, Martin Bobrow  
ISBN 0727908154 496 pages 1993 **UK £27.95**; Overseas £30.00 (BMA members £25.95; £28.00)

## New Perspectives in Lung Cancer

**UK Price  
£21.95;**

Overseas £24.00  
(BMA members  
£19.95; £22.00).

ISBN 0727907867,  
200 pages,  
January 1994.

## Order Form

BMJ Publishing Group, PO Box 295, London WC1H 9TE

Please send me ..... copy/ies of **New Perspectives in Lung Cancer**.

Please send me ..... copy/ies of **Current Issues in Cancer**.

Please send me ..... copy/ies of **Childhood Cancer and Nuclear Installations**.

Name (PRINT CLEARLY): .....

Address: .....

..... Post Code: .....

Please send me a BMJ Publishing Group catalogue.

Membership No: .....

I enclose a cheque for: £ .....  
(MADE PAYABLE TO BRITISH MEDICAL JOURNAL)

Please debit my Credit Card for: £ .....  
(AMERICAN EXPRESS/VISA/MASTERCARD) Delete as appropriate

Card No: ..... Expiry Date: .....

Signature: .....

BMJ books are also available from major booksellers or the BMJ Bookshop in BMA House. Book tokens accepted (UK only).