

Correspondence to: Dr D J Serisier, Department of Respiratory Medicine, Mater Adult Hospital, Raymond Tce, South Brisbane, Queensland 4101, Australia; david\_serisier@mater.org.au

Received 21 May 2004  
Accepted 8 October 2004

## REFERENCES

- 1 **Savage C**, Pusey C, Bowman C, *et al*. Antiglomerular basement membrane antibody mediated disease in the British Isles 1980–4. *BMJ* 1986;**292**:301–4.
- 2 **Hellmark T**, Segelmark M, Bygren P, *et al*. Glomerular basement membrane antibodies. In: Peter JB, Shoenfeld Y, eds. *Autoantibodies*. 1st ed. Amsterdam: Elsevier, 1996:291–8.
- 3 **Pusey CD**. Anti-glomerular basement membrane disease. *Kidney Int* 2003;**64**:1535–50.
- 4 **Rosenblum ND**, Colvin RB. A 13 year old girl with gross haematuria 4 years after a diagnosis of idiopathic pulmonary haemosiderosis. *N Engl J Med* 1993;**328**:1183–90.
- 5 **Mathew TH**, Hobbs JB, Kalowski S, *et al*. Goodpasture's syndrome: normal renal diagnostic findings. *Ann Intern Med* 1975;**82**:215–8.
- 6 **Carre PH**, Lloveras JJ, Didier A, *et al*. Goodpasture's syndrome with normal renal function. *Eur Respir J* 1989;**2**:911–5.
- 7 **Zimmerman SW**, Varanasi UR, Hoff B. Goodpasture's syndrome with normal renal function. *Am J Med* 1979;**66**:163–71.
- 8 **Wilson C**, Dixon J. Anti-glomerular basement membrane antibody-induced glomerulonephritis. *Kidney Int* 1973;**3**:74–89.
- 9 **Lerner R**, Glascock R, Dixon F. The role of antiglomerular basement antibody in the pathogenesis of human glomerulonephritis. *J Exp Med* 1967;**126**:989–1004.
- 10 **Rees AJ**, Lockwood CM, Peters DK. Enhanced allergic tissue injury in Goodpasture's syndrome by intercurrent bacterial infection. *BMJ* 1977;**2**:723–6.
- 11 **Deodhar HA**, Marshall RJ, Sivathondan Y, *et al*. Recurrence of Goodpasture's syndrome associated with mesangiocapillary glomerulonephritis. *Nephrol Dial Transplant* 1994;**9**:72–5.
- 12 **Klasa RJ**, Aboud RT, Ballon HS, *et al*. Goodpasture's syndrome: recurrence after a five-year remission. *Am J Med* 1988;**84**:751–5.
- 13 **Trpkov K**, Abdulkareem F, Jim K, *et al*. Recurrence of anti-GBM disease twelve years after transplantation associated with de novo IgA nephropathy. *Clin Nephrol* 1998;**49**:124–8.
- 14 **Fonck C**, Lout G, Cosyns J, *et al*. Recurrent fulminant anti-glomerular basement membrane nephritis at a 7-year interval. *Am J Kidney Dis* 1998;**32**:323–7.
- 15 **Almkvist RD**, Buckalew VM, Hirszel P, *et al*. Recurrence of anti-glomerular basement membrane antibody mediated glomerulonephritis in an isograft. *Clin Immunol Immunopathol* 1981;**18**:54–60.
- 16 **Jaskowski TD**, Martins TB, Litwin CM, *et al*. Comparison of four enzyme immunoassays for the detection of immunoglobulin G antibody against glomerular basement membrane. *J Clin Lab Anal* 2002;**16**:143–5.
- 17 **Salama AD**, Dougan T, Levy JB, *et al*. Goodpasture's disease in the absence of circulating anti-glomerular basement membrane antibodies as detected by standard techniques. *Am J Kidney Dis* 2002;**39**:1162–7.
- 18 **Wilson CB**, Smith RC. Goodpasture's syndrome associated with influenza A2 virus infection. *Ann Intern Med* 1972;**76**:91–4.
- 19 **Tobler A**, Schurch E, Altermatt HJ, *et al*. Anti-basement membrane antibody disease with severe pulmonary haemorrhage and normal renal function. *Thorax* 1991;**46**:68–9.
- 20 **Bell DD**, Moffat SL, Singer M, *et al*. Antibasement membrane disease without clinical evidence of renal disease. *Am Rev Respir Dis* 1990;**142**:234–7.
- 21 **Bailey RR**, Simpson IJ, Lynn KL, *et al*. Goodpasture's syndrome with normal renal function. *Clin Nephrol* 1981;**15**:211–5.
- 22 **Katz SM**, Foster E, Miller AS, *et al*. Goodpasture's syndrome mimicking idiopathic pulmonary haemosiderosis. *Ann Clin Lab Sci* 1989;**19**:280–6.
- 23 **Donald KJ**, Edwards RL, McEvoy JDS. Alveolar capillary basement membrane lesions in Goodpasture's syndrome and idiopathic pulmonary haemosiderosis. *Am J Med* 1975;**59**:642–9.
- 24 **Cameron JS**. Glomerulonephritis in renal transplants. *Transplantation* 1982;**34**:237–44.
- 25 **Donaghy M**, Rees A. Cigarette smoking and lung haemorrhage in glomerulonephritis caused by autoantibodies to glomerular basement membrane. *Lancet* 1983;**2**:1390–3.

## LUNG ALERT

### No mortality benefit seen with methylprednisolone in ARDS

▲ Steinberg KP, Hudson LD, Goodman RB, *et al*. The National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network. Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N Engl J Med* 2006;**354**:1671–84

The use of corticosteroids in acute respiratory distress syndrome (ARDS) is controversial, with previous studies showing no benefit of high dose steroids in early ARDS but indicating a possible role for moderate doses in late ARDS (>7 days after its onset). This multicentre double blind trial randomised 180 intubated and mechanically ventilated patients 7–28 days after the onset of ARDS to receive either intravenous methylprednisolone or placebo. The primary outcome was mortality at 60 days, with secondary outcomes including ventilator-free days, days without organ failure, and infectious complications at 28 days.

There was no difference in mortality between the treatment and placebo groups at 60 days (29.2% v 28.6%) or 180 days (31.5% v 31.9%). If the patients had ARDS for longer than 14 days before enrolment, methylprednisolone was associated with increased mortality at 60 days (35% v 8%; p = 0.02). At 28 days the treatment group had more ventilator-free days (11.2 v 6.8; p < 0.001), more ICU-free days (8.9 v 6.2; p < 0.02), and fewer episodes of shock (6 v 17; p = 0.003), but they were more likely to have to resume assisted ventilation (20 v 6; p = 0.008). They also had higher glucose levels and more episodes of severe neuromyopathy (9 v 0; p = 0.001), although there was no difference in the rate of infectious complications.

From this evidence, it appears that the use of methylprednisolone in ARDS confers no survival benefit and may be harmful if initiated late. However, the reasons why initial improvements in cardiovascular and respiratory parameters are not translated into improved survival are unclear, and a better understanding of the mechanisms of ARDS may help to define an optimal time frame and regimen for corticosteroids in the disease.

C Snelson

Specialist Registrar, George Eliot Hospital, Nuneaton, Warwickshire, UK; catherinesnelson@hotmail.com