Y Badachi, J Baron, C Beigelman-Aubry, J Benichou, A Bergeret, A Cailliet, P Catilina, S Chammings, G Christ de Blasi, G Ferretti, E Guichard, A Jankowski, V Latrabe, N Le Stang, MF Marquignon, B Millet, M Montaudon, L Mouchot, M Pinet, A Porte, P Reungoat, R Ribero, M Savès, A Sobaszek, A Stoufflet, FX Thomas, L Thorel and the practitioners of security insurance (Aquitaine, Upper Normandy, Lower Normandy and Rhône-Alpes).

Funding This study was supported by grants from the French National Health Insurance (Occupational Risk Prevention Department), the French Ministry of Labor and Social Relations and the ANSES (07 CRD 51 and EST 2006/1/43).

Patient consent Obtained.

Ethics approval Ethics approval was granted by the Cochin Hospital ethics committee in Paris.

Provenance and peer review Not commissioned; externally peer reviewed.

REFERENCES

1. **American Thoracic Society.** Diagnosis and initial management of nonmalignant diseases related to asbestos. *Am J Respir Crit Care Med* 2004;**170**:691–715.
2. **Miller A.** Pulmonary function in asbestosis and asbestos-related pleural disease. *Environ Res* 1993;**61**:1–8.
3. **Schwartz DA, Davis CS, Merchant JA, et al.** Longitudinal changes in lung function among asbestos-exposed workers. *Am J Respir Crit Care Med* 1994;**150**:1243–9.
4. **Bourbeau J, Ernst P, Chrome J, et al.** The relationship between respiratory impairment and asbestos-related pleural abnormality in an active work force. *Am Rev Respir Dis* 1990;**142**:837–42.
5. **McGavin CR, Sheers G.** Diffuse pleural thickening in asbestos workers: disability and lung function abnormalities. *Thorax* 1984;**39**:604–7.
6. **Yates DH, Browne K, Stidolph PN, et al.** Asbestos-related bilateral diffuse pleural thickening: natural history of radiographic and lung function abnormalities. *Am J Respir Crit Care Med* 1996;**153**:301–6.
7. **Schwartz DA, Galvin JR, Yagla SJ, et al.** Restrictive lung function and asbestos-induced pleural fibrosis. A quantitative approach. *J Clin Invest* 1993;**91**:2685–92.
8. **Peacock C, Espley SJ, Hansell DM.** Asbestos-related benign pleural disease. *Clin Radiol* 2000;**55**:422–32.
9. **Van Cleemput J, De Raeve H, Verschakelen JA, et al.** Surface of localized pleural plaques quantitated by computed tomography scanning. No relation with cumulative exposure and no effect on lung function. *Am J Respir Crit Care Med* 2001;**163**:705–10.
10. **Copley SJ, Wells AU, Rubens MB, et al.** Functional consequences of pleural disease evaluated with chest radiography and CT. *Radiology* 2001;**220**:237–45.
11. **Baker EL, Dagg T, Greene RE.** Respiratory illness in the construction trades. I. The significance of asbestos-associated pleural disease among sheet metal workers. *J Occup Med* 1985;**27**:483–9.
12. **Jarvholm B, Sanden A.** Pleural plaques and respiratory function. *Am J Ind Med* 1986;**10**:419–26.
13. **Jarvholm B, Larsson S.** Do pleural plaques produce symptoms? A brief report. *J Occup Med* 1988;**30**:345–7.
14. **Fridricksson HV, Hedenstrom H, Hillerdal G, et al.** Increased lung stiffness in persons with pleural plaques. *Eur J Respir Dis* 1981;**62**:412–24.
15. **Rosenstock L, Barhart S, Heyer NJ, et al.** The relation among pulmonary function, chest roentgenographic abnormalities, and smoking status in an asbestos-exposed cohort. *Am Rev Respir Dis* 1988;**136**:272–7.
16. **Oliver LC, Eisen EA, Greene RE, et al.** Asbestos-related pleural plaques and lung function. *Am J Ind Med* 1988;**14**:649–56.
17. **Kilburn KH, Warshaw R.** Pulmonary functional impairment associated with pleural asbestos disease. *Chest* 1990;**98**:965–72.
18. **Schwartz DA, Fourtes LJ, Galvin JR, et al.** Asbestos-induced pleural fibrosis and impaired lung function. *Am Rev Respir Dis* 1990;**141**:321–6.
19. **Lilis R, Miller A, Godbold J, et al.** Pulmonary function and pleural fibrosis: quantitative relationship with an integrative index of pleural abnormalities. *Am J Ind Med* 1991;**20**:145–61.
20. **Paris C, Thierry S, Brochard P, et al; the APEXS members.** Pleural plaques and asbestosis: dose and time response relationships based on HRCT data. *Eur Respir J* 2009;**34**:72–9.
21. **Ameille J, Letourneux M, Paris C, et al.** Does asbestos exposure cause airway obstruction, in the absence of confirmed asbestosis? *Am J Respir Crit Care Med* 2010;**182**:526–30.
22. **Anon.** Conférence de consensus pour l'élaboration d'une stratégie de surveillance médicale clinique des personnes exposées à l'amiante. *Rev Mal Respir* 1999;**16**:1190–388.
23. **Quanjer PH, Tammeling GJ, Cotes JE, et al.** Lung volumes and forced ventilatory flows. Report Working Party Standardization of Lung Function Tests, European Community for Steel and Coal. Official Statement of the European Respiratory Society. *Eur Respir J Suppl* 1993;**16**:5–40.
24. **Gevenois PA, De Maertelaer V, Madani A, et al.** Asbestosis, pleural plaques and diffuse pleural thickening: three distinct benign responses to asbestos exposure. *Eur Respir J* 1998;**11**:1021–7.
25. **Ameille J, Matrat M, Paris C, et al.** Asbestos-related pleural diseases: dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med* 2004;**45**:289–96.
26. **Kilburn KH, Warshaw RH.** Abnormal lung function associated with asbestos disease of the pleura, the lung, and both: a comparative analysis. *Thorax* 1991;**46**:33–8.

Journal club

The role of leukotriene receptor antagonists in asthma

This study assessed the effectiveness of a leukotriene receptor antagonist (LTRA) in two pragmatic randomised controlled trials over a 2-year period in primary care practices across the UK. The first trial compared LTRAs with inhaled glucocorticoids as the first-line treatment in asthma. The second trial compared the addition of LTRAs versus the addition of long-acting β_2 -agonists in patients already using inhaled glucocorticoids with asthma.

All treatments led to significant improvements in the primary outcome measure: the mini Asthma Quality of Life Questionnaire. At 2 months, the LTRA was found to be equivalent in both studies. At 2 years, there was a trend towards equivalence between treatment groups although scores fell outside of their pretest definition of equivalence. Secondary outcome measures including asthma control questionnaire scores and frequency of exacerbations were not significantly different between treatment groups.

The results suggest a trend towards equivalence when LTRAs are compared with standard therapy both as first-line and as add-on therapy when used long term. However, the trial is weakened by the proportion of treatment changes required, which was consistently higher for patients using LTRAs in both studies.

► **Price D, Musgrave SD, Shepstone L, et al.** Leukotriene antagonists as first-line or add-on asthma-controller therapy. *N Engl J Med* 2011;**364**:1695–707.

Andrew Low

Correspondence to Dr Andrew Low, ST4, Respiratory Medicine, University Hospitals Bristol, Marlborough Street, Bristol BS1 3NU, UK; andytlow@hotmail.com

Published Online First 23 August 2011

Thorax 2011;**66**:991. doi:10.1136/thoraxjnl-2011-200827