IMAGES IN THORAX

Calcified pulmonary chondromas in Carney's triad

Helmy Haja Mydin,¹ Keith M Kerr,² Owen Dempsey¹

¹Department of Respiratory Medicine, Aberdeen Royal Infirmary, Aberdeen, UK

²Department of Pathology, Aberdeen Royal Infirmary, Aberdeen, UK

Correspondence to

Dr Helmy Haja Mydin,
Department of Respiratory
Medicine, Aberdeen Royal
Infirmary, Aberdeen
AB25 2ZN, UK;
enidan@doctors.org.uk

Received 22 May 2013

Revised 14 September 2013

Accepted 31 October 2013

Published Online First

18 November 2013

A 20-year-old woman presented with haematemesis. Endoscopy identified gastric ulceration. Chest imaging (figures 1 and 2) and subsequent surgical biopsy confirmed pulmonary chondromas (figures 3 and 4). These benign cartilaginous tumours, typically found in young women, can form part of 'Carney's triad' with gastrointestinal stromal tumours (GISTs) and paraganglioma.¹ Twenty-one years later, she developed further gastric ulceration,

Figure 1 Chest radiograph showing multiple bilateral calcified lesions.

Figure 2 CT showing multiple bilateral calcified lesions.

Figure 3 Wedge resection showing a 1.2 cm cartilaginous, well-circumscribed nodule.

Figure 4 Pulmonary chondromas with low cellularity in chondroid matrix (x40 H&E).

To cite: Haja Mydin H,
Kerr KM, Dempsey O.
Thorax 2014;**69**:969–970.

Figure 5 Highly cellular spindle cell tumour representing gastrointestinal stromal tumour ($\times 100$ H&E).

Figure 6 CD117 (cKIT) immunohistochemistry strongly positive in gastrointestinal stromal tumour ($\times 100$).

histology confirming a GIST (figures 5 and 6). She has now had 2 years of imatinib therapy and remains well. As yet, she has not developed paraganglioma or other organ involvement, but incomplete expression of Carney's triad is reported. Clinicians should be mindful that, albeit rarely, more serious extrapulmonary pathology can be associated with benign pulmonary chondromas.

Contributors HHM and OD conceived the idea, wrote the manuscript and are guarantors of overall content. KMK provided histopathology slides and descriptions. All authors approved the final manuscript.

Competing interests None.

Patient consent Obtained.

Provenance and peer review Not commissioned; externally peer reviewed.

REFERENCE

- 1 Carney JA. Gastric stromal sarcoma, pulmonary chondroma, and extra-adrenal paraganglioma (Carney Triad): natural history, adrenocortical component, and possible familial occurrence. *Mayo Clin Proc* 1999;74:543–52.