IMAGES IN THORAX

Pseudoaneurysm of the pulmonary artery with massive haemoptysis due to an invasive pulmonary mucormycosis

Alberto Lopez-Pastorini,¹ Aris Koryllos,¹ Michael Brockmann,² Wolfram Windisch,³ Erich Stoelben¹

¹Department of Thoracic Surgery, Cologne-Merheim Hospital, Kliniken der Stadt Köln gGmbH, Witten-Herdecke University Hospital, Cologne, Germany

²Department of Pathology, Cologne-Merheim Hospital, Kliniken der Stadt Köln gGmbH, Witten-Herdecke University Hospital, Cologne, Germany

³Department of Pneumology, Cologne-Merheim Hospital, Kliniken der Stadt Köln gGmbH, Witten-Herdecke University Hospital, Cologne, Germany

Correspondence to

Dr Alberto Lopez-Pastorini, Department of Thoracic Surgery, Cologne-Merheim Hospital, Kliniken der Stadt Köln gGmbH, Witten-Herdecke University Hospital, Ostmerheimerstr. 200, Cologne D-51109, Germany; alberto.lopez@uni-wh.de

Received 25 August 2015
Accepted 3 September 2015
Published Online First
18 September 2015

A 62-year-old man diagnosed with glioblastoma multiforme and currently under chemoradiation therapy presented with massive haemoptysis. Chest computed tomographic scan disclosed a round-shaped formation in the right upper lobe with contrast agent leakage indicating active bleeding (figure 1). Pathological examination after right upper lobectomy revealed a pseudoaneurysm of the pulmonary artery caused by invasive mucormycosis (figure 2).

After candidiasis and aspergillosis, mucormycosis is the third most frequent invasive mycosis in immunocompromised patients. In 25% the lungs are the main site of manifestation and in these cases a high mortality is reported.¹ An interesting characteristic of Mucorales species is the angioinvasion which leads to rupture of vessels with massive haemorrhage.²

Figure 2 Resected right upper lobe with pseudoaneurysm (arrows) of the pulmonary artery (A). B, bronchus; V, vein.

Figure 1 Contrast-enhanced computed tomography of the chest showing the pseudoaneurysm of the right upper lobe pulmonary artery. Image also demonstrates a contrast agent leakage indicating an active bleeding.

To cite: Lopez-Pastorini A, Koryllos A, Brockmann M, et al. *Thorax* 2016;**71**:199–200.

Competing interests None declared.

Patient consent Obtained.

Provenance and peer review Not commissioned; internally peer reviewed.

REFERENCES

- 1 Bouza E, Munoz P, Guinea J. Mucormycosis: an emerging disease? *Clin Microbiol Infect* 2006;12:7–23.
- 2 Lee FY, Mossad SB, Adal KA. Pulmonary mucormycosis: the last 30 years. *Arch Intern Med* 1999;159:1301–9.