



Journal of the British Thoracic Society

Impact Factor: 8.272

Editors-in-Chief

N Hart (UK)
G Jenkins (UK)
AR Smyth (UK)

Deputy Editors

N Kaminski (USA)
M Rosenfeld (USA)

Associate Editors

D Baldwin (UK)	J-L Pepin (France)
R Chambers (UK)	M Polkey (UK)
T Coleman (UK)	J Quint (UK)
GJ Criner (USA)	N Rahman (UK)
J Davies (UK)	K Robinson (USA)
A Floto (UK)	S Shaheen (UK)
M Griffiths (UK)	R Stevens (USA)
L Heaney (UK)	A Vonk Noordegraaf
N Hopkinson (UK)	(The Netherlands)
S Janes (UK)	C Wainwright (Australia)
B Kampman (UK)	T Wilkinson (UK)
B Mohkelesi (USA)	P Wolters (USA)

Statistical Editors

A Douiri (UK)
C Flach (UK)
C Jackson (UK)
S Stanojevic (USA)
R Szczesniak (USA)
B Wagner (USA)
Y Wang (UK)

Journal Club Editor

P Murphy (UK)

President, British Thoracic Society

Professor M Woodhead

Editorial Office

Thorax, BMA House, Tavistock Square,
London WC1H 9JR, UK

T: +44 (0)20 7383 6373

E: thorax@bmj.com

Twitter: @ThoraxBMJ

ISSN: 0040-6376 (print)

ISSN: 1468-3296 (online)

Disclaimer: Thorax is owned and published by the British Thoracic Society and BMJ Publishing Group Ltd, a wholly owned subsidiary of the British Medical Association. The owners grant editorial freedom to the Editor of Thorax.

Thorax follows guidelines on editorial independence produced by the World Association of Medical Editors and the code on good publication practice of the Committee on Publication Ethics.

Thorax is intended for medical professionals and is provided without warranty, express or implied. Statements in the Journal are the responsibility of their authors and advertisers and not authors' institutions, the BMJ Publishing Group Ltd, the British Thoracic Society or the BMA unless otherwise specified or determined by law. Acceptance of advertising does not imply endorsement.

To the fullest extent permitted by law, the BMJ Publishing Group Ltd shall not be liable for any loss, injury or damage resulting from the use of Thorax or any information in it whether based on contract, tort or otherwise. Readers are advised to verify any information they choose to rely on.

Copyright: © 2018 BMJ Publishing Group Ltd and the British Thoracic Society. All rights reserved; no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior permission of Thorax.

Thorax is published by BMJ Publishing Group Ltd, typeset by Exeter Premedia Services Private Ltd, Chennai, India and printed in the UK on acid-free paper.

Thorax (ISSN No: 0040-6376) is published monthly by BMJ Publishing Group and distributed in the USA by Air Business Ltd. Periodicals postage paid at Jamaica NY 11431. POSTMASTER: send address changes to Thorax, Air Business Ltd, c/o Worldnet Shipping Inc., 156-15, 146th Avenue, 2nd Floor, Jamaica, NY 11434, USA.

Summary of Recommendations

Introduction

- ii3 Target audience for the guideline
- ii3 Scope of the Guideline

Methodology

- ii3 Clinical Questions and Literature Search
- ii3 Appraisal of Literature
- ii4 Considered Judgement and Grading of Evidence
- ii4 Drafting the Guideline
- ii4 Representation and stakeholder organisations

Outcomes of Outpatient Care for Low-Risk Pulmonary Embolism

- ii5 Outcomes associated with outpatient management of pulmonary embolism
- ii5 Impact on length of stay
- ii6 Patient satisfaction

Inclusion and exclusion criteria for outpatient management or early discharge

- ii6 Clinical risk scores
- ii6 Pulmonary Embolism Severity Index Score – PESI
- ii7 Simplified Pulmonary Embolism Severity Index – sPESI
- ii7 Geneva Score
- ii7 Other risk prediction scores
- ii7 Studies validating and comparing multiple predictive scores
- ii8 Clinical exclusion criteria
- ii9 Studies comparing clinical exclusion criteria with risk scores
- ii9 Meta-analyses

Assessment of Bleeding Risk

Imaging, Laboratory and Other Clinical Investigations for Risk Stratification

- ii10 NT-proBNP and BNP
- ii11 Standard troponin
- ii11 High sensitivity troponin
- ii11 Echocardiography
- ii11 Computed tomography
- ii11 Other prognostic markers

- ii11 Multimodality assessment
- ii12 Cardiac biomarkers in patients with radiological evidence of RV dysfunction but low risk sPESI/PESI
- ii12 Summary

Management of patients with suspected PE, where a diagnosis has yet to be confirmed

Treatment of suspected/confirmed PE in the outpatient setting

OP treatment of PE using DOACs

- ii15 DOACs and impact on LOS
- ii16 DOACs for the treatment of suspected PE

Assessing patients transitioning from IP care to early discharge/OP care?

Level of Seniority of Review

Follow-up of patients specific to those managed in the OP setting

- ii17 Intensity of initial follow-up
- ii18 Platelet count monitoring
- ii18 Malignancy screening

Management of PE in the OP Setting in Specific Circumstances

- ii18 Pregnancy/puerperium
- ii19 Cancer
- ii19 Intravenous Drug Use

Patient Information and Support Needs

Summary of Research Recommendations

References

Appendices

- ii23 Appendix 1: Guideline group members
- ii24 Appendix 2: Summary of risk scores
- ii28 Appendix 3: Summary of validated scores

MORE CONTENTS ►

This article has been chosen by the Editors to be of special interest or importance and is freely available online.

This article has been made freely available online under the BMJ Journals Open Access scheme. See <http://authors.bmj.com/open-access/>

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics <http://publicationethics.org/>

Member since 2009 JMO3979



Figures

- ii13** Figure 1a: Algorithm for the outpatient management of PE - Hestia
- ii13** Figure 1b: Algorithm for the outpatient management of PE – PESI or sPESI
-

Box

- ii9** Box 1: Clinical exclusion criteria
-

Tables

- ii4** 1 Key to evidence statements
- ii4** 2 Grades of recommendation
- ii7** 3 Pulmonary Embolism Severity Index
- ii7** 4 Simplified Pulmonary Embolism Severity Index
- ii7** 5 Geneva score

- ii8** 6 Clinical exclusion criteria for outpatient PE management
- ii15** 7 Key randomised trials of direct oral anticoagulants in the treatment of acute PE
- ii15** 8 Relative risk of major and non-major bleeding using direct oral anticoagulants compared with vitamin K antagonists
-

Online appendices

- Online appendix 1: Clinical questions and Literature Search details
- Online appendix 2: Evidence tables
- Online appendix 3: Example of Patient information

Online appendices are available at www.brit-thoracic.org.uk