Study	TE	Odds Ratio	OR	95	%−CI	Weight
Male < 50% of participants						
Caraballo C	-0.49	<u>:</u>	0.62	[0.33;	1.151	11.1%
Peng Y	0.27		1.32	[0.17; 1	_	2.2%
Yang G	-1.14	<u>.</u>	0.32	[0.16;	_	9.8%
Zeng Z	-0.44		0.65	[0.11;	_	3.0%
Random effects mode		\Leftrightarrow	0.51	[0.28;	_	26.2%
Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0.1149$, $p = 0.42$						
,	, ,					
Male >= 50% of partici	pants					
Ashraf M	-0.31	- • 	0.73	[0.12;	4.37]	2.9%
Benelli G	0.33	: • 	1.39	[0.46;	4.14]	6.1%
Li J	-0.27	-	0.76	[0.49;	1.19]	13.8%
Mehra M	-1.32	+	0.27	[0.23;	0.31]	17.9%
Meng J	-0.76	- 	0.47	[0.00; 20	0.45]	0.3%
Zhang P	-0.99	+	0.37	[0.26;	0.54]	15.1%
Random effects model			0.50	[0.30;	0.84]	56.1%
Heterogeneity: $I^2 = 82\%$, $\tau^2 = 0.2312$, $\rho < 0.01$						
Unknown male %		<u>: </u>				
lp A	-0.42	+	0.66	•	0.78]	17.7%
Random effects mode			0.66	[0.56;	0.78]	17.7%
Heterogeneity: not applicable						
	_					
Random effects mode		<u> </u>	0.52	[0.37;	0.72]	100.0%
Heterogeneity: $I^2 = 87\%$, $\tau^2 = 0.1514$, $p < 0.01$						
Residual heterogeneity: $I^2 = 74\%$, $p < 0.01$ 0.01 0.1 1 10 100						