




NEEDLES are always sharp, retain their shape. Improved flattened area ensures better grip for needle-holder. Full range available.

MERSUTURES

Regd.

TO MEET ALL CURRENT TECHNIQUES.









In the treatment of unproductive cough in children and adults the advantages of ETHNINE lie in its effectiveness with low toxicity, and its freedom from side-effects such as constipation and digestive upset.

For children, ETHNINE is indicated whenever a cough sedative is considered advisable particularly in the treatment of whooping cough, irritation of the upper respiratory tract, and the cough associated with enlarged tonsils and adenoids before surgical measures are taken.

The sedative action of ETHNINE is particularly useful when it is desired to ensure a restful night's sleep uninterrupted by paroxysms of coughing.


ETHNINE

CONTAINING PHOLCODINE

Literature and sample on application

In bottles of 4 and 80 fluid ounces

Automatic Exposure Control by Ionisation Current



The Iontomat measures the total dose which impinges on the X-ray film and terminates the exposure as soon as the dose for obtaining the optimum contrast is registered.

Completely automatic radiography makes it impossible to get an incorrect exposure; saving in time and money is considerable.

The Iontomat is particularly useful for taking large-size chest pictures as shown in the illustration.

SIEREX LTD, 262-4 Regent Street, London WI Tel: REGent 2626

Sole distributors for United Kingdom, Eire and British Colonies for Siemens Reiniger Werke A.G, Erlangen.



and now available

STREPTOMYCIN

SULPHATE IN

SOLUTION, READY

FOR INJECTION



SOLUTION OF STREPTOMYCIN SULPHATE

streptomycin sulphate in a ready-prepared stabilised aqueous solution, intended for intramuscular injection without further dilution.

The clinical applications of 'Streptaquaine' Solution are, of course, those of streptomycin sulphate but it is believed that practitioners will appreciate the added convenience of this refinement, particularly as it is offered at no extra cost.

Packs: injection-type vials of one mega unit (boxes of 5 vials) and five mega units (boxes of 10 vials). Strength—250,000 units per ml.

Distributed by:
ALLEN & HANBURYS LTD.
BRITISH DRUG HOUSES LTD.
BURROUGHS WELLCOME & CO.
EVANS MEDICAL SUPPLIES LTD.
IMPERIAL CHEMICAL
(PHARMACEUTICALS) LTD.
PHARMACEUTICAL SPECIALITIES
(MAY & BAKER) LTD.




A TRADE MARK. IS THE PROPERTY OF THE MANUFACTURER

THE DISTILLERS COMPANY (BIOCHEMICALS) LIMITED

SPEKE : LIVERPOOL

Mixture of equal parts of streptomycin and dihydro-DIMYCIN Essential Facts MIXTURE OF equal parts of streptomycin and dinydrostreptomycin, enabling dosage of each component o be half that usually employed. For all practical purposes streptomycin and dihydrostrep-For all practical purposes streptomycin and dinydrostreptomycin and dinydrostr tomycin nave the same merapeutic activity. With prolonged tomycin nave the same merapeutic effects have occasionally dosage of either drug neurotoxic effects have occasionally their incidence demanding local transfer to the local transfer transfe dosage of either drug neurotoxic enects have occasionally of size of been observed—their incidence depending largely on size of been observed—their incidence of training a half does of each does on the does and total amount given been observed—meir incidence depending largely on size of each Using a half dose of each dosage and total amount given. Using a half dose of each dosage and total amount given to affect can be obtained antibiotic the full theremount of each can be obtained. Description dosage and total amount given. Using a nati dose of eartificities antibiotic the full therapeutic effect can be obtained antibiotic the full therapeutic effect can be obtained. annown the run therapeum eners is reduced. While any risk of neurotoxic effects is reduced. All forms of superculosis except superculous Non-tuber meningitis treated by intrathecal injection. Pharmacolosi All forms of tuberculosis except tuberculous meningus treated by intratnecal injection. Non-tuber-culous infections not amenable to penicillin treatment. Good point the micalinis Vials: 1 gram and 5 grams Packs CRYSTAMYCIN Essential Facts " Broad spectrum" antibiotic preparation containing Oseluton sodium penicillin, streptomycin sulphate and dihydrostreptomycin sulphate. ling of Provides combined antibacterial activity of penicillin and streptomycin; highly effective against Im finding it factive in effective in resistant intection gram-positive and gram-negative organisms. Mixed infections, e.g. infections of urinary tract, peritonitis, infected wounds either surgical or accidental; infections of the respiratory tract. By combining streptomycin and dihydrostreptomycin in one injection, dosage of each form is halved and risk of neurotoxicity from either antibiotic is thus reduced. 'Single dose' vials containing 500,000 units sodium peni-cillin G, 0.25 gram streptomycin sulphate and 0.25 gram dihydrostreptomycin sulphate. GLAXO LABORATORIES LTD., GREENFORD, MIDDLESEX BYRON 3434



Benazma

(Linctus anti-asthmatic, Bencard)

Benazma is a pleasantly aromatic linetus
for the symptomatic relief of asthma.
It contains pseudo-ephedrine, an alkaloid
that relaxes bronchial muscle in the same
way as ephedrine but with a minimum
of vasopressor activity and other side-effects.
The formula, presented in a syrup base,
includes stramonium to help maintain
normal cardiac function, and codeine to
minimise undue nervous stimulation and
to depress the cough centre.

Composition

Each dose of 2 fluid drachms represents:


Pseudo-ephedrine hydrochloride gr. 1 Ext. Stramon Liq. B.P. m. 1½ Syr. Pruni Serot. B.P. fl.dr. 1 Syr. Codeinae Phosph. B.P.C. fl.dr. 1

pleasantly flavoured with aromatics




Benazma

C. L. BENCARD LTD., PARK ROYAL, LONDON, N.W.10



RIB RETRACTOR, A. TUDOR EDWARDS', with three pairs detachable blades.



COARCTATION CLAMPS, by C. CRAFOORD.

THE GENITO-URINARY MFG. CO., LTD.

By Appointment to St. Peter's Hospital for Stone, India Office, War Office, Admiralty, Crown Agents for the Colonies THORACOSCOPES — LARYNGOSCOPES — BRONCHOSCOPES — INSTRUMENTS for THORACIC SURGERY

28a, 33 & 34, DEVONSHIRE STREET, LONDON, W.I

Telephone: Welbeck 2835 (3 lines). Telegraphic Address: "Cystoscope, Wesdo, London."





For Physiologic Debridement of Necrotic

Intrapleural Use.

AVAILABLE TO HOSPITALS ONLY

· Tryptar · Aerosol

For Bronchial Asthma Acute and Chronic Bronchitis Bronchiectasis and Atelectasis

WRITE FOR LITERATURE TO

Tissue,

Telephone : CLERKENWELL 9011

THE ARMOUR LABORATORIES

(ARMOUR & COMPANY LTD)


LINDSEY STREET, LONDON, E.C.I

Telegrams:
"ARMOSATA-PHONE"
LONDON

CAMP Supports for use in treatment of

EMPHYSEMA

ABDOMINAL BINDERS for MEN and WOMEN,



designed to raise and maintain the diaphragm toward its expiratory position, thereby assisting to prevent its paradoxical movements and to alleviate the difficulties of respiration.


Inside of Belt showing position of pressure pad. Valve protrudes through to outside of Support for ease of inflating or deflating. Bulb pump supplied.

Illustrated Reference Book will be sent free on request.




S. H. CAMP & COMPANY LTD.

19 HANOVER SQUARE, LONDON, W.I Telephone: MAYFAIR 8575 (4 lines)



FWS 916



Norisodrine Powder by Inhalation

Now, AT HOME, work or play, when a patient feels an attack of asthma impending, he simply takes 3 or 4 inhalations of the quick-acting bronch-dilator, Norisodrine. Usual result: quick end of bronchospasm. Treatment is inconspicuous, for Norisodrine powder is supplied in sifter cartridges for use in the Aerohalor. No injections, no cumbersome equipment, no need to leave the job. The therapy is easily carried in pocket or handbag. Quick-acting Norisodrine is a more effective bronchodilator than adrenaline, to which it is chemically related. It has relatively low toxicity, and with proper administration side-effects are few and usually minor. However, Norisodrine is a potent drug, please send for a copy of the comprehensive literature which describes administration, dosage and precautions.

NORISODRINE powder 10% and 25% is supplied in multiple-dose Aerohalor Cartridges, packed three to an air-tight vial, four vials to a box.



(ISOPRENALINE ABBOTT)



STANDARD X-RAY FILM

in conjunction with ILFORD Standard Tungstate intensifying screens, is an ideal combination for chest radiography in all cases where the available power permits sufficiently brief exposure times. With a kilovoltage appropriate to the subject, its gradation is such that lung detail is well defined in all regions and, if exposure is reasonably correct, scatter effects are practically negligible.

ILFORD X-ray films

RED SEAL X-RAY FILM

is more than twice as fast as ILFORD Standard X-ray film and its use is recommended when exposures would otherwise be longer than 0.1 second. It is also of particular value when a pathological condition presents an unusually long range of subject opacities, or when it is desired to limit the X-ray dosage in an extensive examination. Many workers prefer Red Seal film for all thoracic radiography, since they consider that the many advantages offered by its phenomenal speed are well worth the little extra care necessitated by its use.

ILFORD LIMITED . ILFORD . LONDON

SWEET'S THORACIC SURGERY

By RICHARD H. SWEET, M.D., Associate Clinical Professor of Surgery, Harvard Medical School. New Second Edition. 381 pages with 159 illustrations. Price in U.K. and Eire 50s., elsewhere 70s.

More than 100 procedures (including operations on the heart and great vessels) are described—all from the point of view of application of the principles of general surgery to the special conditions found within the thorax. This makes the material of equal value to the general surgeon, resident, and chest surgeon.

Chapter headings are as follows:

Surgical Anatomy of the Thorax. General Technical Considerations. Thoracic Incisions. Operations on the Thoracic Wall.

Operations Concerning the Pleural
Cavity.

Operations on the Lung.

Operations Within the Mediastinum.

Operations on the Esophagus.

Abdominal Operations Performed through Thoracic Incisions.

Surgery of the Diaphragm.

W. B. SAUNDERS COMPANY LTD., 7 Grape Street, London, W.C.2

Ready March 15th

TUBERCULOSIS IN CHILDHOOD AND ADOLESCENCE

With special reference to the pulmonary forms of the disease by

- F. J. BENTLEY, MD, FRCP, DPH, Senior Physician,
- S. GRZYBOWSKI, MD, MRCP, Senior Registrar, High Wood Hospital for Children, Brentwood, Essex,

and B. BENJAMIN, BSc, FIA, formerly Statistician, London County Council

272 pages, including many tables and charts, and 32 pages of radiographs.


Based on experience of over one thousand children treated and followed up for an average period of over six years. A special investigation into the deaths from tuberculosis of one hundred unselected cases in London children in recent years is also included. The various manifestations of the disease in childhood are considered from aspects of incidence, diagnosis, prognosis and treatment.

Order now from:

"The Sign of a

Clothbound

NATIONAL ASSOCIATION for the PREVENTION of TUBERCULOSIS
Tavistock House North, Tavistock Square, London, W.C..1



Pocket SPITTING FLASKS

MADE IN DARK BLUE GLASS

For use in preventing the spread of

TUBERCULOSIS

- Top left: No. 1, fitted with non-absorbent rubber plug.
- Top right: No. 2, fitted with nickelled bayonet screw cap and rubber washer.
- Bottom left: No. 6, graduated and fitted with burnished aluminium cap and rubber wad.
- Bottom right: No. 4 (small), with nickelled bayonet screw cap and rubber washer.

Beatson Clark & Co..Ltd.

GLASS BOTTLE MANUFACTURERS
ROTHERHAM ESTABLISHED 1751 YORKS.

Good Bottle"

Your Own Insurance Agency



- Independent and Unbiased Advice
- Substantial Rebates
- All profits to Medical and Dental Charities

ALL CLASSES OF INSURANCE

Life Pension Sickness Motor Household Education

LOANS FOR THE PURCHASE OF HOUSES-EQUIPMENT-MOTOR CARS a speciality



Ltd. Medical Agency Insurance

B.M.A. House, Tavistock Square (Chief Office), London, W.C.I. Tel.: EUSton 5561-2-3

JAMES FENTON, C.B.E. M.D., D.P.M. A. N. DIXON, A.C.I.I. Hon. Secretary: HENRY ROBINSON, M.D., D.L.

EDINBURGH: 6 Drumsheugh Gardens

GLASGOW:

234 St. Vincent Street LEEDS: 20/21 Norwich Union Buildings, City Square MANCHESTER: 33 Cross St. DUBLIN: 28 Molesworth St. BIRMINGHAM:

154 Great Charles Street
CARDIFF: 195 Newport Rd.
NEWCASTLE: 16 Saville Row

SCIENTIFIC QUARTERLY **JOURNALS**

BRITISH HEART JOURNAL

ANNALS OF THE RHEUMATIC DISEASES

BRITISH JOURNAL OF INDUSTRIAL MEDICINE

JOURNAL OF NEUROLOGY, NEUROSURGERY AND PSYCHIATRY

BRITISH JOURNAL OF PREVENTIVE AND SOCIAL MEDICINE

THORAX

JOURNAL OF CLINICAL PATHOLOGY

BRITISH JOURNAL OF VENEREAL DISEASES Each Subscription £2 2s. per annum

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Subscription £4 4s. per annum

MEDICAL AND BIOLOGICAL ILLUSTRATION Subscription £2 2s. per annum. Single copy 10s. 6d.

ARCHIVES OF DISEASE IN CHILDHOOD Six times a year at £3 3s. per annum



Publishing Dept., BRITISH MEDICAL JOURNAL, B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, W.C.I.

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

Contents—March, 1954

Investigation of the Toxicity of a Series of Dextran Sulphates of Varying Molecular Weight.

Kenneth W. Walton
Interaction of Nicotine and Eserine, Ephedrine, Atropine, Hexamethonium, and Adrenaline in Isolated
Guinea-pig Auricles. A. Giotti
Improved Automatic Apparatus for Pharmacological Assays on Isolated Preparations.

J. L. Mongar, and H. O. Schild
Identification of the Stable Antidiuretic Substance ("Stable ADS") of Serum with 5-Hydroxytryptamine.

Identification of the Stable Antidiuretic Substance ("Stable ADS") of Serum with 5-Hydroxytryptamine. V. Erspamer and G. Sala
The Chemotherapeutic Action of Phenanthridine Compounds: Part VII. R. A. Neal and El Amin El Karib
Quinidine and Anticholinesterases on Rabbit Auricles. Sheila Briscoe and J. H. Burn
A Sea Anemone Extract (Thalassine) which Liberates Histamine and a Slow Contracting Substance.
R. Jaques and M. Schachter
The Presence of Histamine, 5-Hydroxytryptamine and a Potent, Slow Contracting Substance in Wasp
Venom. R. Jaques and M. Schachter
Stool Concentrations and Absorption of Chloramphenicol and its Palmitate in Babies. A. L. Speirs
The Effect of Intravenous Intusions of Histamine on the Urinary Histamine and on Gastric Secretion in
Man. H. M. Adam, W. I. Card, M. J. Riddell, M. Roberts, and J. A. Strong
The Role of the Cyclic Ethyleneiminium ion in the Pharmacological Activity of the 2-Haloethylamines.
J. D. P. Graham and G. P. Lewis
The Inhibition of Cholinesterases by Antagonists of Acetylcholine and Histamine. A. Todrick
The Action of Eserine Sulphate on the Spinal Cord of the Cat. D. Taverner
Pharmacology of the Porphyrins and Porphobilinogen. A. Goldberg, W. D. M. Paton, and J. W. Thompson
Factors Influencing the Effect of Morphine Sulphate on the Ascorbic Acid Content of Rats' Adrenal Glands.
P. A. Nasmyth

P. A. Nasmyth

The Intracellular Distribution of Histamine in Dog's Liver. P. Hagen

The Mechanisms of Toxicity of Some Iron Preparations. J. A. Nissim

Analgesic and Other Actions of Some Dithienylbutenylamine Compounds in Man.

P. Flintan and C. A. Keele

Influence of Cysteinamine on Tuberculin Sensitivity in Guinea-pigs. D. A. Long

The Glycogenolytic Action of Sodium Salicylate. D. H. Sproull

Biological Standardization of "MSb Polymer" (Sodium p-Melaminyl Phenyl Stibonate).

N. D. Edge, J. Hill, and Rachel Stone

Yearly Subscription (4 Numbers) £4 4s. U.S.A. \$13.50. Single Numbers £1 5s.

From Publishing Manager, B.M.A. House, Tavistock Square, London, W.C.1

"ANY QUESTIONS?"

SECOND SERIES

For many years past a number of experts have each week constituted a Brains Trust for answering questions sent to the *British Medical Journal* from all over the world. Selections of the more important questions and answers have been published in a handy pocket sized book. In this useful reference book answers have been given to hundreds of common problems that are daily arising in general practice and to which practical and comprehensive advice is required at a moment's notice.

"Any Questions?" Second Series, is a current guide to the practice of Medicine and many of the authoritative answers given have yet to be published in textbooks.

Price 8/-, including postage.

REFRESHER COURSE

FOR

GENERAL PRACTITIONERS

The first collection of Refresher Course articles that have been printed in the *British Medical Journal* is now available in book form. There are fifty-five chapters and each one has been revised and brought up to date by its author. This book is invaluable not only to the General Practitioner but also to Specialists who wish to keep themselves informed on advances in fields of Medicine other than their own.

The volume has 512 pages including a most comprehensive index and is strongly bound in red cloth, medium octavo in size.

Price 25/-, including postage.

Please send remittances to:
THE PUBLISHING MANAGER,
BRITISH MEDICAL ASSOCIATION,
B.M.A. HOUSE, TAVISTOCK SQUARE,
LONDON, W.C.1.



The introduction of 'Dextraven' has made available for the first time a dextran solution with controlled optimal molecular content which has been referred to as "narrow fraction dextran." It produces rapid elevation and prolonged maintenance of blood volume and normally ensures that over 50% of the dextran administered remains in the circulation after 24 hours—a longer period than has been possible with any previous blood volume restorer. 'Dextraven' is the preparation of choice for the restoration of blood volume. The British Encyclopaedia of Medical Practice (Medical Progress, 1952) states—"There is little doubt that the narrow fraction dextran will revolutionise supportive therapy and may be regarded as one of the major advances of the year."—Truly a bloodless revolution.

Dextraven

MARK MARK

Developed by

research at

Benger Laboratories

BENGER LABORATORIES LIMITED · HOLMES CHAPEL · CHESHIRE · ENGLAND