

THE DISTILLERS COMPANY
(Biochemicals) Limited

PROLONGED THERAPY WITH
REDUCED OTOTOXICITY

‘MIXTAMYCIN’

brand

streptomycin sulphate
dihydrostreptomycin sulphate

‘Mixtamycin’ is a mixture of streptomycin and dihydrostreptomycin. Dose for dose, ‘Mixtamycin’ has the same therapeutic effect as either antibiotic alone but the amount of each antibiotic administered is halved. Thus, the incidence of ototoxic reactions associated with prolonged therapy of streptomycin alone or dihydrostreptomycin alone is reduced. ‘Mixtamycin’ may, therefore, be given for longer periods.

Packs: injection-type vials of one mega unit (boxes of 5 vials) and 5 mega units (single packs).

Each mega unit contains the equivalent of 0.5 gramme streptomycin base and 0.5 gramme dihydrostreptomycin base.

Distributed by:

ALLEN & HANBURYS LTD.
BRITISH DRUG HOUSES LTD.
BURROUGHS WELLCOME & CO.

EVANS MEDICAL SUPPLIES LTD.
IMPERIAL CHEMICAL
(PHARMACEUTICALS) LTD.
PHARMACEUTICAL SPECIALITIES
(MAY & BAKER) LTD.

Manufactured by THE DISTILLERS COMPANY (BIOCHEMICALS) LIMITED, SPEKE, LIVERPOOL
owners of the trademark ‘Mixtamycin’

13/54D

Automatic Exposure Control by Ionisation Current



The Iontomat measures the total dose which impinges on the X-ray film and terminates the exposure as soon as the dose for obtaining the optimum contrast is registered.

Completely automatic radiography makes it impossible to get an incorrect exposure; saving in time and money is considerable.

The Iontomat is particularly useful for taking large-size chest pictures as shown in the illustration.

SIEREX LTD, 262-4 Regent Street, London W1 Tel: REGent 2626

*Sole distributors for United Kingdom, Eire and British
Colonies for Siemens Reiniger Werke A.G, Erlangen.*



Ensuring adequate cough sedation

ETHNINE is a new, palatable, and effective cough sedative containing 4 mg. Pholcodine in each teaspoonful.

The properties of Pholcodine are:—

Less toxic than Codeine.

Higher anti-tussive factor than Codeine.

Less constipating than Morphine or Codeine.

The sedative action of ETHNINE is particularly useful in the treatment of the elderly patient who may suffer from insomnia or exhaustion as a result of intractable nocturnal cough.



ETHNINE

CONTAINING PHOLCODINE

In bottles of 4 and 80 fluid ounces.

Literature on application.

ALLEN & HANBURYS LTD LONDON E 2
TELEPHONE BISHOPSGATE 3201 (20 LINES) TELEGRAMS "GREENBURYS BETH LONDON"



protein without persuasion

Prescribing 'high protein' meals is one thing . . .

persuading the patient to take them is another.


But who needs persuading to take ice cream ?

With Casilan in it, ice cream can provide precisely as much first-class protein as you wish the patient to have ; and because it *is* ice cream, there is little doubt that every gram of its protein will be eaten and enjoyed to the last spoonful. Not that Casilan is made for ice cream alone — it goes unnoticed in almost any food or drink. So there can be plenty of variety in today's high protein diets.

Casilan Trade Mark

GLAXO LABORATORIES LTD., GREENFORD, MIDDLESEX BYRON 3434

for symptomatic relief of



Benazma

(Linctus anti-asthmatic, Bencard)

Benazma is a pleasantly aromatic linctus for the symptomatic relief of asthma. It contains pseudo-ephedrine, an alkaloid that relaxes bronchial muscle in the same way as ephedrine but with a minimum of vasopressor activity and other side-effects.

The formula, presented in a syrup base, includes stramonium as an antispasmodic and codeine to minimise undue central nervous stimulation.

Bottles of 8, 20 and 80 fluid ounces.

Composition

*Each dose of
2 fluid drachms
represents :*


Pseudo-ephedrine
hydrochloride gr. 1
Ext. Stramon. Liq. B.P.
m. 1½
Syr. Pruni Serot. B.P.
fl.dr. 1
Syr. Codeinae Phosph.
B.P.C. fl.dr. 1

*pleasantly flavoured
with aromatics*



Benazma

C. L. BENCARD LTD., PARK ROYAL, LONDON, N.W.10



CAMP Supports for use in PNEUMOPERITONEUM TREATMENT of PULMONARY TUBERCULOSIS

Snugly fitting abdominal supports for MEN and WOMEN, designed to maintain the rise of the diaphragm caused by the injection of air. These supports are of great help in preventing the abdomen from becoming distended after the injection of air. The support being made to fit well down in the groin provides protection where potential hernia is a complication. The supports are specifically designed so that the upper contour follows the lines of the rib cage and to give full support to the abdominal muscles.

Illustrated Reference Book will be sent free on request

S. H. CAMP & COMPANY LTD.

19 HANOVER SQUARE, LONDON, W.1

Telephone : MAYFAIR 8575 (4 lines)



Tryptar

PURIFIED CRYSTALLINE TRYPSIN

*For Physiologic Debridement of Necrotic
Tissue, Intrapleural Use.*

AVAILABLE TO HOSPITALS ONLY

• Tryptar
• Aerosol

*For Bronchial Asthma
Acute and Chronic Bronchitis
Bronchiectasis and Atelectasis*



WRITE FOR LITERATURE TO

Telephone :
CLERKENWELL
9011

THE ARMOUR LABORATORIES
(ARMOUR & COMPANY LTD)

LINDSEY STREET, LONDON. E.C.1

Telegrams :
"ARMOSATA-PHONE"
LONDON



NORISODRINE

No need for the chronic asthmatic to give up work, play or a normal life. With Norisodrine, a quick-acting bronchodilating powder, symptomatic relief is as near as the patient's pocket or purse. When the asthmatic feels an attack coming on, he simply takes three or four inhalations of the powder, using the pocket-sized AEROHALOR. Result? The broncho-spasm usually ends quickly. No injection, or cumbersome equipment, no need to leave the job.


Norisodrine is effective against both mild and severe asthma.^{1, 2, 3} It has relatively low toxicity, and

with proper administration side-effects are few and usually minor. Before prescribing Norisodrine, however, the physician should familiarize himself with administration, dosage and precautions which are described in comprehensive literature available to the medical profession. May we send you a copy?

¹ Kaufman, R., and Farmer, L. (1951) *Norisodrine by Aerohalor in Asthma*, *Ann. Allergy*, 9: 89, January-February.

² Swartz, H. (1950). *Norisodrine Sulphate (25 per cent) Dust Inhalation in Severe Asthma*, *Ann. Allergy*, 8: 488, July-August.

³ Krasno, L., Grossman, M., and Ivy, A. (1949). *The Inhalation of 1-(3', 4'-Dihydroxyphenyl)-2-Isopropylaminoethanol (Norisodrine Sulfate Dust)*, *J. Allergy*, 20: 111, March.



ABBOTT LABORATORIES LIMITED

WANTED TO PURCHASE

A Complete Set of

THORAX

OR ODD RUNS

WM. DAWSON & SONS, LTD.

Rare Book Department

102 WIGMORE STREET, LONDON, W.1

Tel. : Welbeck 7948



Pocket SPITTING FLASKS

TUBERCULOSIS

Beatson Clark & Co., Ltd.

GLASS BOTTLE MANUFACTURERS
ROTHERHAM ESTABLISHED 1751 YORKS.

TUBERCULOSIS

BRITISH MEDICAL BULLETIN

VOL. 10, NO. 2

Introduction

Fall of Tuberculosis Mortality in Western Europe

The Chest Clinic in the Control of Tuberculosis

Problem of the Tuberculous Patient in Industry

Detection of Pulmonary Tuberculosis in a Community

Vole Bacillus Vaccination Against Tuberculosis

Relationship Between Host Cell and Parasite in Tuberculosis

Experimental Approaches to Tuberculosis

Controlled Trials in Pulmonary Tuberculosis

Problems of Drug Resistance

Some Problems in Primary Tuberculosis

Developments in the Treatment of Bone and Joint Tuberculosis

Clinical Use of Antibacterial Drugs in Pulmonary Tuberculosis

Diagnosis of Tuberculous Meningitis

A Surgeon Looks at Pulmonary Tuberculosis

Long-term Results of Artificial Pneumothorax Treatment

P. D'ARCY HART

J. C. McDONALD & V. H. SPRINGETT

B. R. CLARKE

R. GRENVILLE-MATHERS

A. L. COCHRANE

A. Q. WELLS & J. A. H. WYLIE

G. B. MACKANESS

R. J. W. REES

WALLACE FOX

D. A. MITCHISON

JOHN CROFTON

M. C. WILKINSON

J. G. SCADDING

H. V. SMITH & R. L. VOLLUM

H. R. S. HARLEY

A. F. FOSTER-CARTER

Price 15s. post free. \$2.75 U.S.A. and CANADA. Published: May, 1954

May be ordered through your local British Medical Bulletin agent, bookseller, or direct from the publishers

Medical Department, The British Council, 65 Davies Street, London, W.1.

Your Own Insurance Agency

GIVES DEFINITE ADVANTAGES
TO YOU

- Independent and Unbiased Advice
- Substantial Rebates
- All profits to Medical and Dental Charities

ALL CLASSES OF
INSURANCE

Life Pension Sickness
Motor Household Education

LOANS FOR THE PURCHASE OF
HOUSES—EQUIPMENT—MOTOR CARS
a speciality

Medical Insurance Agency Ltd.

B.M.A. House, Tavistock Square (Chief Office),
London, W.C.1. Tel.: EUSton 5561-2-3

Chairman:

General Manager:

JAMES FENTON, C.B.E., M.D., D.P.M. A. N. DIXON, A.C.I.I

Hon. Secretary: HENRY ROBINSON, M.D., D.L.

EDINBURGH: 6 Drumsheugh Gardens

DUBLIN: 28 Molesworth St.

BIRMINGHAM:

B.M.A. Regional office,

154 Great Charles Street

NEWCASTLE: 16 Saville Row

GLASGOW:

234 St. Vincent Street

LEEDS: 20/21 Norwich Union

Buildings, City Square

MANCHESTER: 33 Cross St.

BRISTOL: Yorkshire House, 4, St. Stephens Avenue, Bristol, 1.

B.M.A. Regional address: 195 Newport Road, CARDIFF



Second Edition. 6½ × 9½ in. In 4 Volumes.

MALIGNANT DISEASE

AND ITS

TREATMENT BY RADIUM

By

SIR STANFORD CADE, K.B.E., C.B.

Volume III, 458 pp., 182 illustrations.
52s. 6d., post 1s. 3d.

An account of cancer of the breast, intrathoracic tumours (Sir Clement Price Thomas), gynaecological cancer (in collaboration with M. Lederman), etc. Each section deals with the pathology, diagnosis, choice of method of treatment and technique.

“The whole book is magnificently produced. The many illustrations and plates are excellent, and there can be no doubt that the author has produced a work which will remain a classic reference book for many years to come.”—*Guy's Hospital Gazette*.

JOHN WRIGHT & SONS LTD., BRISTOL

ABSTRACTS OF WORLD MEDICINE

A monthly journal of informative abstracts—covering all important articles published in some 1,500 periodicals throughout the world—dealing in each issue with a wide range of subjects—


Allergy	Neurology and Neurosurgery
Anaesthetics	Nutrition and Metabolism
Bacteriology	Paediatrics
Cardiovascular Diseases	Pathology
Chemotherapy	Pharmacology
Dermatology	Psychiatry
Endocrinology	Public Health
Forensic Medicine	Radiology
Gastroenterology	Respiratory Diseases
Haematology	Rheumatic Diseases
History of Medicine	Tropical Medicine
Industrial Medicine	Tuberculosis
Infectious Diseases	Urogenital Diseases
Medical Genetics	Venereal Diseases

Abstracts of World Medicine informs the specialist of work done in other fields as well as his own ● keeps the general reader abreast of progress in the various specialties ● affords an integrated picture of development in the whole field of medicine.

Published monthly by the
BRITISH MEDICAL ASSOCIATION

Annual Subscription £4 4s. od.

Bloodless revolution



The introduction of 'Dextraven' has made available for the first time a dextran solution with controlled optimal molecular content which has been referred to as "narrow fraction dextran." It produces rapid elevation and prolonged maintenance of blood volume and normally ensures that over 50% of the dextran administered remains in the circulation after 24 hours—a longer period than has been possible with any previous blood volume restorer. 'Dextraven' is the preparation of choice for the restoration of blood volume. The British Encyclopaedia of Medical Practice (Medical Progress, 1952) states—"There is little doubt that the narrow fraction dextran will revolutionise supportive therapy and may be regarded as one of the major advances of the year."—Truly a bloodless revolution.

Dextraven

 TRADE MARK

Developed by research at

Benger Laboratories

BENGER LABORATORIES LIMITED • HOLMES CHAPEL • CHESHIRE • ENGLAND