

MERSUTURES

Regd.

TO MEET ALL CURRENT TECHNIQUES





Onsuring adequate cough sedation

ETHNINE is a new, palatable, and effective cough sedative containing 4 mg. Pholcodine in each teaspoonful.

The properties of Pholcodine are:—

Less toxic than Codeine.

Higher anti-tussive factor than Codeine.

Less constipating than Morphine or Codeine.

The sedative action of ETHNINE is particularly useful in the treatment of the elderly patient who may suffer from insomnia or exhaustion as a result of intractable nocturnal cough.



ETHNINE

CONTAINING PHOLCODINE

In bottles of 4 and 80 fluid ounces.

Literature on application.

ALLEN & HANBURYS LTD LONDON E 2 TELEPHONE BISHOPSGATE 3201 (20LINES) TELEGRAMS "GREENBURYS BETH LONDON"





NORISODRINE

No need for the chronic asthmatic to give up work, play or a normal life. With Norisodrine, a quick-acting bronchodilating powder,

symptomatic relief is as near as the patient's pocket or purse. When the asthmatic feels an attack coming on, he simply takes three or four inhalations of the powder, using the pocket-sized AEROHALOR. Result? The broncho-spasm usually ends quickly No injection, or cumbersome equipment, no need to leave the job.

Norisodrine is effective against both mild and severe asthma. 1, 2, 3, It has relatively low toxicity, and

with proper administration side-effects are few and usually minor. Before prescribing Norisodrine, however, the physician should familiarize himself with administration, dosage and precautions which are described in comprehensive literature available to the medical profession. May we send you a copy?

- I Kaufman, R., and Farmer, L. (1951) Norisodrine by Aerohalor in Asthma, Ann, Allergy, 9:89, January-February.
- 2 Swartz, H. (1963). Norisodrine Sulphate (25 per cent) Dust Inhalation in Severe Asthma, Ann. Allergy, 8: 488, July-August. 3 Krasno, L., Grossman, M., and Ivy, A. (1949). The Inhalation of 1-(3', 4'-Dihydroxyphenyl)-2—Isopropylaminoethanol (Nori.odrine Sulfate Dust), J. Allergy, 23: 111, March.



ABBOTT LABORATORIES LIMITED

THE DISTILLERS COMPANY

(Biochemicals) Limited

COSTS NO MORE THAN STREPTOMYCIN...

'STREPTAQUAINE' SOLUTION

stabilised injection of streptomycin sulphate

'Streptaquaine' Solution presents streptomycin sulphate in a ready-prepared stabilised aqueous solution, intended for intramuscular injection without further dilution. The clinical applications of 'Streptaquaine' Solution are, of course, those of streptomycin sulphate but it is more convenient in use.

'Streptaquaine' Solution will remain stable for 12 months at temperatures below 20°C.

Packs: injection-type vials of one mega unit (boxes of 5 vials) and five mega units (boxes of 10 vials)

Strength — 250,000 units per ml.

Distributed by:

ALLEN & HANBURYS LTD.
FRITISH DRUG HOUSES LTD.
BURROUGHS WELLCOME & CO.

EVANS MEDICAL SUPPLIES LTD.

IMPERIAL CHEMICAL

(PHARMACEUTICALS) LTD.

PHARMACEUTICAL SPECIALITIES

(MAY & BAKER) LTD.

Manufactured by

THE DISTILLERS COMPANY (BIOCHEMICALS) LTD., DEVONSHIRE HOUSE, PICCADILLY, LONDON, W.1

X-RAY FILMS

of individual character

Each of the three Ilford X-ray films possesses special characteristics of its own which ensure outstanding performance in particular fields of application. When considered together, however, these films not only cover the whole range of radiographic requirements but reveal one very important characteristic in common — the high and consistent quality for which Ilford sensitised materials are famous the world over.

STANDARD

A general-purpose medical film, giving excellent contrast and very low fog with salt intensifying screens, but suitable also for use without screens.


REO SEAL

A screen-type medical film of very high speed, invaluable for heavy subjects and for all cases where very brief exposures are necessary.


ILFEX

An extremely fast, nonscreen film for use when the highest definition is essential, as in radiography of the limbs and the investigation of bone detail.

ILFORD X-RAY FILMS | ILFORD |



RIB RETRACTOR, A. TUDOR EDWARDS', with three pairs detachable blades.



COARCTATION CLAMPS, by C. CRAFOORD.

THE GENITO-URINARY MFG. CO., LTD.

By Appointment to St. Peter's Hospital for Stone. India Office, War Office, Admiralty, Crown Agents for the Colonies THORACOSCOPES — LARYNGOSCOPES — BRONCHOSCOPES — INSTRUMENTS for THORACIC SURGERY


28a, 33 & 34, DEVONSHIRE STREET, LONDON, W.I

Telephone: Welbeck 2835 (3 lines). Telegraphic Address: "Cystoscope, Wesdo, London."



SIEMENS

UNIVERSAL PLANIGRAPH



Planigraph in vertical position

As supplied to Westminster Hospital, London,
and Churchill Hospital, Oxford.

The unique stand for layer radiography of patients in a vertical, recumbent or oblique position.

This design of a universal apparatus for layer radiography incorporates outstanding features which render it suitable for diagnosis in chest radiography and also for all other examinations where layer radiography is indicated.

The depth of the layer radiograph to be taken can be predetermined by fluoroscopy, resulting in considerable saving of film material.

For further details, write to:

SIEREX LTD, 262-4 REGENT STREET, LONDON WI

Telephone: Regent 2626

Sole distributors for United Kingdom, Eire, and British Colonies for Siemens Reiniger Werke A.G, Erlangen


EXAL

presents the new

DRÄGER CO2 INDICATOR

A compact Unit for the simple and rapid determination of the CO_2 content of expired air or of air in enclosed volumes within the range $0-10^{\circ}_{-6}$.

Of particular value in the treatment of cases requiring assisted respiration.



For further particulars apply to:

ELECTRONIC & X-RAY APPLICATIONS LTD

13-17 PENNANT MEWS, KENSINGTON, LONDON W8

Telephone: Fremantle 7744 5 6 Telegrams: Exal, London

VIOCIN

Pfizer brand of viomycin sulphate

This new antibiotic

is active against

Mycobacterium tuberculosis

including both streptomycin-

resistant and

isoniazid-resistant

strains of the bacterium

Viomycin Sulphate is suitable for the treatment of those cases of tuberculosis in which the infecting organism has become resistant to other antituberculous agents. It is available for supply to hospitals through the Regional Distribution Centres of the Ministry of Health.


Available in vials of 1 Gm. viomycin sulphate for intramuscular injection.



World's Largest Producer of Antibiolics ___

VITAMIN MINERA FORMULATIONS HORMONE

Full literature is available and will be supplied on request PFIZER LTD • FOLKESTONE • KENT • tel: Folkestone 51774



Benazma

(Linctus anti-asthmatic, Bencard)

Benazma is a pleasantly aromatic linctus for the symptomatic relief of asthma. It contains pseudo-ephedrine, an alkaloid that relaxes bronchial muscle in the same way as ephedrine but with a minimum of vasopressor activity and other side-effects. The formula, presented in a syrup base, includes stramonium as an antispasmodic and codeine to minimise undue central nervous stimulation.

Bottles of 8, 20 and 80 fluid ounces.

Composition

Each dose of 2 fluid drachms represents:

Pseudo-ephedrine hydrochloride gr. 1 Ext. Stramon Liq. B.P. m. 1½ Syr. Pruni Serot. B.P. fl.dr. 1 Syr. Codeinae Phosph. B.P.C. fl.dr. 1

pleasantly flavoured with aromatics



Benazma

C. L. BENCARD LTD., PARK ROYAL, LONDON, N.W.10

OXFORD MEDICAL PUBLICATIONS

JUST PUBLISHED

THE ANATOMY OF THE BRONCHIAL TREE

By SIR RUSSELL BROCK, M.S., F.R.C.S., F.A.C.S.

Thoracic Surgeon to Guy's Hospital and Surgeon to the Brompton Hospital for Consumption and Diseases of the Chest

SECOND EDITION

250 pages

268 illustrations (19 in colour)

45s, net

Selected illustrations suitable for use as a wall chart are available, price 5s. net per packet of 9 plates.

A PRACTICAL MANUAL OF DISEASES OF THE CHEST

By MAURICE DAVIDSON, D.M., F.R.C.P.

Consulting Physician to the Brompton Hospital for Consumption and Diseases of the Chest

FOURTH EDITION

658 pages

261 illustrations

84s. net

OXFORD UNIVERSITY PRESS



AVAILABLE TO HOSPITALS ONLY

PURIFIED CRYSTALLINE TRYPSIN

For Physiologic Debridement of Necrotic Tissue, Intrapleural Use.

· Tryptar Aerosol

For Bronchial Asthma Acute and Chronic Bronchitis Bronchiectasis and Atelectasis

WRITE FOR LITERATURE TO

Telephone: HAMPDEN PARK 740

THE ARMOUR LABORATORIES

(ARMOUR & COMPANY LTD.)


Telegrams: ARMOLAB **EASTBOURNE**

HAMPDEN PARK, EASTBOURNE, SUSSEX

CAMP Supports for use in treatment of

EMPHYSEMA


ABDOMINAL BINDERS for MEN and WOMEN,



designed to raise and maintain the diaphragm toward its expiratory position, thereby assisting to prevent its paradoxical movements and to alleviate the difficulties of respiration.

Inside of Belt showing position of pressure pad. Valve protrudes through to outside of Support for ease of inflating or deflating Bulb pump gsupplied.

Illustrated Reference Book will be sent free on request.




FWS 1018



S. H. CAMP & COMPANY LTD.

19 HANOVER SQUARE, LONDON, W.I Telephone: MAYFAIR 8575 (4 lines)



Pocket SPITTING FLASKS

MADE IN DARK BLUE GLASS

For use in preventing the spread of

TUBERCULOSIS

- Top left: No. 1, fitted with non-absorbent rubber plug.
- Top right: No. 2, fitted with nickelled bayonet screw cap and rubber washer.
- Bottom left: No. 6, graduated and fitted with burnished aluminium cap and rubber wad.
- Bottom right: No. 4 (small), with nickelled bayonet screw cap and rubber washer.

Beatson Clark & Co., Ltd.

GLASS BOTTLE MANUFACTURERS
ROTHERHAM ESTABLISHED 1751 YORKS.

"The Sign of a



Good Bottle"

BC.65

New NAPT Publication

BCG AND VOLE VACCINATION

A Practical Handbook by

K. NEVILLE IRVINE,

M.A., D.M., B.Ch., M.R.C.S., L.P..C.P.

Adviser in BCG Vaccination to Oxford Regional Hospital Board

Foreword by

FREDERICK HEAF, M.A., M.D., F.R.C.P. David Davies Professor of Tuberculosis, The Welsh National School of Medicine

96 pages,

comprehensive index, 10 coloured plates

Clothbound Twelve shillings and sixpence

Order direct from :

NATIONAL ASSOCIATION FOR THE PREVENTION OF TUBERCULOSIS Tavistock House North, Tavistock Square, London, W.C.I

HULL (B) H.M.C.

Castle Hill Hospital, Cottingham

JUNIOR HOSPITAL MEDICAL OFFICER

(resident)

to work in Major Thoracic Surgery Unit. The Unit has 50 beds for all types of thoracic surgery, including tuberculous and non-tuberculous, oesophageal and cardiac.

Applications, with names of referees, to:

Group Secretary,

De la Pole Hospital,

Willerby, E. Yorkshire

ANAESTHETIST WANTED

Full time, for Chest Surgical Unit in

Division of Tuberculosis Control Vancouver, B.C.

Experience in chest anaesthesia essential

Salary range \$6,912-\$8,016 per annum.

Position expected to be included in permanent B.C. Civil Service establishment, April, 1955.

Further details may be obtained from:

Director, Division of Tuberculosis Control 2647 Willow Street, Vancouver 9, B.C.

Your Own Insurance Agency

GIVES DEFINITE ADVANTAGES TO $\mathbf{Y} \mathbf{O} \mathbf{U}$

- Independent and Unbiased Advice
- Substantial Rebates
- All profits to Medical and Dental Charities

ALL CLASSES OF INSURANCE

Life Pension Sickness Motor Household Education

LOANS FOR THE PURCHASE OF HOUSES-EQUIPMENT-MOTOR CARS a speciality



Medical Insurance Agency Ltd.

B.M.A. House, Tavistock Square (Chief Office), London, W.C.I. Tel.: EUSton 5561-2-3

Chairman: General Manager:

JAMES FENTON, C.B.E., M.D., D.P.M. A. N. DIXON, A.C.I.I.

Hon. Secretary: HENRY ROBINSON, M.D., D.L.

EDINBURGH: 6 Drumsheugh Gardens
GLASGOW:
234 St. Vincent Street
LEEDS: 20/21 Norwich Union
Buildings, City Square
MANCHESTER: 33 Cross St.
BRISTOL: Yorkshire House, 4, St. Stephens Avenue, Bristol, 1.
CARDIFF: B.M.A. Regional office, 195 Newport Road.

JUST PUBLISHED

THE

SECOND VOLUME

OF

REFRESHER COURSE

FOR

GENERAL PRACTITIONERS

The second collection of Refresher Course articles that have been printed in the British Medical Journal has now been published in book form. There are sixty chapters and each one has been revised and brought up to date by the authors.

The widest possible range of articles has been specially selected so that the book will be invaluable not only to the General Practitioner, but also to Specialists who wish to keep themselves informed of advances in all fields of Medicine.

The volume has 570 pages including a most comprehensive index, and is strongly bound in red cloth, medium octavo in size.

Price 26/- including postage.

A few copies of Volume I are still in stock

Obtainable from booksellers or you may write to The Publishing Manager for descriptive leaflet, or send him a remittance for your copy to be posted to you.

BRITISH MEDICAL ASSOCIATION
B.M.A. HOUSE TAVISTOCK SQUARE LONDON W.C.1



The introduction of 'Dextraven' made available for the first time a dextran solution with controlled optimal molecular content which has been referred to as "narrow fraction dextran." It produces rapid elevation and prolonged maintenance of blood volume and normally ensures that over 50% of the dextran administered remains in the circulation after 24 hours—a longer period than has been possible with any previous blood volume restorer. 'Dextraven' is the preparation of choice for the restoration of blood volume. The British Encyclopaedia of Medical Practice (Medical Progress, 1952) states—"There is little doubt that the narrow fraction dextran will revolutionise supportive therapy and may be regarded as one of the major advances of the year."—Truly a bloodless revolution.

Dextraven

TRADE MARK

Developed by

research at

Benger Laboratories

BENGER LABORATORIES LIMITED · HOLMES CHAPEL · CHESHIRE · ENGLAND