



Centre	Phase One		Phase Three		12 Month Prevalence						
	Year	N	Year	N	Wheeze % change per year (Phase Three prevalence %)	≥4 Attacks % change per year (Phase Three prevalence %)	Wheeze disturbs Sleep % change per year (Phase Three prevalence %)	Severe wheeze limiting speech % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night Cough % change per year (Phase Three prevalence %)	Ever had Asthma % change per year (Phase Three prevalence %)
Malta	1995	4183	2002	4136	-0.20 (14.6)	-0.22 ( 3.1)	-0.12 ( 1.6)	-0.13 ( 2.7)	-0.32 (18.4)	-0.08 (31.3)	0.43 (14.1)
Pakistan											
Karachi	1995	1829	2001	2999	0.53 (11.7)	0.08 ( 2.5)	-0.01 ( 1.5)	0.48 ( 6.7)	-0.89 ( 9.8)	0.31 (19.4)	0.03 ( 7.5)
Sultanate of Oman											
Al-Khod	1995	3174	2001	3747	-0.08 ( 8.4)	-0.05 ( 2.3)	0.03 ( 3.1)	-0.19 ( 2.8)	-0.08 (18.7)	-0.13 (20.1)	-0.15 (19.9)
<b>Region Total</b>		<b>16,109</b>		<b>19,887</b>	<b>-0.10 (11.6)</b>	<b>-0.04 ( 2.7)</b>	<b>-0.04 ( 2.2)</b>	<b>-0.05 ( 3.9)</b>	<b>-0.11 (15.0)</b>	<b>0.22 (23.4)</b>	<b>0.11 (10.9)</b>
<b>Indian Sub-Continent</b>											
<b>India</b>											
Borivali	1995	3878	2003	1004	-0.24 ( 1.5)	-0.05 ( 0.2)	-0.04 ( 0.1)	-0.12 ( 0.7)	-0.34 ( 2.6)	0.19 (11.8)	-0.08 ( 5.3)
Chandigarh	1995	3138	2001	3122	0.23 ( 5.5)	-0.13 ( 0.8)	-0.03 ( 0.5)	-0.07 ( 2.3)	-0.45 ( 5.3)	3.11 (26.7)	0.10 ( 4.0)
Chennai (Madras) (3)	1995	3079	2002	2181	-0.37 ( 3.5)	-0.28 ( 1.3)	-0.11 ( 1.2)	-0.19 ( 2.3)	-0.16 ( 6.3)	-0.26 ( 9.7)	-0.07 ( 1.3)
Jodhpur	1994	1080	2003	2341	-0.62 ( 5.3)	-0.24 ( 1.3)	-0.11 ( 0.7)	-0.35 ( 1.6)	-1.33 ( 4.1)	1.39 (31.1)	-0.09 ( 5.6)
Kottayam	1995	2047	2002	3685	-0.35 (15.4)	0.63 ( 6.1)	0.06 ( 2.2)	-1.06 ( 6.1)	-0.88 (11.7)	-0.46 (29.0)	-0.50 ( 8.9)
Mumbai (18)											
(Bombay)	1995	3177	2002	2982	0.13 ( 4.6)	0.00 ( 1.0)	-0.03 ( 0.6)	0.07 ( 1.8)	0.28 ( 9.4)	1.53 (25.7)	0.55 ( 9.1)
New Delhi (7)	1995	3025	2001	3469	-1.28 ( 5.3)	-0.27 ( 1.4)	-0.14 ( 1.1)	-0.31 ( 2.9)	-2.29 ( 4.7)	-3.24 ( 6.3)	0.19 ( 6.5)
Pune	1994	2696	2001	1983	0.14 ( 2.8)			-0.17 ( 0.1)	0.35 ( 6.5)	0.15 (10.5)	0.03 ( 5.1)
<b>Region Total</b>		<b>22,120</b>		<b>20,767</b>	<b>0.02 ( 6.4)</b>	<b>-0.09 ( 2.1)</b>	<b>-0.04 ( 1.1)</b>	<b>-0.15 ( 2.6)</b>	<b>-0.05 ( 6.9)</b>	<b>-0.38 (20.0)</b>	<b>-0.01 ( 6.1)</b>
<b>Latin America</b>											
<b>Argentina</b>											
Córdoba	1997	3042	2002	3445	0.48 (13.6)	0.14 ( 3.2)	-0.04 ( 1.4)	-0.03 ( 3.0)	0.40 (18.8)	-2.77 (28.5)	0.00 ( 9.6)
<b>Brazil</b>											
Curitiba	1995	3004	2001	3628	0.09 (18.9)	-0.13 ( 2.7)	-0.13 ( 1.9)	-0.26 ( 3.1)	-0.12 (19.1)	0.76 (34.7)	0.10 ( 9.2)
Porto Alegre	1994	3195	2003	3007	-0.72 (18.2)	-0.16 ( 3.1)	-0.17 ( 3.0)	-0.10 ( 4.8)	-0.74 (22.4)	-0.47 (35.0)	-0.08 (21.2)
Recife	1994	3086	2002	2865	-0.07 (19.1)	-0.25 ( 1.7)	-0.08 ( 3.9)	-0.09 ( 4.1)	0.32 (23.0)	0.81 (37.3)	-0.37 (18.0)
Salvador	1995	3162	2002	3020	-0.33 (24.6)	-0.19 ( 4.6)	0.09 ( 3.6)	0.07 ( 5.9)	0.99 (34.6)	0.68 (34.3)	0.17 (13.7)
São Paulo	1995	3007	2002	3161	-0.65 (18.7)	-0.26 ( 2.5)	-0.10 ( 2.8)	0.02 ( 2.9)	-0.50 (17.0)	0.04 (33.3)	0.05 (10.4)
<b>Chile</b>											
Punta Arenas	1994	3050	2001	3044	0.83 (13.6)	0.13 ( 2.2)	0.03 ( 1.1)	0.19 ( 2.8)	1.71 (19.2)	1.59 (28.8)	0.66 (13.0)
South Santiago	1995	3050	2001	3026	0.98 (17.0)	0.16 ( 2.2)	0.04 ( 2.4)	0.09 ( 5.5)	-0.78 (20.7)	1.28 (40.4)	0.74 (16.0)
Valdivia	1994	3231	2001	3105	0.63 (16.0)	0.09 ( 2.7)	0.05 ( 1.6)	0.12 ( 3.1)	1.34 (27.4)	3.33 (39.5)	0.56 (15.8)
<b>Costa Rica</b>											
Costa Rica	1994	3200	2002	2436	0.46 (27.3)	0.34 ( 8.0)	-0.10 ( 2.7)	0.29 (12.4)	-0.56 (19.7)	-0.59 (26.4)	0.59 (23.2)
<b>Mexico</b>											
Cuernavaca	1994	3102	2002	1431	0.63 (11.6)	0.10 ( 2.3)	-0.09 ( 0.9)	-0.10 ( 1.6)	1.63 (17.0)	0.87 (20.5)	0.02 ( 5.7)
<b>Panama</b>											
David	1995	2885	2001	3183	0.88 (22.9)	0.29 ( 5.2)	0.40 ( 4.4)	-0.49 ( 3.8)	-0.55 (11.3)	3.11 (40.3)	0.59 (20.5)
<b>Paraguay</b>											
Asunción	1997	2966	2002	3000	0.31 (20.9)	0.19 ( 4.4)	0.31 ( 4.6)	0.54 ( 7.9)	1.35 (22.1)	3.42 (48.4)	0.13 (12.8)
<b>Peru</b>											
Lima	1995	3157	2001	3022	-1.06 (19.6)	-0.09 ( 4.3)	-0.14 ( 2.5)	-0.33 ( 4.9)	-1.09 (29.4)	0.71 (37.9)	0.85 (33.1)
<b>Uruguay</b>											
Montevideo	1994	3072	2002	3177	-0.13 (17.9)	-0.06 ( 4.9)	0.08 ( 3.3)	-0.12 ( 4.2)	-0.13 (17.4)	0.50 (32.1)	0.35 (18.1)
<b>Region Total</b>		<b>46,209</b>		<b>44,550</b>	<b>0.32 (18.8)</b>	<b>0.02 ( 3.6)</b>	<b>-0.01 ( 2.7)</b>	<b>-0.02 ( 4.6)</b>	<b>0.13 (21.3)</b>	<b>0.83 (35.1)</b>	<b>0.25 (16.1)</b>
<b>North America</b>											
<b>Barbados</b>											
Barbados	1996	3533	2001	2498	0.62 (20.8)	0.14 ( 4.3)	0.04 ( 3.5)	0.27 ( 6.6)	0.54 (21.5)	-0.16 (13.9)	1.54 (24.7)
<b>USA</b>											
Seattle	1995	2330	2003	2422	-0.07 (22.3)	-0.13 ( 5.6)	0.04 ( 2.7)	0.00 ( 7.4)	0.04 (28.4)	0.12 (28.6)	0.48 (20.2)
<b>Region Total</b>		<b>5,863</b>		<b>4,920</b>	<b>0.12 (21.5)</b>	<b>-0.02 ( 4.9)</b>	<b>0.04 ( 3.1)</b>	<b>0.11 ( 7.0)</b>	<b>0.20 (24.9)</b>	<b>0.00 (21.1)</b>	<b>0.71 (22.5)</b>
<b>Northern and Eastern Europe</b>											
<b>Albania</b>											
Tiranë	1995	2957	2001	2983	0.12 ( 3.4)	0.10 ( 0.9)	-0.01 ( 0.2)	-0.05 ( 0.5)	0.45 ( 7.2)	0.81 (10.5)	0.34 ( 3.6)
<b>Estonia</b>											
Tallinn	1994	3506	2001	3603	0.09 ( 9.3)	0.07 ( 2.1)	-0.03 ( 0.5)	-0.02 ( 1.2)	-0.03 ( 9.0)	-0.42 (11.7)	0.21 ( 4.8)
<b>Finland</b>											
Kuopio County	1994	2876	2001	3051	0.84 (19.0)	0.11 ( 3.6)	-0.03 ( 0.4)	0.08 ( 2.6)	0.47 (20.9)	0.06 (15.0)	0.45 ( 7.7)

Centre	Phase One		Phase Three		12 Month Prevalence						
	Year	N	Year	N	Wheeze % change per year (Phase Three prevalence %)	≥4 Attacks % change per year (Phase Three prevalence %)	Wheeze disturbs Sleep % change per year (Phase Three prevalence %)	Severe wheeze limiting speech % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night Cough % change per year (Phase Three prevalence %)	Ever had Asthma % change per year (Phase Three prevalence %)
Georgia											
Kutaisi	1996	3297	2003	2650	0.21 ( 5.1)	0.00 ( 0.7)	0.05 ( 0.9)	0.13 ( 1.6)	-0.44 ( 5.1)	0.04 ( 9.3)	-0.07 ( 3.3)
Latvia											
Riga	1994	3004	2004	1283	0.22 (10.5)	0.11 ( 2.2)	0.03 ( 0.9)	0.06 ( 1.9)	0.38 (12.3)	0.66 (18.9)	0.34 ( 7.2)
Lithuania											
Kaunas	1995	1600	2001	2723	-0.24 ( 6.7)	-0.03 ( 0.7)	-0.03 ( 0.3)	0.01 ( 1.0)	0.33 (14.0)	0.25 ( 6.9)	0.20 ( 3.3)
Poland											
Krakow	1995	2786	2002	2545	0.27 ( 9.4)	0.17 ( 3.1)	0.04 ( 1.2)	0.14 ( 2.8)	0.81 (15.5)	1.09 (23.7)	0.64 ( 6.8)
Poznan	1994	3625	2002	1875	0.41 (11.2)	0.13 ( 2.8)	0.09 ( 1.7)	0.23 ( 3.4)	0.65 (13.5)	0.86 (19.5)	0.39 ( 5.2)
Romania											
Cluj	1994	3396	2001	3019	2.81 (22.7)	0.55 ( 4.6)	0.20 ( 1.8)	0.83 ( 6.5)	2.66 (25.5)	1.29 (13.4)	0.74 ( 8.9)
Russia											
Novosibirsk	1996	3654	2002	3769	0.22 (11.2)	-0.02 ( 1.9)	0.04 ( 1.0)	0.16 ( 1.8)	-0.42 (12.9)	0.48 (14.2)	0.11 ( 3.9)
Sweden											
Linköping	1994	2496	2002	2679	-0.36 ( 9.7)	-0.17 ( 2.6)	-0.08 ( 0.3)	-0.06 ( 1.4)	-0.45 (14.6)	0.14 (11.6)	0.23 (12.0)
Ukraine											
Kharkiv	1998	3311	2002	2428	2.01 (20.9)	0.33 ( 2.5)	0.08 ( 1.1)	0.08 ( 2.3)	1.85 (20.6)	1.80 (19.3)	-0.16 ( 5.5)
<b>Region Total</b>		<b>36,508</b>		<b>32,608</b>	<b>0.26 (11.6)</b>	<b>0.08 ( 2.3)</b>	<b>0.01 ( 0.8)</b>	<b>0.08 ( 2.2)</b>	<b>0.30 (14.3)</b>	<b>0.41 (14.0)</b>	<b>0.29 ( 5.9)</b>
<b>Oceania</b>											
New Zealand											
Auckland	1993	3206	2001	2870	-0.51 (22.5)	-0.38 ( 4.9)	0.02 ( 2.9)	-0.31 ( 5.6)	-0.45 (32.4)	0.14 (30.8)	0.63 (27.9)
Bay of Plenty	1993	2813	2002	1976	-0.98 (20.6)	-0.51 ( 4.4)	-0.11 ( 2.3)	-0.33 ( 4.1)	-0.86 (31.6)	-0.49 (26.9)	0.67 (28.3)
Christchurch	1993	3186	2003	3116	-0.17 (27.9)	-0.31 ( 6.7)	-0.07 ( 2.2)	-0.13 ( 6.2)	-0.25 (37.8)	-0.06 (26.8)	1.17 (37.6)
Nelson	1993	1838	2003	2305	-0.29 (28.0)	-0.35 ( 6.6)	-0.09 ( 1.7)	-0.19 ( 6.3)	-0.17 (41.6)	0.13 (27.6)	0.91 (29.4)
Wellington	1993	4417	2001	3050	0.11 (32.6)	-0.41 ( 7.8)	0.08 ( 3.7)	-0.03 ( 8.1)	0.17 (42.5)	0.15 (31.5)	1.24 (36.3)
<b>Region Total</b>		<b>15,460</b>		<b>13,317</b>	<b>-0.39 (26.7)</b>	<b>-0.38 ( 6.2)</b>	<b>-0.05 ( 2.6)</b>	<b>-0.21 ( 6.2)</b>	<b>-0.29 (37.5)</b>	<b>-0.01 (28.9)</b>	<b>0.93 (32.4)</b>
<b>Western Europe</b>											
Austria											
Urfahr-Umgebung	1995	1511	2003	1439	0.41 (15.1)	-0.02 ( 2.9)	0.01 ( 0.9)	0.05 ( 5.4)	1.02 (27.2)	0.74 (19.2)	0.22 ( 7.0)
Belgium											
Antwerp	1995	1515	2002	3250	-0.52 ( 8.3)	-0.15 ( 2.5)	-0.14 ( 0.5)	-0.18 ( 1.3)	-0.58 ( 9.1)	-0.58 (17.1)	0.05 ( 8.5)
Channel Islands											
Guernsey	1996	1170	2001	1248	-1.70 (26.5)	-0.58 ( 6.7)	-0.10 ( 3.5)	-0.14 ( 7.9)	1.48 (39.1)	-2.21 (33.8)	1.11 (26.9)
Jersey	1996	1135	2002	773	-1.44 (26.5)	-0.74 ( 6.2)	0.41 ( 5.2)	-0.30 ( 6.7)	0.60 (34.3)	-2.24 (31.7)	1.08 (25.2)
Germany											
Münster	1994	4000	1999	4132	0.68 (17.5)	0.04 ( 4.0)	0.13 ( 1.9)	0.35 ( 7.9)	0.92 (25.8)	0.60 (23.2)	0.20 ( 8.0)
Isle of Man											
Isle of Man	1995	1467	2001	1716	-0.36 (31.2)	-0.41 ( 6.7)	0.00 ( 3.4)	-0.19 ( 7.3)	1.73 (41.1)	-1.00 (35.5)	1.62 (28.6)
Italy											
Cosenza	1994	1068	2002	925	-0.38 ( 4.1)	-0.14 ( 0.3)	0.00 ( 0.0)	-0.18 ( 0.9)	-1.09 ( 6.1)	0.69 (27.9)	-0.38 ( 5.0)
Emilia-Romagna	1994	3961	2002	1347	-0.29 ( 8.1)	-0.08 ( 1.9)	-0.06 ( 0.1)	0.02 ( 2.2)	-0.16 (15.8)	1.89 (36.6)	-0.07 ( 9.6)
Empoli	1994	1046	2002	1229	-0.73 ( 7.6)	-0.19 ( 0.8)	-0.09 ( 0.1)	-0.16 ( 1.2)	-0.56 (13.1)	1.45 (40.2)	-0.40 ( 8.9)
Firenze	1994	1171	2002	1383	-0.22 ( 8.7)	-0.06 ( 2.1)	-0.11 ( 0.1)	-0.06 ( 2.1)	-0.07 (15.2)	2.52 (41.5)	0.32 (12.1)
Milano	1994	3373	2002	1410	-0.21 ( 8.9)	0.01 ( 2.3)	-0.05 ( 0.3)	0.13 ( 3.5)	-0.31 (15.5)	1.24 (37.2)	0.33 (13.3)
Roma	1994	3323	2002	1325	0.20 (11.4)	0.08 ( 2.6)	-0.01 ( 0.3)	0.09 ( 3.2)	0.12 (15.3)	1.10 (31.8)	0.44 (14.9)
Siena	1994	1181	2002	1082	-0.30 (10.5)	-0.15 ( 1.8)	-0.11 ( 0.3)	-0.10 ( 2.1)	-0.50 (16.8)	1.41 (37.7)	0.05 (11.4)
Torino	1994	1242	2002	1180	0.29 (10.9)	0.09 ( 3.0)	-0.01 ( 0.6)	0.26 ( 5.0)	-0.34 (16.0)	1.74 (37.2)	0.55 (13.8)
Trento	1995	4426	2002	1311	-0.26 ( 4.1)	-0.10 ( 0.6)	-0.05 ( 0.0)	-0.11 ( 0.5)	-0.27 ( 7.6)	0.23 (19.1)	0.37 (10.1)
Portugal											
Funchal	1995	3531	2002	3161	-0.23 ( 9.0)	-0.12 ( 1.9)	-0.05 ( 1.5)	-0.01 ( 2.7)	0.66 (21.2)	2.05 (34.1)	0.29 (15.2)
Lisbon	1993	3030	2002	3024	0.40 (14.6)	0.07 ( 3.5)	0.08 ( 2.1)	0.13 ( 3.5)	1.20 (24.8)	1.99 (35.4)	0.37 (15.6)
Portimao	1994	1058	2002	1109	0.20 ( 9.7)	0.02 ( 2.2)	0.05 ( 1.8)	0.02 ( 2.1)	0.42 (18.2)	1.67 (31.4)	0.27 (12.4)
Porto	1995	3131	2002	3336	0.82 (13.1)	0.13 ( 2.6)	0.08 ( 1.5)	0.18 ( 2.8)	1.50 (21.0)	2.83 (32.9)	0.54 (15.1)
Rep. of Ireland											
Rep. of Ireland	1995	3147	2003	3089	-0.30 (26.7)	-0.29 ( 5.7)	-0.03 ( 2.4)	-0.11 ( 5.1)	-0.48 (21.4)	0.46 (37.6)	0.79 (21.5)
Spain											
Barcelona	1993	3031	2002	3066	-0.59 ( 9.0)	-0.12 ( 2.3)	-0.06 ( 0.8)	-0.12 ( 1.6)	-0.55 (13.4)	-0.02 (20.4)	0.13 (12.3)
Bilbao	1994	3211	2001	3401	0.26 (13.7)	0.01 ( 4.3)	-0.09 ( 0.8)	0.07 ( 3.5)	0.35 (22.2)	-0.72 (20.5)	0.79 (21.8)
Cartagena	1993	3017	2002	3998	0.01 (10.7)	-0.08 ( 2.7)	-0.08 ( 1.1)	-0.11 ( 1.9)	0.02 (15.1)	0.78 (27.4)	0.14 (11.8)
Castellón	1994	3094	2002	4024	0.00 ( 7.1)	0.01 ( 1.8)	0.02 ( 0.6)	0.02 ( 1.3)	-0.15 (11.6)	-0.11 (21.4)	0.15 ( 9.0)

Centre	Phase One		Phase Three		12 Month Prevalence						
	Year	N	Year	N	Wheeze % change per year (Phase Three prevalence %)	≥4 Attacks % change per year (Phase Three prevalence %)	Wheeze disturbs Sleep % change per year (Phase Three prevalence %)	Severe wheeze limiting speech % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night Cough % change per year (Phase Three prevalence %)	Ever had Asthma % change per year (Phase Three prevalence %)
Madrid	1997	3221	2002	2652	0.49 (10.1)	0.35 ( 3.9)	0.05 ( 1.5)	0.24 ( 2.7)	1.42 (16.9)	-0.23 (17.3)	0.93 (14.3)
Pamplona	1994	3040	2001	2932	0.36 ( 8.0)	0.15 ( 2.8)	0.03 ( 0.7)	0.05 ( 1.4)	-0.13 (11.3)	0.75 (22.9)	0.31 (10.9)
Valencia	1994	3174	2002	3132	-0.09 (10.3)	0.04 ( 2.9)	0.00 ( 1.1)	-0.06 ( 2.3)	-0.09 (16.4)	-0.25 (19.3)	0.17 (13.5)
Valladolid	1994	3177	2002	2944	0.25 ( 8.2)	0.16 ( 2.8)	0.04 ( 0.8)	0.04 ( 1.8)	0.21 (14.8)	0.62 (27.9)	0.76 (12.4)
United Kingdom											
North Thames	1995	2220	2002	2356	-0.55 (26.6)	-0.22 ( 5.9)	-0.08 ( 2.7)	-0.28 ( 5.8)	-0.40 (23.1)	-0.41 (44.3)	0.90 (24.5)
Scotland	1995	4444	2002	4662	-1.28 (27.8)	-0.74 ( 6.4)	-0.14 ( 3.7)	-0.48 ( 6.6)	-1.34 (22.1)	-0.56 (38.5)	0.44 (24.5)
South Thames	1995	2297	2002	2432	-0.74 (26.2)	-0.50 ( 6.2)	-0.03 ( 3.2)	-0.13 ( 7.9)	-0.87 (20.7)	-0.11 (44.7)	0.72 (25.5)
Sunderland	1995	2092	2001	2193	-0.65 (16.1)	-0.15 ( 5.2)	-0.07 ( 2.0)	-0.27 ( 3.4)	-1.11 (17.6)	-0.33 (19.1)	0.59 (25.8)
Surrey/Sussex	1992	2114	2002	5082	-0.41 (22.7)	-0.36 ( 5.1)	-0.05 ( 1.8)	-0.16 ( 5.4)	-0.47 (33.9)	0.20 (28.6)	0.54 (24.3)
Wales	1995	2351	2002	2501	-0.87 (27.5)	-0.40 ( 6.2)	0.00 ( 3.7)	-0.39 ( 6.3)	1.20 (38.1)	-0.56 (39.6)	0.76 (27.1)
<b>Region Total</b>		<b>85,969</b>		<b>82,844</b>	<b>-0.07 (15.2)</b>	<b>-0.05 ( 3.7)</b>	<b>-0.02 ( 1.6)</b>	<b>-0.02 ( 3.8)</b>	<b>0.03 (20.3)</b>	<b>0.64 (29.3)</b>	<b>0.33 (16.3)</b>
<b>GLOBAL TOTAL</b>		<b>323,014</b>		<b>304,679</b>	<b>0.06 (13.7)</b>	<b>-0.02 ( 3.3)</b>	<b>-0.01 ( 1.8)</b>	<b>-0.01 ( 3.7)</b>	<b>0.15 (19.2)</b>	<b>0.51 (25.8)</b>	<b>0.28 ( 13.8)</b>

**Webtable 2:** Changes in the prevalence of self-reported asthma symptoms (video questionnaire) between Phase One and Phase Three in the 13-14 year age-group: % change in symptom prevalence per year (and Phase Three symptom prevalence %)

Centre	Phase One		Phase Three		Current Wheeze % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night wheeze % change per year (Phase Three prevalence %)	Night cough % change per year (Phase Three prevalence %)	Severe Wheeze % change per year (Phase Three prevalence %)
	Year	N	Year	N					
<b>Africa</b>									
Kenya									
Nairobi	1995	3224	2001	3023	-1.34 (10.8)	-1.25 (16.9)	-0.65 ( 7.8)	-1.31 (23.4)	-1.00 ( 7.1)
Morocco									
Casablanca	1995	3182	2001	1771	0.39 (12.9)	0.65 (16.9)	0.29 ( 7.2)	0.53 (17.6)	0.45 (11.0)
Marrakech	1995	2899	2002	1687	0.43 ( 8.7)	0.37 (10.3)	0.32 ( 4.7)	0.87 (16.7)	0.53 ( 7.5)
South Africa									
Cape Town	1995	5160	2002	4986	0.67 (11.2)	0.34 (13.9)	0.21 ( 5.3)	1.09 (19.2)	0.28 ( 7.0)
<b>Region Total</b>		<b>14,465</b>		<b>11,467</b>	<b>0.33 (11.0)</b>	<b>0.23 (14.6)</b>	<b>0.16 ( 6.2)</b>	<b>0.67 (19.7)</b>	<b>0.29 ( 7.7)</b>
<b>Asia-Pacific</b>									
China									
Beijing	1994	4164	2001	3523	-0.03 ( 3.1)	0.22 ( 6.2)	0.03 ( 0.9)	-0.08 ( 6.3)	0.04 ( 1.6)
Guangzhou	1994	3854	2001	3514	0.27 ( 3.8)	0.62 (11.3)	0.01 ( 0.8)	0.00 ( 5.4)	0.06 ( 1.6)
Hong Kong									
Hong Kong	1995	4660	2002	3321	-0.56 ( 6.2)	-1.27 ( 6.4)	-0.30 ( 1.7)	-0.40 (21.8)	-0.19 ( 5.6)
Malaysia									
Alor Setar	1995	3295	2002	2916	-0.12 ( 4.5)	0.06 ( 9.1)	-0.04 ( 1.8)	0.08 ( 9.2)	0.13 ( 3.7)
Klang Valley	1995	5956	2001	3025	0.10 ( 7.5)	1.11 (16.3)	0.08 ( 3.2)	0.62 (12.8)	0.11 ( 4.4)
Kota Bharu	1995	3001	2001	2989	-0.19 ( 2.8)	0.29 ( 8.8)	0.00 ( 1.7)	0.51 ( 8.3)	0.14 ( 3.0)
Philippines									
Metro Manila	1994	3205	2001	3658	0.54 (13.4)	0.58 (16.6)	0.04 ( 4.1)	0.58 (18.6)	0.20 ( 6.3)
Singapore									
Singapore	1994	4188	2001	3631	0.22 (11.4)	0.68 (12.9)	0.08 ( 3.7)	0.84 (14.9)	0.40 ( 7.8)
South Korea									
Provincial Korea	1995	6957	2000	7224	0.55 ( 5.8)	1.20 (12.0)	0.17 ( 1.3)	0.73 ( 6.9)	0.20 ( 2.6)
Seoul	1995	2957	2000	2870	-0.03 ( 5.0)	0.35 (10.0)	0.11 ( 1.2)	0.11 ( 6.4)	0.03 ( 2.8)
Taiwan									
Taipei	1995	3814	2001	6378	0.38 ( 6.7)	0.52 ( 8.9)	0.04 ( 1.9)	0.31 ( 5.3)	-0.01 ( 2.7)
Thailand									
Bangkok	1995	3704	2001	4648	0.59 (11.5)	0.26 (14.2)	0.00 ( 2.7)	0.45 (17.1)	-0.17 ( 3.5)
Chiang Mai	1995	3924	2001	3499	-0.19 ( 4.8)	-0.57 ( 4.2)	0.00 ( 1.7)	-0.41 ( 7.7)	-0.36 ( 0.9)
<b>Region Total</b>		<b>53,679</b>		<b>51,196</b>	<b>0.11 ( 6.8)</b>	<b>0.25 (10.7)</b>	<b>0.02 ( 2.0)</b>	<b>0.30 (10.4)</b>	<b>0.05 ( 3.5)</b>
<b>Eastern Mediterranean</b>									
Iran									
Rasht	1995	3174	2002	2991	0.06 ( 3.5)	0.15 ( 7.2)	-0.02 ( 0.9)	-0.07 ( 5.5)	0.07 ( 2.5)
Kuwait									
Kuwait	1995	1028	2001	2882	-0.83 ( 8.4)	-0.18 (13.6)	-0.78 ( 4.8)	1.02 (15.9)	-0.67 ( 5.1)
Pakistan									
Karachi	1995	1829	2001	2978	-0.15 ( 7.1)	-0.07 ( 5.9)	0.08 ( 3.5)	-0.13 ( 5.3)	-0.42 ( 1.9)
<b>Region Total</b>		<b>6,031</b>		<b>8,851</b>	<b>-0.05 ( 6.3)</b>	<b>0.06 ( 8.8)</b>	<b>-0.03 ( 3.1)</b>	<b>0.08 ( 8.8)</b>	<b>-0.04 ( 3.2)</b>
<b>Indian subcontinent</b>									
India									
Chandigarh	1995	3086	2001	2317	-0.06 ( 2.5)	-0.19 ( 3.8)	0.26 ( 4.1)	0.15 ( 3.9)	0.00 ( 1.9)
Chennai									
(Madras) (3)	1995	3037	2002	1717	0.17 ( 3.8)	-0.35 ( 4.2)	0.12 ( 2.5)	-0.29 ( 2.7)	-0.05 ( 1.6)
Jodhpur	1994	1049	2003	2098	1.74 (21.4)	-0.39 ( 4.9)	0.71 (10.4)	0.47 ( 9.7)	0.17 ( 6.0)
New Delhi (7)	1995	2817	2001	3469	-0.29 ( 5.3)	-0.79 ( 4.4)	-0.50 ( 4.5)	-0.62 ( 4.2)	-0.57 ( 2.8)
Pune	1994	2573	2001	1951	0.55 ( 4.5)	0.80 ( 7.0)	0.31 ( 2.8)	0.41 ( 3.8)	0.32 ( 3.1)
<b>Region Total</b>		<b>12,562</b>		<b>11,552</b>	<b>0.32 ( 7.3)</b>	<b>0.15 ( 4.8)</b>	<b>0.30 ( 4.9)</b>	<b>0.18 ( 4.8)</b>	<b>0.00 ( 3.1)</b>
<b>Latin America</b>									
Argentina									
Córdoba	1997	2948	2002	3438	0.00 ( 8.1)	-0.39 ( 7.3)	-0.05 ( 2.5)	0.67 (16.7)	-0.05 ( 5.5)
Chile									
Punta Arenas	1994	2821	2001	3043	0.54 (13.3)	0.81 (17.1)	0.19 ( 3.9)	1.42 (24.7)	0.27 ( 6.0)
South Santiago	1995	3049	2001	3016	-0.06 (12.7)	-0.45 (14.2)	-0.03 ( 4.2)	1.20 (23.4)	0.16 ( 5.5)

Centre	Phase One		Phase Three		Current Wheeze % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night wheeze % change per year (Phase Three prevalence %)	Night cough % change per year (Phase Three prevalence %)	Severe Wheeze % change per year (Phase Three prevalence %)
	Year	N	Year	N					
Paraguay									
Asunción	1997	2966	2002	3000	0.10 (10.6)	-0.51 (12.0)	-0.01 ( 5.2)	1.06 (18.1)	0.04 ( 6.3)
Peru									
Lima	1995	3150	2001	2927	-0.45 (15.8)	-0.18 (20.3)	0.09 ( 6.9)	0.36 (18.9)	0.01 ( 8.3)
Uruguay									
Montevideo	1994	3069	2002	3175	-0.42 (11.6)	-0.30 (15.1)	-0.15 ( 4.7)	0.38 (22.3)	-0.42 ( 7.6)
<b>Region Total</b>		<b>18,003</b>		<b>18,599</b>	<b>-0.04 (11.9)</b>	<b>-0.10 (14.2)</b>	<b>0.00 ( 4.5)</b>	<b>0.74 (20.6)</b>	<b>0.01 ( 6.5)</b>
<b>North America</b>									
Barbados									
Barbados	1996	3533	2001	2498	0.18 (13.9)	0.20 (22.0)	0.35 (12.9)	-0.17 (15.9)	-0.38 ( 7.4)
USA									
Seattle	1995	2140	2003	2397	-0.54 ( 8.7)	-0.92 (15.1)	-0.14 ( 3.5)	0.75 (19.5)	-0.45 ( 7.0)
<b>Region Total</b>		<b>5,673</b>		<b>4,895</b>	<b>-0.26 (11.3)</b>	<b>-0.80 (18.6)</b>	<b>-0.11 ( 8.3)</b>	<b>0.62 (17.7)</b>	<b>-0.44 ( 7.2)</b>
<b>Northern and Eastern Europe</b>									
Albania									
Tiranë	1995	2362	2001	2924	0.09 ( 1.6)	0.50 ( 4.3)	0.46 ( 3.1)	0.29 ( 3.3)	0.17 ( 1.6)
Estonia									
Tallinn	1994	3400	2001	3258	0.02 ( 2.2)	0.18 ( 6.8)	0.03 ( 1.4)	0.14 ( 7.1)	0.08 ( 1.5)
Finland									
Kuopio County	1994	2875	2001	3049	-0.06 ( 3.3)	-0.07 ( 7.1)	0.00 ( 0.9)	-0.06 (10.7)	-0.09 ( 1.9)
Latvia									
Riga	1994	2847	2004	1276	0.18 ( 3.1)	0.10 ( 4.2)	0.04 ( 1.1)	0.34 ( 6.7)	0.10 ( 1.6)
Sweden									
Linköping	1994	2486	2002	2660	-0.17 ( 3.7)	-0.40 ( 8.3)	0.01 ( 1.0)	0.23 ( 9.3)	-0.06 ( 2.0)
<b>Region Total</b>		<b>13,970</b>		<b>13,167</b>	<b>0.03 ( 2.7)</b>	<b>0.15 ( 6.3)</b>	<b>0.02 ( 1.6)</b>	<b>0.23 ( 7.5)</b>	<b>0.06 ( 1.7)</b>
<b>Oceania</b>									
New Zealand									
Auckland	1993	3201	2001	2869	-0.64 (11.2)	-1.56 (15.9)	-0.79 ( 5.1)	-0.09 (20.0)	-0.63 ( 6.3)
Bay of Plenty	1993	2810	2002	1902	-0.57 (13.4)	-1.66 (13.5)	-0.53 ( 6.7)	-0.88 (17.2)	-0.50 ( 8.3)
Christchurch	1993	3167	2003	3094	-0.86 ( 8.8)	-1.60 (16.2)	-0.67 ( 4.6)	-0.46 (17.9)	-0.61 ( 7.1)
Nelson	1993	1826	2003	2295	-0.76 (11.5)	-1.64 (15.9)	-0.65 ( 3.9)	-0.49 (18.4)	-0.23 ( 9.4)
Wellington	1993	4404	2001	3045	-0.93 (12.1)	-1.75 (17.1)	-0.86 ( 5.4)	-0.08 (22.5)	-1.01 ( 6.8)
<b>Region Total</b>		<b>15,408</b>		<b>13,205</b>	<b>-0.76 (11.2)</b>	<b>-1.64 (15.9)</b>	<b>-0.73 ( 5.1)</b>	<b>-0.32 (19.4)</b>	<b>-0.56 ( 7.4)</b>
<b>Western Europe</b>									
Austria									
Urfahr- Umgebung	1995	1502	2003	1424	0.26 ( 8.6)	0.00 (15.6)	0.02 ( 3.8)	0.24 (10.1)	0.21 ( 4.6)
Germany									
Münster	1994	3996	1999	4130	0.23 ( 6.8)	0.25 (17.7)	0.19 ( 4.7)	0.75 (14.4)	0.12 ( 4.7)
Portugal									
Funchal	1995	3406	2002	2961	0.15 ( 7.3)	0.28 (16.3)	0.17 ( 4.4)	0.93 (16.6)	-0.06 ( 4.6)
Spain									
Barcelona	1993	2984	2002	3062	-0.17 ( 5.9)	-1.43 ( 9.0)	-0.28 ( 2.2)	0.81 (23.6)	-0.01 ( 4.0)
Bilbao	1994	3166	2001	3401	0.16 (10.9)	-1.65 (16.1)	-0.15 ( 5.0)	-0.69 (11.9)	0.20 ( 6.6)
Cartagena	1993	3013	2002	3991	-0.27 ( 5.3)	-1.11 (12.9)	-0.23 ( 2.1)	0.01 (12.9)	-0.13 ( 2.5)
Castellón	1994	3089	2002	4021	0.11 ( 6.7)	-1.29 ( 8.6)	-0.24 ( 2.0)	-0.24 (16.8)	0.07 ( 3.2)
Madrid	1997	3221	2002	2651	0.34 ( 7.8)	-1.39 (10.7)	-0.11 ( 2.4)	-0.42 (10.1)	0.43 ( 4.5)
Pamplona	1994	3040	2001	2922	0.11 ( 7.7)	-1.54 (13.8)	-0.16 ( 2.7)	0.32 (18.0)	0.16 ( 4.5)
Valencia	1994	3135	2002	3078	-0.32 ( 7.1)	-3.11 (10.6)	-0.31 ( 2.6)	-0.23 (16.1)	-0.03 ( 4.0)
Valladolid	1994	3170	2002	2940	0.18 ( 7.7)	-1.83 (14.3)	-0.26 ( 1.8)	0.78 (23.3)	0.30 ( 5.7)
<b>Region Total</b>		<b>33,722</b>		<b>34,581</b>	<b>0.00 ( 7.3)</b>	<b>-1.24 (13.2)</b>	<b>-0.18 ( 3.1)</b>	<b>0.23 (16.0)</b>	<b>0.07 ( 4.4)</b>
<b>GLOBAL TOTAL</b>		<b>173,513</b>		<b>167,513</b>	<b>0.00 ( 7.9)</b>	<b>-0.21 (11.6)</b>	<b>-0.04 ( 3.4)</b>	<b>0.25 (13.6)</b>	<b>0.02 ( 4.5)</b>

**Webtable 3:** Changes in the prevalence of parental-reported asthma symptoms (written questionnaire) between Phase One and Phase Three in the 6-7 year age-group: % change in symptom prevalence per year (and Phase Three symptom prevalence %)

Centre	Phase One		Phase Three		12 Month Prevalence						
	Year	N	Year	N	Wheeze % change per year (Phase Three prevalence %)	≥4 Attacks % change per year (Phase Three prevalence %)	Wheeze disturbs Sleep % change per year (Phase Three prevalence %)	Severe wheeze limiting speech % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night Cough % change per year (Phase Three prevalence %)	Ever had Asthma % change per year (Phase Three prevalence %)
<b>Africa</b>											
Nigeria											
Ibadan	1995	1696	2002	2396	0.10 ( 5.6)	0.02 ( 2.8)	0.04 ( 2.3)	0.14 ( 4.8)	-0.18 ( 5.4)	-0.18 ( 8.0)	-0.01 ( 3.3)
<b>Region Total</b>		<b>1,696</b>		<b>2,396</b>	<b>0.10 ( 5.6)</b>	<b>0.02 ( 2.8)</b>	<b>0.04 ( 2.3)</b>	<b>0.14 ( 4.8)</b>	<b>-0.18 ( 5.4)</b>	<b>-0.18 ( 8.0)</b>	<b>-0.01 ( 3.3)</b>
<b>Asia-Pacific</b>											
Hong Kong											
Hong Kong	1995	3618	2001	4448	0.03 ( 9.4)	-0.01 ( 2.2)	0.01 ( 0.4)	0.00 ( 1.1)	0.14 ( 7.7)	0.73 (26.0)	0.04 ( 7.9)
Indonesia											
Bandung	1996	1371	2002	2503	-0.22 ( 2.8)	-0.03 ( 0.6)	-0.06 ( 0.4)	-0.03 ( 0.6)	-0.10 ( 2.5)	2.00 (21.2)	-0.33 ( 4.8)
Japan											
Fukuoka	1994	2896	2002	2958	0.10 (18.2)	-0.48 ( 1.6)	-0.01 ( 1.1)	-0.02 ( 1.6)	-0.01 ( 5.2)	0.45 (13.1)	0.59 (23.0)
Malaysia											
Alor Setar	1995	2978	2002	3786	-0.07 ( 5.7)	-0.09 ( 1.0)	-0.07 ( 0.3)	-0.07 ( 0.9)	-0.25 ( 2.9)	0.46 (19.0)	-0.52 ( 9.8)
Klang Valley	1995	3109	2001	3044	-0.07 ( 7.4)	-0.11 ( 1.4)	-0.04 ( 0.4)	-0.01 ( 1.3)	-0.10 ( 4.2)	0.58 (21.4)	0.13 (11.9)
Kota Bharu	1995	3819	2001	3110	-0.21 ( 4.3)	-0.08 ( 0.6)	-0.05 ( 0.1)	-0.02 ( 0.9)	-0.05 ( 3.7)	-0.55 (17.7)	0.14 (11.2)
Singapore											
Singapore	1994	2353	2001	5389	-0.80 (10.2)	-0.28 ( 1.6)	-0.13 ( 0.9)	-0.15 ( 0.9)	-0.52 ( 4.5)	0.53 (18.7)	-0.42 (15.5)
South Korea											
Provincial Korea	1995	5527	2000	4258	-1.38 ( 5.6)	-0.07 ( 1.5)	-0.03 ( 0.4)	-0.12 ( 1.4)	-0.12 ( 3.9)	0.03 (17.6)	0.17 ( 9.1)
Seoul	1995	2582	2000	1760	-1.71 ( 6.5)	0.04 ( 1.6)	-0.07 ( 0.2)	-0.22 ( 0.9)	0.05 ( 4.4)	0.51 (19.8)	0.18 ( 9.9)
Taiwan											
Taipei	1994	4806	2001	4832	0.04 ( 9.8)	-0.17 ( 1.7)	-0.06 ( 0.4)	-0.08 ( 0.7)	-0.16 ( 4.8)	0.59 (21.1)	0.24 (14.4)
Thailand											
Bangkok	1995	3629	2001	4209	0.68 (15.0)	0.13 ( 4.3)	0.07 ( 1.3)	0.16 ( 2.6)	0.10 ( 5.7)	1.36 (31.0)	0.24 (10.7)
Chiang Mai	1995	3828	2001	3106	0.38 ( 7.8)	0.10 ( 2.1)	0.00 ( 0.7)	0.12 ( 1.6)	0.06 ( 3.2)	0.39 (16.5)	0.32 ( 6.1)
<b>Region Total</b>		<b>40,516</b>		<b>43,403</b>	<b>-0.06 ( 8.9)</b>	<b>-0.09 ( 1.8)</b>	<b>-0.04 ( 0.6)</b>	<b>-0.04 ( 1.2)</b>	<b>-0.10 ( 4.5)</b>	<b>0.47 (20.6)</b>	<b>0.12 (11.4)</b>
<b>Eastern Mediterranean</b>											
Iran											
Rasht	1995	3013	2001	3057	1.67 (15.3)	0.36 ( 3.2)	0.17 ( 2.0)	0.22 ( 2.4)	0.41 ( 4.3)	0.69 ( 9.9)	0.48 ( 7.0)
Tehran	1995	2456	2001	3008	0.51 ( 8.6)	0.08 ( 1.4)	0.14 ( 1.6)	0.11 ( 1.5)	0.09 ( 2.3)	0.20 ( 7.2)	0.08 ( 2.1)
Malta											
Malta	1994	3493	2001	3795	0.86 (14.9)	0.10 ( 2.4)	0.09 ( 2.1)	-0.01 ( 1.1)	0.26 ( 5.9)	0.76 (24.4)	1.06 (14.9)
Oman											
Al-Khod	1995	3891	2001	4130	0.21 ( 8.4)	-0.06 ( 2.2)	-0.03 ( 3.3)	-0.12 ( 2.5)	-0.09 ( 6.4)	-0.27 (18.0)	0.02 (10.6)
<b>Region Total</b>		<b>12,853</b>		<b>13,990</b>	<b>0.79 (11.7)</b>	<b>0.10 ( 2.3)</b>	<b>0.10 ( 2.3)</b>	<b>0.04 ( 1.9)</b>	<b>0.19 ( 4.9)</b>	<b>0.36 (15.7)</b>	<b>0.28 ( 9.1)</b>
<b>Indian Sub-Continent</b>											
India											
Jodhpur	1994	1104	2003	2114	-0.12 ( 2.4)	-0.08 ( 0.6)	-0.09 ( 0.1)	-0.10 ( 0.5)	-0.14 ( 1.6)	-0.39 (10.1)	-0.12 ( 3.0)
Kottayam	1995	2156	2002	2619	-0.23 (23.0)	-0.18 ( 3.4)	-0.18 ( 2.6)	0.04 ( 7.8)	-0.06 (12.9)	-0.80 (21.4)	-0.40 (11.6)
Mumbai (16) (Bombay)	1995	3967	2003	2865	-0.15 ( 2.5)	-0.15 ( 0.1)	-0.12 ( 0.0)	-0.17 ( 0.2)	-0.06 ( 2.5)	-0.15 (11.4)	-0.11 ( 2.9)
Mumbai (18) (Bombay)	1994	3568	2002	4862	0.36 ( 4.7)	0.00 ( 0.6)	-0.03 ( 0.4)	0.02 ( 0.9)	0.09 ( 2.5)	0.73 (14.1)	0.18 ( 3.8)
New Delhi (7)	1995	2938	2002	3706	-0.12 ( 6.0)	-0.07 ( 0.9)	-0.02 ( 0.6)	0.07 ( 2.1)	-0.14 ( 3.0)	-1.08 ( 7.0)	0.43 ( 6.8)
Pune	1995	3248	2001	2711	0.28 ( 4.0)			-0.22 ( 0.0)	0.09 ( 3.1)	0.38 (11.8)	-0.14 ( 3.4)
<b>Region Total</b>		<b>16,981</b>		<b>18,877</b>	<b>0.06 ( 6.8)</b>	<b>-0.07 ( 1.0)</b>	<b>-0.06 ( 0.7)</b>	<b>-0.09 ( 1.8)</b>	<b>-0.04 ( 4.0)</b>	<b>-0.17 (12.5)</b>	<b>-0.05 ( 5.2)</b>
<b>Latin America</b>											
Brazil											
São Paulo	1995	3005	2002	3047	0.44 (24.4)	0.13 ( 5.1)	0.42 ( 6.7)	0.35 ( 4.8)	-0.04 ( 5.2)	0.33 (36.5)	0.03 ( 6.3)
Chile											
Punta Arenas	1994	3060	2001	3052	0.06 (17.5)	0.18 ( 3.3)	0.00 ( 2.5)	-0.01 ( 2.5)	-0.12 ( 9.2)	0.68 (34.2)	-0.36 ( 7.9)
South Santiago	1994	3182	2001	3075	-0.31 (14.7)	-0.06 ( 2.2)	-0.08 ( 3.2)	-0.17 ( 2.4)	0.11 (10.0)	1.49 (34.5)	-0.31 ( 8.4)





Centre	Phase One		Phase Three		12 Month Prevalence						
	Year	N	Year	N	Wheeze % change per year (Phase Three prevalence %)	≥4 Attacks % change per year (Phase Three prevalence %)	Wheeze disturbs Sleep % change per year (Phase Three prevalence %)	Severe wheeze limiting speech % change per year (Phase Three prevalence %)	Exercise Wheeze % change per year (Phase Three prevalence %)	Night Cough % change per year (Phase Three prevalence %)	Ever had Asthma % change per year (Phase Three prevalence %)
Funchal	1995	1797	2002	1819	-0.54 (11.0)	-0.44 ( 2.1)	-0.13 ( 4.1)	-0.55 ( 3.3)	-0.63 ( 7.0)	-0.29 (32.9)	-0.46 (14.2)
Lisbon	1995	2143	2002	2477	0.15 (14.2)	-0.02 ( 3.4)	0.07 ( 3.4)	-0.02 ( 2.9)	0.06 ( 7.1)	0.91 (32.7)	-0.07 ( 7.8)
Portimao	1994	1189	2001	1069	0.31 (13.2)	0.06 ( 2.5)	0.26 ( 3.6)	-0.15 ( 2.1)	0.13 ( 5.5)	1.06 (29.4)	-0.19 ( 4.9)
Spain											
Bilbao	1994	3019	2001	3157	0.61 (12.4)	0.10 ( 2.8)	0.06 ( 1.4)	0.04 ( 1.6)	0.27 ( 6.7)	0.69 (20.7)	1.53 (20.8)
Cartagena	1993	3335	2002	2948	0.30 (11.1)	0.11 ( 2.6)	0.08 ( 2.2)	0.03 ( 1.8)	0.22 ( 5.1)	0.52 (20.8)	0.51 (10.8)
Castellón	1994	3594	2002	3915	0.45 ( 8.3)	0.06 ( 1.5)	0.08 ( 1.4)	0.08 ( 1.4)	0.18 ( 3.5)	0.77 (14.6)	0.38 ( 7.3)
Madrid	1997	2442	2002	2347	0.55 ( 9.4)	0.10 ( 2.2)	0.10 ( 1.8)	0.22 ( 2.3)	0.34 ( 5.4)	0.94 (21.6)	0.38 ( 9.9)
Pamplona	1994	2996	2001	3176	0.51 ( 7.1)	0.14 ( 1.6)	0.08 ( 0.9)	0.10 ( 1.1)	0.38 ( 4.2)	1.17 (17.9)	0.77 ( 9.7)
Valencia	1994	3940	2002	3398	0.39 ( 9.3)	0.03 ( 1.8)	0.09 ( 1.1)	0.11 ( 1.9)	0.09 ( 3.6)	0.69 (17.1)	0.28 ( 8.4)
United Kingdom											
Sunderland	1996	1864	2001	1843	0.50 (20.9)	0.05 ( 7.0)	0.12 ( 6.2)	0.14 ( 4.0)	0.23 (14.6)	-0.19 (27.1)	0.78 (26.7)
<b>Region Total</b>		<b>60,100</b>		<b>53,787</b>	<b>0.20 ( 9.7)</b>	<b>0.03 ( 2.1)</b>	<b>-0.01 ( 1.5)</b>	<b>0.03 ( 1.7)</b>	<b>0.09 ( 4.6)</b>	<b>0.65 (20.7)</b>	<b>0.25 ( 9.1)</b>
<b>GLOBAL TOTAL</b>		<b>197,749</b>		<b>193,404</b>	<b>0.13 (11.6)</b>	<b>-0.01 ( 2.7)</b>	<b>-0.02 ( 1.6)</b>	<b>-0.01 ( 2.1)</b>	<b>0.04 ( 6.0)</b>	<b>0.43 (20.4)</b>	<b>0.18 (10.8)</b>